

Open Source Licenses – Verint Appointments and Queuing

Revision 1.03
November 2025

Unauthorized use, duplication, or modification of this document in whole or in part without the written consent of Verint Systems Inc. is strictly prohibited. By providing this document, Verint Systems Inc. is not making any representations regarding the correctness or completeness of its contents and reserves the right to alter this document at any time without notice. Features listed in this document are subject to change. Contact your Verint representative for current product features and specifications. All marks referenced herein with the ® or TM symbol are registered trademarks or trademarks of Verint Systems Inc. or its subsidiaries. All rights reserved. All other marks are trademarks of their respective owners.

© 2025 Verint Systems Inc. All rights reserved worldwide.

Table of Contents

Open Source Attribution	1
-------------------------------	---

Open Source Attribution

Certain components of this Software or software contained in this Product (collectively, "Software") may be covered by so-called "free or open source" software licenses ("Open Source Components"), which includes any software licenses approved as open source licenses by the Open Source Initiative or any similar licenses, including without limitation any license that, as a condition of distribution of the Open Source Components licensed, requires that the distributor make the Open Source Components available in source code format. A license in each Open Source Component is provided to you in accordance with the specific license terms specified in their respective license terms.

EXCEPT WITH REGARD TO ANY WARRANTIES OR OTHER RIGHTS AND OBLIGATIONS EXPRESSLY PROVIDED DIRECTLY TO YOU FROM VERINT, ALL OPEN SOURCE COMPONENTS ARE PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

Any third party technology that may be appropriate or necessary for use with the Verint Product is licensed to you only for use with the Verint Product under the terms of the third party license agreement specified in the Documentation, the Software or as provided online at <http://verint.com/thirdpartylicense>. You may not take any action that would separate the third-party technology from the Verint Product. Unless otherwise permitted under the terms of the third-party license agreement, you agree to only use the third-party technology in conjunction with the Verint Product.

The following Open Source Components may be included with this Software:

License Attributions for Appointments and Queuing

- @ampproject/remapping, @aws-crypto/ie11-detection, @aws-crypto/sha256-browser, @aws-crypto/sha256-js, @aws-crypto/supports-web-crypto, @aws-crypto/util, @aws-sdk/abort-controller, @aws-sdk/client-chime-sdk-messaging, @aws-sdk/client-cognito-identity, @aws-sdk/client-sso, @aws-sdk/client-sso-oidc, @aws-sdk/client-sts, @aws-sdk/config-resolver, @aws-sdk/core, @aws-sdk/credential-provider-cognito-identity, @aws-sdk/credential-provider-env, @aws-sdk/credential-provider-http, @aws-sdk/credential-provider-imds, @aws-sdk/credential-provider-ini, @aws-sdk/credential-provider-node, @aws-sdk/credential-provider-process, @aws-sdk/credential-provider-sso, @aws-sdk/credential-provider-web-identity, @aws-sdk/credential-providers, @aws-sdk/fetch-http-handler, @aws-sdk/hash-node, @aws-sdk/invalid-dependency, @aws-sdk/is-array-buffer, @aws-sdk/middleware-content-length, @aws-sdk/middleware-endpoint, @aws-sdk/middleware-host-header, @aws-sdk/middleware-logger, @aws-sdk/middleware-recursion-detection, @aws-sdk/middleware-retry, @aws-sdk/middleware-sdk-sts, @aws-sdk/middleware-serde, @aws-sdk/middleware-signing, @aws-sdk/middleware-stack, @aws-sdk/middleware-user-agent, @aws-sdk/nested-clients, @aws-sdk/node-config-provider, @aws-sdk/node-http-handler, @aws-sdk/property-provider, @aws-sdk/protocol-http, @aws-sdk/querystring-builder, @aws-sdk/querystring-parser, @aws-sdk/region-config-resolver, @aws-sdk/service-error-classification, @aws-sdk/shared-ini-file-loader, @aws-sdk/signature-v4, @aws-sdk/smithy-client, @aws-sdk/token-providers, @aws-sdk/types, @aws-sdk/url-parser, @aws-sdk/util-base64, @aws-sdk/util-body-length-browser, @aws-sdk/util-body-length-node, @aws-sdk/util-buffer-from, @aws-sdk/util-config-provider, @aws-sdk/util-defaults-mode-browser, @aws-sdk/util-defaults-mode-node, @aws-sdk/util-endpoints, @aws-sdk/util-hex-encoding, @aws-sdk/util-locate-window, @aws-sdk/util-middleware, @aws-sdk/util-retry, @aws-sdk/util-uri-escape, @aws-sdk/util-user-agent-browser, @aws-sdk/util-user-agent-node, @aws-sdk/util-utf8, @aws-sdk/util-utf8-browser, @aws-sdk/xml-builder, @eslint/config-array, @eslint/config-helps, @eslint/core, @eslint/object-schema, @eslint/plugin-kit, @firebase/analytics, @firebase/analytics-compat, @firebase/analytics-types, @firebase/app-check, @firebase/app-check-compat, @firebase/app-check-interop-types,

@firebase/app-check-types, @firebase/app-compat, @firebase/auth-compat, @firebase/auth-interop-types,
 @firebase/component, @firebase/data-connect, @firebase/database-compat, @firebase/firestore-compat,
 @firebase/functions, @firebase/functions-compat, @firebase/functions-types, @firebase/installations,
 @firebase/installations-compat, @firebase/installations-types, @firebase/logger, @firebase/messaging-compat,
 @firebase/messaging-interop-types, @firebase/performance, @firebase/performance-compat, @firebase/performance-types,
 @firebase/remote-config, @firebase/remote-config-compat, @firebase/remote-config-types, @firebase/storage-compat,
 @firebase/vertexai, @firebase/webchannel-wrapper, @googlemaps/js-api-loader, @googlemaps/markerclusterer,
 @grpc/proto-loader, @humanfs/core, @humanfs/node, @humanwhocodes/config-array, @humanwhocodes/module-importer,
 @humanwhocodes/retry, @internationalized/date, @internationalized/message, @internationalized/number,
 @internationalized/string, @react-aria/breadcrumbs, @react-aria/button, @react-aria/calendar, @react-aria/checkbox,
 @react-aria/color, @react-aria/combobox, @react-aria/datePicker, @react-aria/dialog, @react-aria/disclosure,
 @react-aria/dnd, @react-aria/focus, @react-aria/form, @react-aria/grid, @react-aria/gridlist, @react-aria/i18n,
 @react-aria/interactions, @react-aria/label, @react-aria/landmark, @react-aria/link, @react-aria/listbox,
 @react-aria/live-announcer, @react-aria/menu, @react-aria/meter, @react-aria/numberfield, @react-aria/overlays,
 @react-aria/progress, @react-aria/radio, @react-aria/searchfield, @react-aria/select, @react-aria/selection,
 @react-aria/separator, @react-aria/slider, @react-aria/spinbutton, @react-aria/ssr, @react-aria/switch, @react-aria/table,
 @react-aria/tabs, @react-aria/tag, @react-aria/textfield, @react-aria/toast, @react-aria/toggle, @react-aria/toolbar,
 @react-aria/tooltip, @react-aria/tree, @react-aria/utils, @react-aria/visually-hidden, @react-native-firebase/app,
 @react-native-firebase/messaging, @react-stately/calendar, @react-stately/checkbox, @react-stately/collections,
 @react-stately/color, @react-stately/combobox, @react-stately/data, @react-stately/datePicker, @react-stately/disclosure,
 @react-stately/dnd, @react-stately/flags, @react-stately/form, @react-stately/grid, @react-stately/list, @react-stately/menu,
 @react-stately/numberfield, @react-stately/overlays, @react-stately/radio, @react-stately/searchfield, @react-stately/select,
 @react-stately/selection, @react-stately/slider, @react-stately/table, @react-stately/tabs, @react-stately/toast,
 @react-stately/toggle, @react-stately/tooltip, @react-stately/tree, @react-stately/utils, @react-types/breadcrumbs,
 @react-types/button, @react-types/calendar, @react-types/checkbox, @react-types/color, @react-types/combobox,
 @react-types/datePicker, @react-types/dialog, @react-types/grid, @react-types/link, @react-types/listbox,
 @react-types/menu, @react-types/meter, @react-types/numberfield, @react-types/overlays, @react-types/progress,
 @react-types/radio, @react-types/searchfield, @react-types/select, @react-types/shared, @react-types/slider,
 @react-types/switch, @react-types/table, @react-types/tabs, @react-types/textfield, @react-types/tooltip, @rjsf/core,
 @rjsf/utils, @rjsf/validator-ajv8, @sigstore/bundle, @sigstore/core, @sigstore/protobuf-specs, @sigstore/sign, @sigstore/tuf,
 @sigstore/verify, @smithy/abort-controller, @smithy/config-resolver, @smithy/core, @smithy/credential-provider-imds,
 @smithy/fetch-http-handler, @smithy/hash-node, @smithy/invalid-dependency, @smithy/is-array-buffer,
 @smithy/middleware-content-length, @smithy/middleware-endpoint, @smithy/middleware-retry, @smithy/middleware-serde,
 @smithy/middleware-stack, @smithy/node-config-provider, @smithy/node-http-handler, @smithy/property-provider,
 @smithy/protocol-http, @smithy/querystring-builder, @smithy/querystring-parser, @smithy/service-error-classification,
 @smithy/shared-ini-file-loader, @smithy/signature-v4, @smithy/smithy-client, @smithy/types, @smithy/url-parser,
 @smithy/util-base64, @smithy/util-body-length-browser, @smithy/util-body-length-node, @smithy/util-buffer-from,
 @smithy/util-config-provider, @smithy/util-defaults-mode-browser, @smithy/util-defaults-mode-node, @smithy/util-endpoints,
 @smithy/util-hex-encoding, @smithy/util-middleware, @smithy/util-retry, @smithy/util-stream, @smithy/util-uri-escape,
 @smithy/util-utf8, @swc/helpers, @webassemblyjs/leb128, @xtuc/long, ASM based accessors helper used by json-smart,
 AWS Event Stream, AWS Java SDK :: AWS CRT Core, AWS Java SDK :: Arns, AWS Java SDK :: Checksums, AWS Java
 SDK :: Checksums SPI, AWS Java SDK :: Core :: Protocols :: AWS Json Protocol, AWS Java SDK :: Core :: Protocols :: AWS
 Xml Protocol, AWS Java SDK :: Core :: Protocols :: Json Utils, AWS Java SDK :: Endpoints SPI, AWS Java SDK :: HTTP Auth,
 AWS Java SDK :: HTTP Auth AWS, AWS Java SDK :: HTTP Auth Event Stream, AWS Java SDK :: HTTP Auth SPI, AWS Java
 SDK :: Identity SPI, AWS Java SDK :: Metrics Interface, AWS Java SDK :: Retries, AWS Java SDK :: Retries API, AWS Java
 SDK :: Services :: Amazon S3, AWS Java SDK :: Services :: Amazon SNS, AWS Java SDK :: Third Party :: Jackson-core, AWS
 SDK for Java, Activity, Addressable URI parser, Agroal API, Agroal Connection Pool, Agroal Narayana Integration, Ancillary
 classes for making third party frameworks to run on top of Vert.x, Android App Startup Runtime, Android AppCompat Library,
 Android Arch-Common, Android Arch-Runtime, Android KTX Core, Android Lifecycle LiveData, Android Lifecycle LiveData
 Core, Android Lifecycle Runtime, Android Lifecycle ViewModel, Android Lifecycle ViewModel with SavedState, Android
 Lifecycle-Common, Android Resources Library, Android Support AnimatedVectorDrawable, Android Support Library
 Annotations, Android Support Library Cursor Adapter, Android Support Library Custom View -
 androidx.customview:customview, Android Support Library Drawer Layout, Android Support Library Interpolators, Android
 Support Library View Pager, Android Support Library collections, Android Support Library compat, Android Support Library
 fragment, Android Support Library loader, Android Support VectorDrawable, Android Tracing, AndroidX Futures, Apache
 Commons BeanUtils, Apache Commons Codec, Apache Commons Collections, Apache Commons Compress, Apache
 Commons Digester, Apache Commons FileUpload, Apache Commons IO, Apache Commons Lang, Apache Commons
 Logging, Apache Commons Pool, Apache Commons Text, Apache Commons Validator, Apache Groovy, Apache
 HTTPComponents Core, Apache HttpClient, Apache HttpComponents AsyncClient, Apache HttpMime, Apache Kafka, Apache
 Log4J API, Apache Log4j, Apache Log4j JUL Adapter, Apache Log4j SLF4J 2.0 Binding, Apache Maven, Apache Mina SSHD,
 Apache Santuario (Java), Apache Tomcat, Apache Velocity, Apache Velocity - JSR 223 Scripting, Apache Velocity Tools -

Generic tools, ArC - Runtime, AssertJ - Fluent Assertions for Java, Asynchronous Http Client, AutoValue Annotations, Awaitility, Byte Buddy, CDI APIs, CDI Language Model, Caffeine cache, Commons Logging to JBoss Logging, Disruptor Framework, Eclipse MicroProfile Reactive Streams Operators API, Ehcache, Ehcache JCache Implementation, Elasticsearch Kubernetes cloud plugin, Experimental annotation, Fabric8 :: Kubernetes :: HttpClient :: OkHttp, Fabric8 :: Kubernetes :: Java Client API, Fabric8 :: Kubernetes Model :: API Extensions, Fabric8 :: Kubernetes Model :: Admission Registration, Authentication and Authorization, Fabric8 :: Kubernetes Model :: Apps, Fabric8 :: Kubernetes Model :: Autoscaling, Fabric8 :: Kubernetes Model :: Batch, Fabric8 :: Kubernetes Model :: Certificates, Fabric8 :: Kubernetes Model :: Common, Fabric8 :: Kubernetes Model :: Coordination, Fabric8 :: Kubernetes Model :: Core, Fabric8 :: Kubernetes Model :: Discovery, Fabric8 :: Kubernetes Model :: Events, Fabric8 :: Kubernetes Model :: Extensions, Fabric8 :: Kubernetes Model :: FlowControl, Fabric8 :: Kubernetes Model :: Metrics, Fabric8 :: Kubernetes Model :: Networking, Fabric8 :: Kubernetes Model :: Node, Fabric8 :: Kubernetes Model :: Policy, Fabric8 :: Kubernetes Model :: RBAC, Fabric8 :: Kubernetes Model :: Resource, Fabric8 :: Kubernetes Model :: Scheduling, Fabric8 :: Kubernetes Model :: Sigs :: Gateway API, Fabric8 :: Kubernetes Model :: Storage Class, FindBugs jsr305, GOM, GSON extensions to the Google HTTP Client Library for Java., Gizmo, Google Android Annotations Library, Google Chrome Lighthouse, Google Guice, Google HTTP Client Library for Java, Gson on Fire!, Guava InternalFutureFailureAccess and InternalFutures, Guava ListenableFuture only, HTTP functionality for the Reactor Netty library, Handlebars-Helpers, Hibernate Commons Annotations, Hibernate ORM, Hibernate Validator, HikariCP, Internet Time Utility, Invocation API, JBoss Logging 3, JBoss Logging 118n Annotations, JBoss Marshalling API, JBossJTA packaged module, JBossJTS ATX module, JCIP Annotations under Apache License, JCL 1.2 Implemented Over SLF4J, JCTools, JCommander Library, JWT :: API, JWT :: Extensions :: Jackson, JWT :: Impl, JSON library from Android SDK, JSON.simple, JSONassert, JSR 354 (Money and Currency API), JSpecify annotations, Jackson Jakarta-RS: JSON, Jackson Jakarta-RS: base, Jackson datatype: eclipse-collections, Jackson module: Jakarta XML Bind Annotations (jakarta.xml.bind), Jackson-Datatype-JSR310, Jackson-dataformat-TOML, Jackson-module-parameter-names, Jakarta Dependency Injection, Jandex: Core, Java 10 Shim, Java 8 Shim, Java Client for Google Maps Services, Java UUID Generator, JetBrains annotations, Joda Time, JsonSchemaValidator, Kotlin, LessCss, Lifecycle-Common, Local-only Hibernate Cache for Quarkus, Long.js, Maven API Meta annotations, Maven API XML, Maven Artifact, Maven Artifact Resolver API, Maven Artifact Resolver Connector Basic, Maven Artifact Resolver Implementation, Maven Artifact Resolver Named Locks, Maven Artifact Resolver Provider, Maven Artifact Resolver SPI, Maven Artifact Resolver Transport HTTP, Maven Artifact Resolver Transport Wagon, Maven Artifact Resolver Utilities, Maven Builder Support, Maven Embedder, Maven Local Settings Model, Maven Model, Maven Model Builder, Maven Plugin API, Maven Repository Metadata Model, Maven Settings Builder, Maven Wagon API, Maven Wagon File Provider, Maven Wagon HTTP Provider, Maven Wagon HTTP Shared Library, Maven XML Implementation, Medium/phantomjs, MicroProfile Config API, MicroProfile Context Propagation, MicroProfile Health API, MicroProfile Metrics API, MicroProfile OpenAPI API, Microsoftslib, Mock Server Client, MockServer & Proxy Netty, MockServer Core, Moneta (JSR 354 RI), Moneta Core, Moneta Currency Conversion, Moneta Currency Conversion - ECB Provider, Moneta Currency Conversion - IMF Provider, Netty Project, Netty/Resolver/DNS/Classes/MacOS, Netty/Resolver/DNS/MacOS, Netty/TomcatNative [BoringSSL - Static], Netty/TomcatNative [OpenSSL - Classes], Netty/Transport/Classes/Epoll, Netty/Transport/Native/Unix/Common, New Relic Java API Jar, Nimbus-JOSE-JWT, OWASP Java HTML Sanitizer, OkHttp, OkHttp Logging Interceptor, OpenCensus, PathJson, Play, Play-AHC-WS, Play-Build-Link, Play-Cache, Play-Configuration, Play-Ehcache, Play-Exceptions, Play-Filters-Helpers, Play-Guice, Play-JDBC, Play-JDBC-API, Play-Java, Play-Java-Forms, Play-Java-JDBC, Play-Java-JPA, Play-Logback, Play-Pekko-Http-Server, Play-Server, Play-Streams, Play-WS, Plexus, Plexus Cipher: encryption/decryption Component, Plexus Interpolation API, Plexus Security Dispatcher Component, Plexus XML Utilities, Prometheus Java Simpleclient, Prometheus Java Simpleclient Common, Prometheus Java Simpleclient Httpserver, Prometheus Java Span Context Supplier - Common, Prometheus Java Span Context Supplier - OpenTelemetry, Prometheus Java Span Context Supplier - OpenTelemetry Agent, Prometheus Metrics Config, Prometheus Metrics Core, Prometheus Metrics Exposition Formats, Prometheus Metrics Exposition Text Formats, Prometheus Metrics Model, Prometheus Metrics Tracer Common, Quarkus, Quarkus - Agroal, Quarkus - Apache HttpClient - Runtime, Quarkus - ArC, Quarkus - Bootstrap - App Model, Quarkus - Bootstrap - Classloader common utilities, Quarkus - Bootstrap - Core, Quarkus - Bootstrap - Gradle Resolver, Quarkus - Bootstrap - Maven Resolver, Quarkus - Bootstrap - Runner, Quarkus - Builder, Quarkus - Caffeine, Quarkus - Core - Class Change Agent, Quarkus - Core - Deployment, Quarkus - Credentials - Runtime, Quarkus - Datasource - Common, Quarkus - Datasource - Runtime, Quarkus - Dev tools - Utilities, Quarkus - Development mode - SPI, Quarkus - FS Util, Quarkus - Flyway - Runtime, Quarkus - Hibernate ORM, Quarkus - Hibernate ORM with Panache - Common - Runtime, Quarkus - Hibernate ORM with Panache - Deployment, Quarkus - Hibernate Validator - SPI, Quarkus - IDE Launcher, Quarkus - JDBC - MySQL - Runtime, Quarkus - JSON-P - Deployment, Quarkus - Jackson - Runtime, Quarkus - Mutiny - Runtime, Quarkus - Narayana JTA - Deployment, Quarkus - Netty - Deployment, Quarkus - Panache - Common - Runtime, Quarkus - Panache - Hibernate - Common - Runtime, Quarkus - Quarkus - Vert.x Late Bound MDC Provider, Quarkus - RESTEasy - Common - Runtime, Quarkus - RESTEasy - Deployment, Quarkus - RESTEasy - Jackson - Runtime, Quarkus - RESTEasy - Mutiny - Common - Runtime, Quarkus - RESTEasy - Mutiny - Runtime, Quarkus - RESTEasy - Server common - Runtime, Quarkus - Security - Runtime SPI, Quarkus - SmallRye Context Propagation - Runtime, Quarkus - SmallRye Health - Deployment, Quarkus - SmallRye Metrics - Deployment, Quarkus - SmallRye OpenAPI - Deployment, Quarkus - Swagger UI - Runtime, Quarkus - TLS Registry - Runtime, Quarkus - Test Framework - JUnit 5 - Properties, Quarkus - Test framework - Common, Quarkus - Test framework - JUnit 5, Quarkus - Transaction Annotations - Runtime, Quarkus - Vert.x - Deployment, Quarkus - Vert.x - HTTP - Runtime, Quarkus - Virtual Threads - Runtime, Qudini Utils, REST Assured, RESTEasy, RESTEasy

CDI integration module, RESTEasy JAX-RS Client, RESTEasy JAX-RS Client API, RESTEasy JAX-RS Core SPI, RESTEasy MicroProfile: Conf Sources, Reactive Relational Database Connectivity - SPI, ReactiveX RxJS, Reactor Netty, Reactor Test support, Reactor Tools, Request - Simple HTTP Client, Resteasy Jackson 2 Provider, RxJava, Shaded Protobuf, SmallRye BeanBag, SmallRye BeanBag: Maven, SmallRye BeanBag: SISU, SmallRye Common: Annotations, SmallRye Common: CPU, SmallRye Common: Classloader, SmallRye Common: Constraints, SmallRye Common: Expressions, SmallRye Common: Functions, SmallRye Common: IO, SmallRye Common: Net, SmallRye Common: OS, SmallRye Common: References, SmallRye Common: Vert.x Context Utilities, SmallRye Fault Tolerance: Vert.x Integration, SmallRye Health: API, SmallRye Health: Provided Health Checks, SmallRye Mutiny, SmallRye Mutiny - Code Generator, SmallRye Mutiny - Runtime Helpers, SmallRye Mutiny - Vert.x Auth Common, SmallRye Mutiny - Vert.x Bridge Common, SmallRye Mutiny - Vert.x Core, SmallRye Mutiny - Vert.x URI Template, SmallRye Mutiny - Vert.x Web, SmallRye Mutiny - Vert.x Web Client, SmallRye Mutiny - Vert.x Web Common, SmallRye Mutiny :: Integration with SmallRye Context Propagation, SmallRye Mutiny Zero JDK Flow / Reactive Streams Adapters, SmallRye: Common classes, SmallRye: MicroProfile Config Core Implementation, SmallRye: MicroProfile Config Implementation, SmallRye: MicroProfile Health Implementation, SmallRye: MicroProfile Metrics Implementation, SmallRye: MicroProfile OpenAPI Core, SnakeYAML, SnakeYAML Engine, SoLoader, SoLoader - com.facebook.soloaders:annotation, Spring Boot, Spring Boot Actuator AutoConfigure, Spring Boot Configuration Processor, Spring Boot Data Redis Reactive Starter, Spring Boot Developer Tools, Spring Boot JOOQ Starter, Spring Boot Reactor Netty Starter, Spring Boot Test, Spring Boot Test Auto-Configure, Spring Cloud Commons, Spring Cloud Context, Spring Cloud Kubernetes :: Fabric8 AutoConfig, Spring Cloud Kubernetes :: Leader, Spring Commons Logging Bridge, Spring Data Commons, Spring Data JPA, Spring Data Relational, Spring Framework, Spring Integration, Spring Kafka, Spring Security, Spring WebFlux, TagSoup, TypeScript, TypeTools, VersionedParcelable and friends, WD.js, WireMock, Woodstox, ZXing Core, ZXing Java SE extensions, amazon-chime-sdk-component-library-react, android-support-v4-googlemaps, androidx.profileinstaller:profileinstaller, androidx.savedstate:savedstate, ansi-html-community, apache/maven-shared-utils, asyncutil, aws-sign, aws/amazon-chime-sdk-js, b4a, bare-events, baseline-browser-mapping, before-after-hook, boto3, brotli4j, browser-sync-ui, byte-buddy-agent, cachecontrol, caseless, chromium-edge-launcher, classworlds, com.google.api.grpc:proto-google-common-protos, com.google.gms.google-services, commons-cli, commons-email, config - com.typesafe:config, coveo/exponential-backoff, detect-libc, docker-java-api, docker-java-transport, docker-java-transport-zerodep, doctrine, easy-extender, easymockobjenesis, eazy-logger, ecdsa-sig-formatter, error-prone annotations, eslint-visitor-keys, fast-diff, faye-websocket-node, find-yarn-workspace-root, firebase, firebase-2, flyway-core, flyway-mysql, forever-agent, formik, funpermproxy, fuse.js, gitbook-plugin-github, googlegson, googleguava, googlei18n/libphonenumber, grpc-java, grpc-js, handlebars.java, htm, httpcomponents-core, human-signals, incubator-cordova-weinre, intersection-observer, io.grpc:grpc-alts, io.grpc:grpc-auth, io.grpc:grpc-context, io.grpc:grpc-googleapis, io.grpc:grpc-grpclb, io.grpc:grpc-inprocess, io.grpc:grpc-netty-shaded, io.grpc:grpc-protobuf-lite, io.grpc:grpc-services, io.grpc:grpc-stub, io.grpc:grpc-util, io.grpc:grpc-xds, io.swagger:swagger-annotations, j2objc - Java to IOS, jOOQ, jackson-annotations, jackson-core, jackson-databind, jackson-dataformat-binary, jackson-dataformat-yaml, jackson-module-scala, jackson-modules-java8, jakartaeevalidation, jake, jansi, java-classmate, java-dataloader, javax.inject:javax.inject, jboss-logmanager, jboss-threads, jdbcdslog, jest-junit, jose4j, json-path, json-smart, json-unit-core, jsr107, kew, kotlin-stdlib-common, kotlin-coroutines-core, lettuce-mod, lighthouse-logger, localForage/localForage, log4js-node, lz4java, maleck13/readline, marker-clusterer-plus, math.js, mde (ejs), mde/filelist, micrometer-commons, micrometer-jakarta9, micrometer-metrics, micrometer-observation, micrometer-registry-prometheus, micrometer-registry-prometheus-simpleclient, mikeal/aws-sign, mikeal/oauth-sign, native-linux-x86_64, newrelic-react-native-agent, node-xcode, nodejs-walker, nolanlawson/marky, opencensus-api, org.apache.groovy:groovy-json, org.apache.groovy:groovy-xml, org.apiguardian:apiguardian-api, org.conscrypt:conscrypt-openjdk-uber, org.jetbrains.kotlin:kotlin-annotations-jvm, org.jetbrains.kotlin:kotlin-stdlib-jdk7, org.jetbrains.kotlin:kotlin-stdlib-jdk8, org.opentest4j:opentest4j, org.xmlunit:xmlunit-placeholders, parboiled, pekko-actor, pekko-actor-typed, pekko-http-core, pekko-parsing, pekko-protobuf-v3, pekko-serialization-jackson, pekko-slf4j, pekko-stream, perfmak:perfmak-api, play-ahc-ws-standalone, play-functional, play-json, play-mailer, play-mailer-guice, play-ws-standalone, play-ws-standalone-json, play-ws-standalone-xml, plexus-utils, proto-google-cloud-recaptchaenterprise-v1, proto-google-cloud-recaptchaenterprise-v1beta1, qrcode-terminal, quarkus-security, qudini-reactive-graphql, qudini-reactive-logging, qudini-reactive-metrics, qudini-reactive-security, qudini-reactive-sqs, qudini-reactive-tests, qudini-reactive-utils, reCAPTCHA Enterprise, react-aria, react-beautiful-dnd, react-stately, react-tracking, reactor-core, recyclerlistview_nghialt, redisson, request/tunnel-agent, resize-observer, rest-assured-common, revalidator, scala-parser-combinators, scala-xml, scala3-library-bootstrapped, service, shaded-asynhttpclient, shaded-oauth, shakyShane/browser-sync, sigstore, slf4j-jboss-logmanager, smallrye-context-propagation, smallrye-context-propagation-api, smallrye-context-propagation-jta, smallrye-context-propagation-storage, smallrye-reactive-converter-api, smallrye-reactive-converter-mutiny, snappy-java, spdix-correct.js, spring-boot-actuator, spring-cloud-kubernetes-commons, spring-data-keyvalue, spring-data-redis, spring-retry, squareokio, ssl-config-core, strict-version-matcher-plugin, swagger-compat-spec-parser, swagger-core, swagger-models, swagger-parser, swagger-parser-v2-converter, testcontainers-redis, text-decoder, true-case-path, ts-interface-checker, tunnel-agent, twirl-api, univocity-parsers, validate-npm-package-license, watchman, web-vitals, websocket-driver-node, websocket-extensions-node, wicket-jquery-ui, wildfly-common, xml-name-validator, xml-path, zjsonpatch, Æsh and Æsh Readline is Copyright 2012-2024 the original author or authors.. Licensed under Apache License 2.0.

- @expo/xcpretty, @hapi/hoek, @humanwhocodes/object-schema, @protobufs/aspromise, @protobufs/base64, @protobufs/codegen, @protobufs/eventemitter, @protobufs/fetch, @protobufs/float, @protobufs/inquire, @protobufs/path, @protobufs/pool, @protobufs/utf8, @react-native/debugger-frontend, @sentry/browser, @sentry/cli-darwin, @sentry/cli-linux-arm, @sentry/cli-linux-arm64, @sentry/cli-linux-i686, @sentry/cli-linux-x64, @sentry/cli-win32-arm64, @sentry/cli-win32-i686, @sentry/cli-win32-x64, @sentry/core, @sentry/hub, @sentry/integrations, @sentry/minimal, @sentry/types, @sentry/utis, @sideway/address, @sideway/formula, @sideway/pinpoint, @sinonjs/commons, @sinonjs/fake-timers, @xtuc/ieee754, ASM, ASM Commons, ASM Tree, ASM Util, Bolts-Tasks, CSSselect, GAX (Google Api eXtensions), Go programming language, Google API Common, Google Auth Library for Java, Hamcrest, JZlib, Jakarta Activation, ParaNamer Core, ProtoBuf.js, Protocol Buffer Java Util Package, ReflectASM, SocketRocket, ThreeTen backport, ThreeTen-extra, abab, android-jsc, antlr, asm-analysis, babel-plugin-istanbul, babel-plugin-transform-regenerator, bcrypt-pbkdf, buffer-equal-constant-time, caseless, charenc, crypt, cryptiles, css-what, double-conversion, duplexer2, esquery, estraverse, esutils, fast-uri, fbemitter, ffi, fork-stream, gajus/table, graphql, hapi__hoek, hapi__topo, hoek, hoist-non-react-statics, hueniverse/hawk, hughsk/flat, hyphenate-style-name, iCal4j, iCal4j ZoneInfo Outlook, ieee754, intl-messageformat, invariant, istanbul, istanbul-lib-coverage, istanbul-lib-instrument, istanbul-lib-report, istanbul-lib-source-maps, istanbul-reports, jmustache, joi, js-base64, jsbn, jsdiff, kryo, lcov-parse, makeerror, md5, minlog, moo, multi-sort-stream, node-pre-gyp, nth-check, org.xmlunit:xmlunit-core, override-require, protobuf-java, qs - QS Querystring, re2j, react-transition-group, regenerator-transform, ripemd160, rst-selector-parser, sentry-cli-binary, serialize-javascript, shadiabuhilal/rtl-detect, shelljs, smol-toml, snpt, source-map, source-map-js, sprintf.js, spumko/boom, stream-chain, stream-json, stream-throttle, tpl, tough-cookie and wreck is Copyright (c) 2013, GoInstant Inc., a salesforce.com company. Licensed under BSD 3-clause "New" or "Revised" License.

- AspectJ weaver, JUnit Jupiter (Aggregator), jakartaee/rest, org.eclipse.sisu.inject, org.eclipse.sisu.plexus, org.junit.jupiter:junit-jupiter-api, org.junit.jupiter:junit-jupiter-engine, org.junit.jupiter:junit-jupiter-params, org.junit.platform:junit-platform-commons, org.junit.platform:junit-platform-engine and org.junit.platform:junit-platform-launcher is Copyright (c) 2000, 2003 IBM Corporation and others.

- @0no-co/graphql.web, @2fd/command, @2fd/graphdoc, @babel/code-frame, @babel/compat-data, @babel/core, @babel/generator, @babel/helper-annotate-as-pure, @babel/helper-builder-binary-assignment-operator-visitor, @babel/helper-compilation-targets, @babel/helper-create-class-features-plugin, @babel/helper-create-regexp-features-plugin, @babel/helper-define-polyfill-provider, @babel/helper-environment-visitor, @babel/helper-function-name, @babel/helper-get-function-arity, @babel/helper-globals, @babel/helper-hoist-variables, @babel/helper-member-expression-to-functions, @babel/helper-module-imports, @babel/helper-module-transforms, @babel/helper-optimise-call-expression, @babel/helper-plugin-utils, @babel/helper-remap-async-to-generator, @babel/helper-replace-supers, @babel/helper-simple-access, @babel/helper-skip-transparent-expression-wrappers, @babel/helper-split-export-declaration, @babel/helper-string-parser, @babel/helper-validator-identifier, @babel/helper-validator-option, @babel/helper-wrap-function, @babel/helpers, @babel/highlight, @babel/parser, @babel/plugin-bugfix-safari-id-structuring-collision-in-function-expression, @babel/plugin-bugfix-v8-spread-parameters-in-optional-chaining, @babel/plugin-proposal-async-generator-functions, @babel/plugin-proposal-class-properties, @babel/plugin-proposal-class-static-block, @babel/plugin-proposal-decorators, @babel/plugin-proposal-dynamic-import, @babel/plugin-proposal-export-default-from, @babel/plugin-proposal-export-namespace-from, @babel/plugin-proposal-json-strings, @babel/plugin-proposal-logical-assignment-operators, @babel/plugin-proposal-nullish-coalescing-operator, @babel/plugin-proposal-numeric-separator, @babel/plugin-proposal-object-rest-spread, @babel/plugin-proposal-optional-catch-binding, @babel/plugin-proposal-optional-chaining, @babel/plugin-proposal-private-methods, @babel/plugin-proposal-private-property-in-object, @babel/plugin-proposal-unicode-property-regex, @babel/plugin-syntax-async-generators, @babel/plugin-syntax-bigint, @babel/plugin-syntax-class-properties, @babel/plugin-syntax-class-static-block, @babel/plugin-syntax-decorators, @babel/plugin-syntax-dynamic-import, @babel/plugin-syntax-export-default-from, @babel/plugin-syntax-export-namespace-from, @babel/plugin-syntax-flow, @babel/plugin-syntax-import-assertions, @babel/plugin-syntax-import-attributes, @babel/plugin-syntax-import-meta, @babel/plugin-syntax-json-strings, @babel/plugin-syntax-jsx, @babel/plugin-syntax-logical-assignment-operators, @babel/plugin-syntax-nullish-coalescing-operator, @babel/plugin-syntax-numeric-separator, @babel/plugin-syntax-object-rest-spread, @babel/plugin-syntax-optional-catch-binding, @babel/plugin-syntax-optional-chaining, @babel/plugin-syntax-private-property-in-object, @babel/plugin-syntax-top-level-await, @babel/plugin-syntax-typescript, @babel/plugin-transform-arrow-functions, @babel/plugin-transform-async-generator-functions, @babel/plugin-transform-async-to-generator, @babel/plugin-transform-block-scoped-functions, @babel/plugin-transform-block-scoping, @babel/plugin-transform-class-properties, @babel/plugin-transform-class-static-block, @babel/plugin-transform-classes, @babel/plugin-transform-computed-properties, @babel/plugin-transform-destructuring, @babel/plugin-transform-dotall-regex, @babel/plugin-transform-duplicate-keys, @babel/plugin-transform-exponentiation-operator, @babel/plugin-transform-export-namespace-from, @babel/plugin-transform-flow-strip-types, @babel/plugin-transform-for-of, @babel/plugin-transform-function-name, @babel/plugin-transform-literals,

@babel/plugin-transform-logical-assignment-operators, @babel/plugin-transform-member-expression-literals,
@babel/plugin-transform-modules-amd, @babel/plugin-transform-modules-commonjs,
@babel/plugin-transform-modules-systemjs, @babel/plugin-transform-modules-umd,
@babel/plugin-transform-named-capturing-groups-regex, @babel/plugin-transform-new-target,
@babel/plugin-transform-nullish-coalescing-operator, @babel/plugin-transform-numeric-separator,
@babel/plugin-transform-object-rest-spread, @babel/plugin-transform-object-super,
@babel/plugin-transform-optional-catch-binding, @babel/plugin-transform-optional-chaining,
@babel/plugin-transform-parameters, @babel/plugin-transform-private-methods,
@babel/plugin-transform-private-property-in-object, @babel/plugin-transform-property-literals,
@babel/plugin-transform-react-display-name, @babel/plugin-transform-react-jsx,
@babel/plugin-transform-react-jsx-development, @babel/plugin-transform-react-jsx-self,
@babel/plugin-transform-react-jsx-source, @babel/plugin-transform-react-pure-annotations,
@babel/plugin-transform-regenerator, @babel/plugin-transform-reserved-words, @babel/plugin-transform-runtime,
@babel/plugin-transform-shorthand-properties, @babel/plugin-transform-spread, @babel/plugin-transform-sticky-regex,
@babel/plugin-transform-template-literals, @babel/plugin-transform-typeof-symbol, @babel/plugin-transform-typescript,
@babel/plugin-transform-unicode-escapes, @babel/plugin-transform-unicode-regex, @babel/preset-env, @babel/preset-flow,
@babel/preset-modules, @babel/preset-react, @babel/preset-typescript, @babel/register, @babel/regjsgen, @babel/runtime,
@babel/template, @babel/types, @bcoe/v8-coverage, @callstack/react-native-visionos, @callstack/reassure-cli,
@callstack/reassure-compare, @callstack/reassure-danger, @callstack/reassure-logger, @callstack/reassure-measure,
@config-plugins/detox, @contentpass/i18next-scanner, @cspotcode/source-map-support, @date-fns/tz, @date-io/core,
@date-io/date-fns, @date-io/luxon, @discoveryjs/json-ext, @dnd-kit/accessibility, @dnd-kit/core, @dnd-kit/modifiers,
@dnd-kit/sortable, @dnd-kit/utilities, @dnlowman/react-native-star-prnt, @egjs/hammerjs, @emotion/babel-plugin,
@emotion/babel-utils, @emotion/cache, @emotion/css, @emotion/hash, @emotion/is-prop-valid, @emotion/memoize,
@emotion/react, @emotion/serialize, @emotion/sheet, @emotion/styled, @emotion/stylis, @emotion/unitless,
@emotion/use-insertion-effect-with-fallbacks, @emotion/utils, @emotion/weak-memoize,
@engineerapart/i18next-express-middleware, @eslint-community/eslint-utils, @eslint-community/regexpp, @eslint/eslintrc,
@eslint/js, @expo/bunyan, @expo/cli, @expo/code-signing-certificates, @expo/config, @expo/config-plugins,
@expo/config-types, @expo/devcert, @expo/devtools, @expo/env, @expo/fingerprint, @expo/image-utils, @expo/json-file,
@expo/mcp-tunnel, @expo/metro, @expo/metro-config, @expo/metro-runtime, @expo/package-manager, @expo/plist,
@expo/prebuild-config, @expo/rudder-sdk-node, @expo/schema-utils, @expo/sdk-runtime-versions, @expo/server,
@expo/spawn-async, @expo/sudo-prompt, @expo/vector-icons, @expo/ws-tunnel, @exponent/osascript,
@flatten-js/interval-tree, @floating-ui/core, @floating-ui/dom, @floating-ui/react-dom, @floating-ui/utils,
@fobos531/react-native-maps, @formatjs/ecma402-abstract, @formatjs/fast-memoize, @formatjs/icu-messageformat-parser,
@formatjs/icu-skeleton-parser, @formatjs/intl-localematcher, @fontawesome/fontawesome-common-types,
@fontawesome/fontawesome-svg-core, @fontawesome/react-native-fontawesome, @gitbeaker/core,
@gitbeaker/requester-utils, @gitbeaker/rest, @gulp-sourcemaps/map-sources, @gulpjs/to-absolute-glob,
@hugeicons/core-free-icons, @icons/material, @ide/backoff, @istanbuljs/schema, @jest/console, @jest/core,
@jest/create-cache-key-function, @jest/environment, @jest/expect, @jest/expect-utils, @jest/fake-timers, @jest/globals,
@jest/reporters, @jest/schemas, @jest/source-map, @jest/test-result, @jest/test-sequencer, @jest/transform, @jest/types,
@jridgewell/gen-mapping, @jridgewell/resolve-uri, @jridgewell/set-array, @jridgewell/source-map,
@jridgewell/sourcemap-codec, @jridgewell/trace-mapping, @kwsites/file-exists, @kwsites/promise-deferred,
@leichtgewicht/ip-codec, @material-ui/core, @material-ui/lab, @material-ui/pickers, @material-ui/styles, @material-ui/system,
@material-ui/types, @material-ui/utils, @mui/base, @mui/core-downloads-tracker, @mui/material, @mui/private-theming,
@mui/styled-engine, @mui/system, @mui/types, @mui/utils, @mui/x-date-pickers, @mui/x-internals, @mui/x-tree-view,
@next/env, @next/swc-android-arm-eabi, @next/swc-android-arm64, @next/swc-darwin-arm64, @next/swc-darwin-x64,
@next/swc-freebsd-x64, @next/swc-linux-arm-gnueabi, @next/swc-linux-arm64-gnu, @next/swc-linux-arm64-musl,
@next/swc-linux-x64-gnu, @next/swc-linux-x64-musl, @next/swc-win32-arm64-msvc, @next/swc-win32-ia32-msvc,
@next/swc-win32-x64-msvc, @nodelib/fs.scandir, @nodelib/fs.stat, @nodelib/fs.walk, @npmcli/redact, @octokit/auth-token,
@octokit/core, @octokit/endpoint, @octokit/graphql, @octokit/openapi-types, @octokit/plugin-paginate-rest,
@octokit/plugin-request-log, @octokit/plugin-rest-endpoint-methods, @octokit/request, @octokit/request-error, @octokit/rest,
@octokit/types, @parcel/watcher, @parcel/watcher-android-arm64, @parcel/watcher-darwin-arm64,
@parcel/watcher-darwin-x64, @parcel/watcher-freebsd-x64, @parcel/watcher-linux-arm-glibc,
@parcel/watcher-linux-arm-musl, @parcel/watcher-linux-arm64-glibc, @parcel/watcher-linux-arm64-musl,
@parcel/watcher-linux-x64-glibc, @parcel/watcher-linux-x64-musl, @parcel/watcher-win32-arm64,
@parcel/watcher-win32-ia32, @parcel/watcher-win32-x64, @pkgjs/parseargs, @pkgr/core,
@pmmmwh/react-refresh-webpack-plugin, @polka/url, @popmotion/easing, @popmotion/popcorn, @popperjs/core,
@pusher/pusher-websocket-react-native, @radicalcondor/react-native-background-readable-color, @react-google-maps/api,
@react-google-maps/info, @react-google-maps/marker-clusterer, @react-native-async-storage/async-storage,
@react-native-clipboard/clipboard, @react-native-community/blur, @react-native-community/cli,
@react-native-community/cli-clean, @react-native-community/cli-config, @react-native-community/cli-config-android,
@react-native-community/cli-config-apple, @react-native-community/cli-doctor, @react-native-community/cli-platform-android,

@react-native-community/cli-platform-apple, @react-native-community/cli-platform-ios, @react-native-community/cli-server-api, @react-native-community/cli-tools, @react-native-community/cli-types, @react-native-community/datetimestructure, @react-native-community/netinfo, @react-native-community/slider, @react-native-cookies/cookies, @react-native-picker/picker, @react-native/assets-registry, @react-native/babel-plugin-codegen, @react-native/babel-preset, @react-native/codegen, @react-native/community-cli-plugin, @react-native/dev-middleware, @react-native/gradle-plugin, @react-native/js-polyfills, @react-native/metro-babel-transformer, @react-native/normalize-color, @react-native/normalize-colors, @react-native/virtualized-lists, @react-navigation/core, @react-navigation/drawer, @react-navigation/elements, @react-navigation/native, @react-navigation/native-stack, @react-navigation/routers, @react-navigation/stack, @reduxjs/toolkit, @rollup/plugin-commonjs, @rollup/pluginutils, @segment/loosely-validate-event, @sentry-internal/browser-utils, @sentry-internal/feedback, @sentry-internal/replay, @sentry-internal/replay-canvas, @sentry-internal/tracing, @sentry/babel-plugin-component-annotate, @sentry/browser, @sentry/core, @sentry/integrations, @sentry/nextjs, @sentry/node, @sentry/react, @sentry/react-native, @sentry/replay, @sentry/serverless, @sentry/types, @sentry/utils, @sentry/vercel-edge, @sentry/webpack-plugin, @shopify/flash-list, @sinclair/typebox, @standard-schema/spec, @standard-schema/utils, @storybook/core, @storybook/csf, @storybook/global, @storybook/manager-api, @storybook/preview-api, @storybook/react-dom-shim, @storybook/react-native-theming, @storybook/react-native-ui, @storybook/theming, @styled-system/background, @styled-system/border, @styled-system/color, @styled-system/core, @styled-system/css, @styled-system/flexbox, @styled-system/grid, @styled-system/layout, @styled-system/position, @styled-system/shadow, @styled-system/space, @styled-system/typography, @styled-system/variant, @tanem/svg-injector, @testing-library/jest-native, @testing-library/react-hooks, @testing-library/react-native, @totaalnat/once, @tsconfig/node10, @tsconfig/node12, @tsconfig/node14, @tsconfig/node16, @tufjs/canonical-json, @tufjs/models, @types/angular, @types/aws-lambda, @types/babel__core, @types/babel__generator, @types/babel__template, @types/babel__traverse, @types/body-parser, @types/bonjour, @types/cheerio, @types/chroma-js, @types/connect, @types/connect-history-api-fallback, @types/crypto-js, @types/draft-js, @types/enzyme, @types/eslint, @types/eslint-scope, @types/estree, @types/express, @types/express-serve-static-core, @types/faker, @types/google-libphonenumber, @types/google.maps, @types/graceful-fs, @types/hammerjs, @types/hoist-non-react-statics, @types/http-errors, @types/http-proxy, @types/istanbul-lib-coverage, @types/istanbul-lib-report, @types/istanbul-reports, @types/jest, @types/jsdom, @types/json-schema, @types/json5, @types/lodash, @types/long, @types/mime, @types/minimist, @types/node, @types/node-forge, @types/normalize-package-data, @types/parsify, @types/prettier, @types/prop-types, @types/qs, @types/range-parser, @types/react, @types/react-beautiful-dnd, @types/react-calendar, @types/react-color, @types/react-dates, @types/react-dom, @types/react-redux, @types/react-select, @types/react-test-renderer, @types/react-toggle, @types/react-transition-group, @types/reactstrap, @types/redux, @types/retry, @types/rx, @types/rx-core, @types/rx-core-binding, @types/rx-lite, @types/rx-lite-aggregates, @types/rx-lite-async, @types/rx-lite-backpressure, @types/rx-lite-coincidence, @types/rx-lite-experimental, @types/rx-lite-joinpatterns, @types/rx-lite-testing, @types/rx-lite-time, @types/rx-lite-virtualtime, @types/scheduler, @types/semver, @types/send, @types/serve-index, @types/serve-static, @types/sockjs, @types/stack-utils, @types/styled-components, @types/styled-jsx, @types/stylis, @types/tinycolor2, @types/tough-cookie, @types/trusted-types, @types/ua-parser-js, @types/use-sync-external-store, @types/uuid, @types/ws, @types/yargs, @types/yargs-parser, @types/yup, @typescript-eslint/eslint-plugin, @typescript-eslint/experimental-utils, @typescript-eslint/parser, @typescript-eslint/scope-manager, @typescript-eslint/type-utils, @typescript-eslint/types, @typescript-eslint/typescript-estree, @typescript-eslint/utils, @typescript-eslint/visitor-keys, @urql/core, @urql/exchange-retry, @vscode/sudo-prompt, @webassemblyjs/ast, @webassemblyjs/floating-point-hex-parser, @webassemblyjs/helper-api-error, @webassemblyjs/helper-buffer, @webassemblyjs/helper-numbers, @webassemblyjs/helper-wasm-bytecode, @webassemblyjs/helper-wasm-section, @webassemblyjs/ieee754, @webassemblyjs/utf8, @webassemblyjs/wasm-edit, @webassemblyjs/wasm-gen, @webassemblyjs/wasm-opt, @webassemblyjs/wasm-parser, @webassemblyjs/wast-printer, @webpack-cli/configtest, @webpack-cli/info, @webpack-cli/serve, @wojtekmaj/date-utils, ARG, Acorn, Acorn-JSX, Adyen Java API Library, Alter, Angular, Animal Sniffer Annotations, Animated-GIF, AnimatedBase, AnimatedDrawable, AnimatedWebp, Async, Autoprefixer, BASE, BabelJS, Benchmark.js, Bluebird JS, Bootstrap (Twitter), Bootstrap Sass, Bouncy Castle, Bouncy Castle ASN.1 Extension and Utility APIs, Bouncy Castle PKIX, CMS, EAC, TSP, PKCS, OCSP, CMP, and CRMF APIs, Buffer, Chalk, Checker Qual, ClassGraph, Clone, Commander.js, ConnorAtherton/loaders.css, CType, DamonOehlman/wildcard, Decamelize, Del using Globs, Drawee, Duct Tape, ESLint, Facebook Core, Facebook Flow, ForbesLindesay/constantinople, ForbesLindesay/transformers, ForbesLindesay/with, FullCalendar, Gozala/events, Gozala/querystring, Gulp Watch, Gulp-changed, Gulp-if, Gulp-jade, Gulp-less, Gulp-rename, Gulp-uglify, Gulp-util, Handlebars.js, ImagePipeline, ImagePipelineBase, ImagePipelineNative, Infer annotations, Inquirer.js, Intellicode/eslint-plugin-react-native, JOpt Simple, JSHTTP's negotiator, JSON 3, JSON-Patch, JUL to SLF4J bridge, Jackson-datatype-Problem, Jade - template engine, JedWatson/react-select, Jest from Facebook, L.GeoSearch, Lettuce, Liftoff, Lodash, MemoryTypeJava, MemoryTypeNative, MemoryTypesAshmem, Merge-Stream, Middleware, Mobile Angular UI, Mockito_, Node Cookie Parser, OneLogin java-saml Toolkit, OneLogin java-saml Toolkit Core, Options, PostCSS, Prettier IO, Problem, Problem: Spring Common, Problem: Spring Webflux, Problem: Violations, Project Lombok, Punycode.js, Pusher REST Client, QUnit, Qix-/color-convert, Qix/color, RNSVG, Raynos/for-each, React DevTools, React from Facebook, Redux JS, Redux Saga, Ruby Jekyll, Ruby Public Suffix, SLF4J API Module, Send for Node.js, Sentry-Java client, Shifty, Socket.IO Parser, Strip ANSI, Styled Components, Styled Components Polished, Summernote, Swiper, TestContainers :: Apache Kafka,

TestContainers :: JDBC, TestContainers :: JDBC :: MySQL, TestContainers Core, Testcontainers :: Database-Commons, Testcontainers :: JUnit Jupiter Extension, TinyColor, TooTallNate/plist.js, Two-Screen/stable, TypedArray, UAParser.js, UiCommon, UiCore, Underscore.js, VitoOptions, VitoRenderer, VitoSource, WebpSupport, Backpack, abort-controller, acorn-class-fields, acorn-globals, acorn-import-assertions, acorn-import-phases, acorn-private-class-elements, acorn-private-methods, acorn-stage3, acorn-static-class-features, acorn-walk, adm-zip, after, agent-base, agentkeepalive, aggregate-error, airbnb javascript, airbnb-prop-types, ajv, ajv-errors, ajv-formats, ajv-keywords, align-text, angular-gettext-tools, angular-mocks, animate.css, anser, ansi-colors, ansi-cyan, ansi-escapes, ansi-fragments, ansi-gray, ansi-red, ansi-regex, ansi-styles, ansi-wrap, any-promise, appdirsjs, arr-diff, arr-flatten, arr-union, array-buffer-byte-length, array-differ, array-filter, array-find-index, array-flatten, array-includes, array-index, array-union, array-uniq, array-unique, array.prototype.find, array.prototype.findlast, array.prototype.findlastindex, array.prototype.flat, array.prototype.flatmap, array.prototype.toReversed, array.prototype.toSorted, arraybuffer.prototype.slice, arraybuffer.slice, arrayify-compact, arrify, asap, assign-symbols, ast-types, astral-regex, async-done, async-each, async-each-series, async-foreach, async-function, async-limiter, async-retry, async-settle, asynckit, asyncly/eventemitter2, attr-accept, autobind-decorator, available-typed-arrays, avishayil/react-native-restart, aws4, axios, axios-cache-interceptor, babel-code-frame, babel-generator, babel-helper-bindify-decorators, babel-helper-builder-binary-assignment-operator-visitor, babel-helper-call-delegate, babel-helper-define-map, babel-helper-explode-assignable-expression, babel-helper-explode-class, babel-helper-function-name, babel-helper-get-function-arity, babel-helper-hoist-variables, babel-helper-optimize-call-expression, babel-helper-regex, babel-helper-remap-async-to-generator, babel-helper-replace-supers, babel-helpers, babel-messages, babel-plugin-angularjs-annotate, babel-plugin-check-es2015-constants, babel-plugin-macros, babel-plugin-polyfill-corejs2, babel-plugin-polyfill-corejs3, babel-plugin-polyfill-regenerator, babel-plugin-react-compiler, babel-plugin-styled-components, babel-plugin-syntax-async-functions, babel-plugin-syntax-async-generators, babel-plugin-syntax-class-constructor-call, babel-plugin-syntax-class-properties, babel-plugin-syntax-decorators, babel-plugin-syntax-do-expressions, babel-plugin-syntax-dynamic-import, babel-plugin-syntax-exponentiation-operator, babel-plugin-syntax-export-extensions, babel-plugin-syntax-function-bind, babel-plugin-syntax-jsx, babel-plugin-syntax-object-rest-spread, babel-plugin-syntax-trailing-function-commas, babel-plugin-transform-async-generator-functions, babel-plugin-transform-async-to-generator, babel-plugin-transform-class-constructor-call, babel-plugin-transform-class-properties, babel-plugin-transform-decorators, babel-plugin-transform-do-expressions, babel-plugin-transform-es2015-arrow-functions, babel-plugin-transform-es2015-block-scoped-functions, babel-plugin-transform-es2015-block-scoping, babel-plugin-transform-es2015-classes, babel-plugin-transform-es2015-computed-properties, babel-plugin-transform-es2015-destructuring, babel-plugin-transform-es2015-duplicate-keys, babel-plugin-transform-es2015-for-of, babel-plugin-transform-es2015-function-name, babel-plugin-transform-es2015-literals, babel-plugin-transform-es2015-modules-amd, babel-plugin-transform-es2015-modules-commonjs, babel-plugin-transform-es2015-modules-systemjs, babel-plugin-transform-es2015-modules-umd, babel-plugin-transform-es2015-object-super, babel-plugin-transform-es2015-parameters, babel-plugin-transform-es2015-shorthand-properties, babel-plugin-transform-es2015-spread, babel-plugin-transform-es2015-sticky-regex, babel-plugin-transform-es2015-template-literals, babel-plugin-transform-es2015-typeof-symbol, babel-plugin-transform-es2015-unicode-regex, babel-plugin-transform-exponentiation-operator, babel-plugin-transform-export-extensions, babel-plugin-transform-function-bind, babel-plugin-transform-object-rest-spread, babel-plugin-transform-regenerator, babel-plugin-transform-strict-mode, babel-preset-current-node-syntax, babel-preset-es2015, babel-preset-stage-0, babel-preset-stage-1, babel-preset-stage-2, babel-preset-stage-3, babel-register, babel-runtime, babel-template, babel-traverse, babel-types, babylon, bach, backo2, badgin, balanced-match, base64-arraybuffer, base64-js, beeper, benjamn/install, benjamn/recast, better-assert, better-openssl, big.js, binary-extensions, bl, blakeembrey/pluralize, blob, body-parser, bonjour-service, bootstrap-additions, bourbon, bplist-creator, brace-expansion, braces, brcast, brix/crypto-js, browscap-java, browser-assert, browser-sync-client, browserify-aes, browserify-zlib, browserify/resolve, browserslist, bs-logger, buffer-alloc, buffer-alloc-unsafe, buffer-crc32, buffer-fill, buffer-from, buffer-shims, bufferstreams, builtin-modules, builtin-status-codes, bunyan, bunyan-debug-stream, butter-toast, bytes.js, cache-base, cache-parser, call-bind, call-bind-apply-helpers, call-bound, caller-callsite, caller-path, callsite, callsites, calvinmetcalf/lie, camelcase, camelcase-keys, camelize, center-align, change-case, char-regex, character-parser, cheerio, child-process-promise, chokidar, chrisdickinson/raf, ci-info, circular-json, cjs-module-lexer, class-utils, classnames, clean-css, clean-stack, cli-columns, cli-cursor, cli-spinners, cli-table, clipboard.js, clone-buffer, clone-deep, clone-stats, cloneable-readable, clsx, cnbuilder, co, code-point-at, codeclimate-test-reporter, codecov.io, collect-v8-coverage, collection-visit, color-name, color-string, colorette, colors.js, combined-stream, command-exists, comment-parser, commonjs-assert, complex.js, component-inherit, component-type, component/bind, compress-commons, compression, compute-gcd, compute-lcm, concat-stream, concurrent-ruby, concurrently, connect-history-api-fallback, connect-modrewrite, console-browserify, consolidated-events, constant-case, constants-browserify, contains-path, content-disposition, convert-source-map, cookies, copy-descriptor, copy-to-clipboard, corbt/react-native-keep-awake, core-js, core-js-pure, core-util-is, coreyti's showdown, cosmicconfig, countries-list, crc32-stream, create-require, cross-env, cross-fetch, crypto-browserify, crypto-random-string, css, css-box-model, css-in-js-utils, css-line-break, css-loader, css-parse, css-stringify, css-to-react-native, css-tree, css-vendor,

cssesc, cssfilter, cssinjs, cssom, cssstyle, csstype, cst, cujojs/when, curl js, currently-unhandled, custom-event, cwd, danger-bitbucket, data-urls, data-view-buffer, data-view-byte-length, data-view-byte-offset, date-fns/date-fns, date-now, davidhu2000/react-spinners, dayjs, deap, debug-fabulous, debug-js/debug, decamelize-keys, decimal.js, decode-uri-component, dedent, deep-extend, deep-is, deepmerge, default-resolution, defaults, define-data-property, define-lazy-prop, define-properties, define-property, defined, delayed-stream, delegate, delegates, deprecated-react-native-prop-types, destroy, detect-browser, detect-element-overflow, detect-europe-js, detect-file, detect-indent, detect-newline, detect-node, detect-node-es, detox, dev-ip, dir-glob, direction, discontinuous-range, dns-equal, dns-packet, docdown, doctrine, document.contains, dom-helpers, dom-serialize, dom-serializer, dom7, domain-browser, domexception, dot-case, draft-js, draftjs-to-html, draftjs-to-markdown, draftjs-utils, dunder-proto, duplexer, duplexify, dylang/node-xml, eastasianwidth, easy-stack, easy-table, ecc-jsbn, ee-first, einaros/ws, em-websocket, emitter-component, emitter-steward, emittery, emoji-regex, emojis-list, emotion, encodeurl, encoding, end-of-stream, engine.io, engine.io-client, engine.io-parser, enhanced-resolve, ensure-type, ent, env-editor, env-paths, envinfo, enzymejs, eol, err-code, errno, error-stack-parser, es-abstract, es-define-property, es-errors, es-iterator-helpers, es-module-lexer, es-object-atoms, es-set-tostringtag, es-shim-unsupported, es-to-primitive, es5-ext, es6-iterator, es6-map, es6-promise, es6-set, es6-symbol, es6-weak-map, esbuild, esbuild-register, escalade, escape-html, escape-latex, escape-string-regexp, eslint-compat-utils, eslint-config-mgcrea, eslint-config-prettier, eslint-config-standard, eslint-config-standard-with-typescript, eslint-import-resolver-node, eslint-plugin-es-x, eslint-plugin-import, eslint-plugin-jsx-a11y, eslint-plugin-n, eslint-plugin-prettier, eslint-plugin-react-hooks, eslint-plugin-react-native-globals, eslint-plugin-simple-import-sort, eslint-plugin-unused-imports, eslint-rule-composer, eslint-utils, estree-walker, etag, event-emitter, event-stream, event-target-shim, eventemitter2, eventemitter3, exec-async, execa, exit-hook, expand-braces, expand-brackets, expand-range, expand-tilde, expect, expo-connect_assets, expo-video, expo/expo, export-files, expressjs/accepts, expressjs/compressible, expressjs/errorhandler, expressjs/express, extend, extend-shallow, extglob, extsprintf, eyes npmjs, facebook/metro, facebookhermes, factory-angular-channels, faker, fancy-log, fast-deep-equal, fast-defer, fast-fifo, fast-glob, fast-json-stable-stringify, fast-levenshtein, fast-loops, fast-memoize, fast-xml-parser, fastest-levenshtein, fbjs, fbjs-css-vars, fd-slicer, fdir, felixge/node-retry, fetch-retry, figures, file-entry-cache, file-loader, file-selector, filename-regex, fill-range, filter-obj, finalhandler, find-cache-dir, find-index, find-root, find-up, fined, first-chunk-stream, flag-icon-css, flagged-respawn, flat-cache, flatiron/winston, floatdrop/pinkie, focus-lock, focus-trap, focus-trap-react, follow-redirects, for-in, for-own, form-data, formidable, formsy-react, forwardable-extended, forwarded, fraction.js, fragment-cache, framer/motion, framesync, freeport-async, from, fs-access, fs-exists-sync, fs-mkdirp-stream, fsevents, function-bind, function.prototype.name, functional-red-black-tree, functions-have-names, generate-function, generate-object-property, generator-wim, gensync, get-intrinsic, get-package-type, get-proto, get-stdin, get-stream, get-symbol-description, get-tsconfig, get-user-locale, get-value, get/parsejson, getify/CAF, getpass, git-rev-sync, glob-base, glob-stream, glob-watcher, glob2base, global-cache, global-dirs, global-modules, global-prefix, globalthis, glogg, good-listener, gopd, graceful-readlink, graphemer, graphql-java, gre/react-native-view-shot, guard/listen, gulp, gulp-angular-filesort, gulp-angular-gettext, gulp-angular-templatecache, gulp-autoprefixer, gulp-babel, gulp-clean, gulp-cleancss, gulp-cli, gulp-concat, gulp-concat-util, gulp-debug, gulp-footer, gulp-header, gulp-htmlmin, gulp-inject, gulp-match, gulp-minify-inline, gulp-nginclude, gulp-ngtemplate, gulp-noop, gulp-postcss, gulp-pre, gulp-sass, gulp-size, gulp-sort, gulp-sync, gulp-terser, gulplog, gzip-size, handle-thing, har-validator, hard-rejection, has, has-ansi, has-bigints, has-binary, has-binary2, has-color, has-cors, has-flag, has-gulplog, has-property-descriptors, has-proto, has-symbols, has-tostringtag, has-value, has-values, hasha, hasown, hcatlin's sass, helmetjs/nocache, hermes-engine, hey-listen, home-or-tmp, homedir-polyfill, howler.js, hpack.js, html-element-map, html-encoding-sniffer, html-minifier, html-parse-stringify, html-to-draftjs, htmlparser2, http-deceiver, http-errors, http-parser-js, http-parser.rb, http-proxy, http-proxy-middleware, https-browserify, https-proxy-agent, humanize-ms, humps, hyperlinker, i, i18next, i18next-node-remote-backend, i18next-scanner-typescript, i18next-xhr-backend, iconv-lite, immediate, immer, immutability-helper, immutable-js, import-cwd, import-fresh, import-from, import-local, imurmurhash, indent-string, indexes-of, indexof, indexzero/node-pkginfo, indx, inherit, inline-style-parser, inline-style-prefixer, internal-ip, internal-slot, interpret, intl-tel-input, invariant, invert-kv, ip-regex, ipaddress, irregular-plurals, is-absolute, is-accessor-descriptor, is-arguments, is-array-buffer, is-arrayish, is-async-function, is-bigint, is-binary-path, is-boolean-object, is-buffer, is-builtin-module, is-callable, is-core-module, is-data-descriptor, is-data-view, is-date-object, is-descriptor, is-directory, is-docker, is-dotfile, is-equal-shallow, is-extendable, is-extglob, is-finalizationregistry, is-fullwidth-code-point, is-generator-fn, is-generator-function, is-glob, is-in-browser, is-interactive, is-lambda, is-lower-case, is-map, is-my-json-valid, is-nan, is-negated-glob, is-negative-zero, is-number, is-number-object, is-path-cwd, is-path-in-cwd, is-path-inside, is-plain-obj, is-plain-object, is-posix-bracket, is-potential-custom-element-name, is-primitive, is-property, is-reference, is-regex, is-regexp, is-relative, is-resolvable, is-set, is-shared-array-buffer, is-standalone-pwa, is-stream, is-string, is-subset, is-symbol, is-touch-device, is-typed-array, is-unc-path, is-unicode-supported, is-upper-case, is-utf8, is-valid-glob, is-weakmap, is-weakref, is-weakset, is-windows, is-wsl, isBinaryFile, is_finite, isarray, ismobilejs, isobject, ispromise, isstream, istarkov/rifm, iterrall, iterator.prototype, jQuery, jQuery UI, jQuery UI Themes, jail-monkey, jasmine/jasmine, java-jwt, javascript-natural-sort, jedis, jefflau/jest-fetch-mock, jekyll-redirect-from, jekyll-sass-converter, jekyll-sitemap, jekyll-watch, jenius/accord, jessetane/queue, jest-changed-files, jest-config, jest-diff, jest-each, jest-environment-emit, jest-environment-jsdom, jest-environment-node, jest-get-type, jest-haste-map, jest-html-reporter, jest-leak-detector, jest-matcher-utils, jest-message-util, jest-pnp-resolver, jest-regex-util, jest-resolve, jest-resolve-dependencies, jest-runner, jest-runtime, jest-slow-test-reporter, jest-snapshot, jest-util, jest-validate, jest-watch-select-projects, jest-watch-typeahead, jest-worker, jimp-compact, jiti, jodid25519, jodit, jodit-react, join-component,

jonschlinkert/array-each, jonschlinkert/array-slice, jonschlinkert/object-copy, jonschlinkert/time-stamp, jorangreef/sudo-prompt, js-cookie, js-message, js-queue, js-tokens, js-xss, js-yaml, jsbn, jscodeshift, jscs-jsdoc, jscs-preset-wikimedia, jsdoc-type-pratt-parser, jsdoctypeparser, jsdom, jsecl, jshttp statuses, jshttp/content-type, jshttp/fresh, jshttp/mime-types, jsjest, jsnext, json-buffer, json-cycle, json-format, json-parse-better-errors, json-parse-even-better-errors, json-schema-compare, json-schema-merge-allof, json-schema-traverse, json-stable-stringify, json5, jsonlint, jsonparse, jsonpointer, jsonwebtoken, jsprim, jss, jstransformer, jsx-ast-utils, just-diff, just-diff-apply, jwa, karma-chrome-launcher, karma-coverage, karma-jasmine, karma-phantomjs-launcher, karma-runner karma, karma-sauce-launcher, keygrip, keyv, kimmobrunfeldt/progressbar.js, kind-of, klaw, klaw-sync, klei/ng-dependencies, kleur, kramdown, kriskowal's q, lan-network, lancedikson/bowser, last-run, launch-editor, lawnmower/react-native-picker-select, lazy-cache, lazy-debug, lazystream, lcid, lead, leaflet-gesture-handling, leven, levn, libphonenumber-js, limiter, lines-and-columns, linkify-it, liquid, ljarah/object.assign, load-json-file, load-pkg, load-script, loader-runner, localtunnel, locate-path, lodash-doc-globals, lodash-es, lodash._baseassign, lodash._basecopy, lodash._basetostring, lodash._basevalues, lodash._bindcallback, lodash._createassigner, lodash._getnative, lodash._isiterateecall, lodash._isnative, lodash._objecttypes, lodash._reinterpolate, lodash._root, lodash._shimkeys, lodash.assign, lodash.assignin, lodash.assignwith, lodash.bind, lodash.camelcase, lodash.clonedeep, lodash.debounce, lodash.defaults, lodash.escape, lodash escaperegexp, lodash.filter, lodash.find, lodash.findindex, lodash.flatten, lodash.flattendeep, lodash.foreach, lodash.get, lodash.groupby, lodash.has, lodash.includes, lodash.isarguments, lodash.isarray, lodash.isboolean, lodash.isempty, lodash.isequal, lodash.isfunction, lodash.isinteger, lodash.isnumber, lodash.isobject, lodash.isplainobject, lodash.isstring, lodash.keys, lodash.map, lodash.mapvalues, lodash.memoize, lodash.merge, lodash.once, lodash.pick, lodash.reduce, lodash.reescape, lodash.reevaluate, lodash.reject, lodash.restparam, lodash.some, lodash.sortby, lodash.tail, lodash.template, lodash.templatesettings, lodash.throttle, lodash.tonumber, lodash.values, lodash/lodash-cli, log-symbols, logkitty, loglevel, longest, look-up, lookup-path, loose-envify, loud-rejection, lower-case, lower-case-first, mafintosh/pump, magic-string, main-bower-files, make-dir, make-event-props, make-iterator, map-cache, map-obj, map-or-similar, map-stream, map-visit, markdown-doctest, markdown-to-jsx, markedjs, math-intrinsics, mathiasbynens/base64, mathiasbynens/he, mathiasbynens/regenerate, md5-file, media-typer, medikoo/d, medikoo/next-tick, memfs-or-file-map-to-github-branch, memoize-one, memoizerific, memory-fs, meow, mercenary, merge-class-names, merge-descriptors, merge-options, merge2, methods, metro, metro-source-map, micromatch, micromatch/braces, mime, mime-db, mimic-fn, min-indent, minhur/bootstrap-toggle, minimatch, minimalist, minimalist-options, minipass-fetch, minizlib, mixin-deep, mixin-object, mjwwit/node-XMLHttpRequest, mockito-junit-jupiter, moment-duration-format, moment-timezone, moment/moment, moschan/react-native-simple-radio-button, moxios, moxystudio/node-cross-spawn, mrmime, ms.js, multicast-dns, multimatch, mustache.js, mute-stdout, mz, nan, nanoclone, nanoid, nanomatch, native-checkbox, natural-compare, natural-compare-lite, ncname, ncp, nearley, nicolas/react-native-web, neo-async, nested-error-stacks, netroy/image-size, next-redux-wrapper, ng-annotate, ng-cli, ng-factory, nice-try, node-XMLHttpRequest, node-addon-api, node-archiver, node-archy, node-assert-plus, node-bplist-parser, node-bunyan, node-cleanup, node-commander, node-concat-map, node-cookie-signature, node-dashdash, node-dateformat, node-deep-equal, node-di, node-dir, node-error-ex, node-fetch, node-findup-sync, node-fs-extra, node-getenv, node-globule, node-gyp, node-html-entities, node-http-proxy-agent, node-http-signature, node-ignore, node-int64, node-ipc, node-jscs, node-jsonfile, node-jws, node-libs-browser, node-lru-cache, node-matchdep, node-mkdirp, node-mv, node-optimist, node-pngjs, node-process, node-progress, node-promise-retry, node-releases, node-request-progress, node-sass, node-shell-quote, node-source-map-support, node-stack-trace, node-stream-zip, node-tape, node-temp, node-tmp, node-unicodetable, node-url, node-version, node-xml2js, nodeca-argparse, nodeca/pako, nodejs Deprecate, nodejs-asn1, nodejs-exit, nodejs/string_decoder, nomnom, nopt, normalize-path, normalize-range, normalize.css, now-and-later, npm ini, npm-force-resolutions, npm-run-path, null-check, nullthrows, num2fraction, number-is-nan, nwsapi, object-assign, object-code, object-component, object-inspect, object-is, object-keys, object-path, object-visit, object.defaults, object.entries, object.fromentries, object.groupby, object.hasown, object.map, object.omit, object.pick, object.values, obuf, octopress/colorator, on-finished, on-headers, opencollective-postinstall, openurl, opn, optionator, ora, orchestrator/orchestrator, ordered-ast-traverse, ordered-esprima-props, ordered-read-streams, os-browserify, os-homedir, os-locale, os-tmpdir, own-keys, p-finally, p-limit, p-locate, p-map, p-retry, p-try, param-case, parent-module, parse-diff, parse-filepath, parse-github-url, parse-glob, parse-json, parse-link-header, parse-ms, parse-node-version, parse-passwd, parse-png, parse5, parseqs, parseuri, parseurl, pascal-case, pascalcase, patch-package, path-array, path-browserify, path-case, path-exists, path-is-absolute, path-key, path-parse, path-root, path-root-regex, path-to-regexp, path-type, pathutil, pathval, pbkdf2-compat, pend, performance-now, picomatch, pify, pillarjs/parseurl, pinkie-promise, pinpoint, piotrwitek/typesafe-actions, pirates, pkg-dir, pkg-up, platform, plugin-error, plur, pofile, popmotion, popper.js, portscanner, posix-character-classes, possible-typed-array-names, postcss-load-config, postcss-loader, postcss-modules-local-by-default, postcss-selector-parser, postcss-value-parser, prelude-ls, preserve, prettier-linter-helpers, pretty-bytes, pretty-format, pretty-hrtime, pretty-ms, prettyjson, private, process-nexttick-args, promise-polyfill, prompt, prompts, prop-types, prop-types-exact, proper-lockfile, property-expr, proxy-addr, proxy-from-env, prr, psl, ptelad/react-native-iphone-x-helper, pure-rand, pusher/pusher-js, qs - QS Querystring, query-string, querystring-es3, querystringify, queue-microtask, quick-lru, qunit-clip, raf-schd, randexp, randomatic, randombytes, range-parser, raw-body, rb-fsevent, rb-inotify, react-addons-shallow-compare, react-avatar-editor, react-calendar, react-chat-elements-addlink, react-clientside-effect, react-color, react-copy-to-clipboard, react-dates, react-day-picker, react-dom, react-draft-wysiwyg, react-draggable, react-dropzone/react-dropzone, react-error-boundary, react-fast-compare, react-fit, react-focus-lock, react-freeze, react-google-recaptcha-v3, react-hook-form, react-i18next,

react-input-autosize, react-input-mask, react-intersection-observer, react-is, react-lifecycles-compat, react-moment-proptypes, react-multi-carousel, react-native, react-native-animated, react-native-blob-util, react-native-calendars, react-native-circular-progress, react-native-community/react-native-video, react-native-date-picker-x, react-native-device-info, react-native-drop-shadow, react-native-edge-to-edge, react-native-gesture-handler, react-native-image-crop-picker, react-native-inappbrowser-reborn, react-native-is-edge-to-edge, react-native-keyboard-aware-scroll-view, react-native-keychain, react-native-linear-gradient, react-native-localize, react-native-macos-cli, react-native-mdm, react-native-modal-dgjoy, react-native-netinfo, react-native-pdf, react-native-permissions, react-native-promise-rejection-utils, react-native-reanimated, react-native-safe-area-context, react-native-screens, react-native-signature-canvas, react-native-sound, react-native-svg, react-native-swipe-gestures, react-native-url-polyfill, react-native-userdefaults-ios, react-native-uuid, react-native-web, react-native-webview, react-native-wheel-picker-android, react-native-worklets, react-navigation, react-outside-click-handler, react-paginate, react-player, react-popover, react-portal, react-property, react-refresh, react-scrollbars-custom, react-shallow-renderer, react-spinkit, react-svg, react-test-renderer, react-toastify, react-toggle, react-tooltip, react-virtualized, react-with-direction, react-with-styles, react-with-styles-interface-css, reactcss, reactredux, reactstrap, read-pkg, read-pkg-up, readable-stream, readdirp, readline-sync, readline2, reassure, rechoir, redent, redux-mock-store, redux-observable, redux-persist, redux-thunk, reflect.getPrototypeOf, reflect.ownKeys, regenerate-unicode-properties, regenerator-runtime, regenerator-transform, regex-cache, regex-not, regexp.prototype.flags, regexpp, regexpu-core, regjsen, relateurl, remarkablemark/html-dom-parser, remarkablemark/html-react-parser, remove-trailing-slash, repeat-element, repeat-string, repeating, replace-ext, require-directory, require-from-string, require-uncached, requireDir, requireg, requires-port, reselect, reserved-words, resize-observer-polyfill, resolve-cwd, resolve-dep, resolve-dir, resolve-from, resolve-global, resolve-options, resolve-pkg-maps, resolve-require, resolve-url, resolve-workspace-root, resolve.exports, resp-modifier, restore-cursor, resumer, ret.js, reusify, right-align, rollup/rollup, ruby-i18n, ruby_dep, run-async, run-parallel, safe-array-concat, safe-buffer, safe-json-stringify, safe-push-apply, safe-regex, safe-regex-test, safe_yaml, safer-buffer, samcone/chrome-trace-event, sass, sass-graph, sass-listen, sauce-connect-launcher, sauce-tunnel, saucelabs, saxes, scheduler, schema-utils, screencastmirror, scss-tokenizer, seedrandom, segmentio/multipipe, select, select-hose, selfsigned, semver-greatest-satisfied-range, semver-regex, senchalabs / connect, send, sentence-case, sentry-cocoa, sequencify, serialize-error, serve-index, serve-static, server-only, set-cookie-parser, set-function-length, set-function-name, set-immediate-shim, set-proto, set-value, setImmediate, sh33dafi/jest-sonar, shallow-clone, shallowequal, shama/gaze, shebang-command, shebang-regex, side-channel, side-channel-list, side-channel-map, side-channel-weakmap, simple-fmt, simple-git, simple-is, simple-plist, simple-swizzle, sindresorhus-open, sindresorhus/globals, sindresorhus/globby, sindresorhus/onetime, sindresorhus/slash, sindresorhus/supports-color, sirv, sisteransi, slice-ansi, slug, slugify, smart-buffer, snake-case, snapdragon, socket.io, socket.io-adapter, socket.io-client, socksjs-node, socks, socks-proxy-agent, sort-stream, source-list-map, source-map-resolve, source-map-url, sparkles, spdx-expression-parse.js, spdy, spdy-transport, split, split-on-first, split-string, sshpk, ssr-window, stable-stringify, stack-generator, stack-utils, stackframe, stacktrace-gps, stacktrace-js, stacktrace-parser, static-extend, statuses, stdout-stream, stop-iteration-iterator, store (Javascript), storybook, storybookjs/storybook, stream-browserify, stream-combiner, stream-combiner2, stream-composer, stream-consume, stream-counter, stream-exhaust, stream-http, stream-shift, streamx, strict-uri-encode, string-length, string-width, string.prototype.matchall, string.prototype.trim, string.prototype.trimend, string.prototype.trimleft, string.prototype.trimright, string.prototype.trimstart, stringmap, stringset, stringstream, strip-bom, strip-bom-stream, strip-eof, strip-final-newline, strip-indent, strip-json-comments, striptags, strnum, structured-headers, style-loader, style-to-js, style-to-object, style-value-types, styled-jsx, styled-system, stylefire, styleq, stylis, sucrase, supports-color, supports-hyperlinks, supports-preserve-symlinks-flag, swap-case,/sweetalert, swr, symbol-observable, symbol-tree, tabbable, tapable, tar-stream, teex, telnet-client, temp-dir, tempfile, tempy, terminal-link, ternary-stream, terser-webpack-plugin, teslamotors/react-native-camera-kit, text-segmentation, text-table, tfunk, then/promise, thenify, thenify-all, throat, throttle-debounce, throttleit, through2, through2-filter, thunky, tildify, timeago.js, timers-browserify, tiny-emitter, tiny-invariant, tiny-relative-date, tiny-warning, tinyglobby, title-case, to-absolute-glob, to-array, to-arraybuffer, to-double-quotes, to-fast-properties, to-object-path, to-regex, to-regex-range, to-single-quotes, to-through, toggle-selection, toidentifier, toposort, totalist, tr46, trace-event-lib, tree-kill, trim-newlines, tryit, tryor, ts-api-utils, ts-jest, ts-loader, ts-markdown-builder, ts-node, ts-regex-builder, tsconfig-paths, tsutils, tty-browserify, tuf-js, type-check, type-detect, type-is, typed-array-buffer, typed-array-byte-length, typed-array-byte-offset, typed-array-length, typed-function, typescript-eslint, ua-is-frozen, uc.micro, uglify-save-license, uglify-to-browserify, ultron, un-ts/synckit, unbox-primitive, unc-path-regex, underscore.string, undertaker, undertaker-lib-tasks, undertaker-registry, undici, undici-types, unicode-canonical-property-names-ecmascript, unicode-match-property-ecmascript, unicode-match-property-value-ecmascript, unicode-property-aliases-ecmascript, union-value, uniq, unique-stream, unique-string, universalify, unpipe, unset-value, update-browserslist-db, update-input-width, upper-case, upper-case-first, urimod, urix, url-loader, url-parse, use, use-callback-ref, use-debounce, use-latest-callback, use-memo-one, use-sidecar, use-sync-external-store, user-home, useragent, util, util-deprecate, utile, utils-merge, utrie, uuid, v8-compile-cache-lib, v8flags, vali-date, validate.io-array, validate.io-function, validate.io-integer, validate.io-number, validate.io-string, value-or-function, vargs, vary, verror, vinyl - virtual file format, vinyl-contents, vinyl-file, vinyl-fs, vinyl-sourcemaps, visionmedia/batch, vlq, vm-browserify, void-elements, vow, vow-fs, vow-queue, w3c-xmlserializer, warn-once, warning, watchpack, wbuf, wcwidth, wdm, wearefractal's deprecated, web-push, web-streams-polyfill, webpack-bundle-analyzer, webpack-cli, webpack-contrib/sass-loader, webpack-core, webpack-dev-server, webpack-merge, webpack-sources, webpack/loader-utils, webpack/webpack-dev-middleware,

webreflection/html-escaper, whatwg-encoding, whatwg-fetch, whatwg-mimetype, whatwg-url, whatwg-url-without-unicode, which-boxed-primitive, which-builtin-type, which-collection, which-typed-array, whitequark/ipaddr.js, window-size, wix/Detox, wojtekma/ react-date-picker, wonka, word-wrap, wordwrap, wrap-ansi, write, wtf-8, xcase, xml-char-classes, xmlbuilder-js, xmlchars, xmldom, xtend, yannickcr/eslint-plugin-react, yargs, yargs-unparser, yauzl, yeast, yeikos/js.merge, yn, yocto-queue, yup, zip-stream, zod, zod-validation-error and zoom-level is Copyright (c) 2015-2022 Douglas Christopher Wilson
doug@somethingdoug.com

- Angus Activation Registries, JAXB CORE, JAXB Runtime, Jakarta Activation API, TXW2 Runtime, com.sun.xml.bind:jaxb-impl, istack common utility code runtime and jakarta.xml.bind:jakarta.xml.bind-api is Copyright (c) 2003, 2024 Oracle and/or its affiliates. All rights reserved.

- Bouncy Castle, google-libphonenumber and pause-stream is (c) (d) and (e) are already done

- @isaacs/cliui, @isaacs/fs-minipass, @isaacs/string-locale-compare, @isaacs/ttlcache, @istanbuljs/load-nyc-config, @npmcli/agent, @npmcli/arborist, @npmcli/config, @npmcli/fs, @npmcli/git, @npmcli/installed-package-contents, @npmcli/map-workspaces, @npmcli/metavuln-calculator, @npmcli/name-from-folder, @npmcli/node-gyp, @npmcli/package-json, @npmcli/promise-spawn, @npmcli/query, @npmcli/run-script, @ungap/structured-clone, Gulp-sourcemaps, NPM idb, abbrev, anymatch, aproba, are-we-there-yet, at-least-node, bin-links, block-stream, boolbase, bs-recipes, cacache, chownr, cli-width, cliui, cmd-shim, color-support, common-ancestor-path, common-path-prefix, concat-with-sourcemaps, console-control-strings, cronofy-elements, css-color-keywords, deprecation, electron-to-chromium, eslint-plugin-promise, eslint-plugin-typescript-sort-keys, fastq, flatted, foreground-child, fs-minipass, fs.realpath, fstream-ignore, get-caller-file, glob-parent, har-schema, har-validator, has-unicode, hosted-git-info, html2canvas, iarna/gauge, iarna/write-file-atomic, icss-replace-symbols, icss-utils, ignore-walk, in-publish, inflight, inherits, init-package-json, isaacs/once, isexe, json-stringify-nice, json-stringify-safe, kdbush, knip, leaflet.fullscreen, libnpmaccess, libnpmdiff, libnpmexec, libnpmfund, libnpmhook, libnpmorg, libnpm-pack, libnpmpublish, libnpmsearch, libnpmteam, libnpmversion, log-driver, make-error, make-fetch-happen, material-colors, minimalistic-assert, minimatch, minipass, minipass-collect, minipass-flush, minipass-pipeline, minipass-sized, mute-stream, node-glob, node-graceful-fs, node-lru-cache, node-semver, nopt, npm ini, npm-audit-report, npm-bundled, npm-normalize-package-bin, npm-package-arg, npm-packlist, npm-pick-manifest, npm-profile, npm-registry-fetch, npmlog, optional-dev-dependency, osenv, pacote, parse-conflict-json, picocolors, postcss-modules-extract-imports, postcss-modules-scope, postcss-modules-values, proc-log, proggy, promise-all-reject-late, promise-call-limit, promise-inflight, promzard, pseudomap, react-native-auto-scrolling-message, react-native-htmlview, read, read-cmd-shim, read-package-json-fast, remove-trailing-separator, require-main-filename, rimraf, sax-js, server-destroy, set-blocking, setprototypeof, sigmund, signal-exit, ssri, string-width-cjs, strip-ansi-cjs, supercluster-indexes, tapjs/signal-exit, tar, test-exclude, touch, treeverse, ts-object-utils, uid-number, unique-filename, unique-slug, universal-user-agent, v8-to-istanbul, validate-npm-package-name, vinyl-sourcemaps-apply, walk-up-path, which, which-module, wide-align, wrap-ansi-cjs, wrappy, write-file-atomic, y18n, yallist, yaml, yargs-parser and zod-to-json-schema is Copyright (c) 2013 Fractal <contact@wearefractal.com>. Licensed under ISC License.

- AOP Alliance (Java/J2EE AOP standard), BigInteger.js, JBoss Transaction SPI, JSON-java, dscape/cycle, jsonify and tweetnacl-js is Copyright 2008, JBoss Inc., and individual contributors as indicated. Licensed under Public Domain.

- com.github.mwiede:jsch is (c)>i). Licensed under (ISC License AND BSD 3-clause "New" or "Revised" License).

- btf is Copyright (c) 2014, Francis Galiegue (fgaliegue@gmail.com). Licensed under (Apache License 2.0 OR GNU Lesser General Public License v3.0 or later).

- HdrHistogram is Copyright (c) 2012, 2013, 2014, 2015, 2016 Gil Tene

- Eclipse Collections API and Eclipse Collections Main Library is Copyright (c) 2021 The Bank of New York Mellon and others.. Licensed under (Eclipse Distribution License - v 1.0 AND Eclipse Public License 1.0).

- Jakarta Annotations API, Jakarta Expression Language 3.0 API, Jakarta JSON Processing API, Java Servlet API, javax.interceptor API, javax.resource API and javax.transaction API is Copyright © 2019, 2022 Eclipse Foundation. All rights reserved.

- H2 Database Engine is Copyright (C) <year> <name of author>. Licensed under (Mozilla Public License 2.0 OR Eclipse Public License 1.0).

- ICU4J is Copyright (C) 1996-2007, International Business Machines Corporation and

- LatencyUtils is Written by Gil Tene of Azul Systems, and released to the

- Jakarta Activation API, Java Servlet API, JavaMail API (no providers), javax.annotation API and jaxb-api is Copyright © 2017 Oracle America, Inc.

- Jakarta Mail and jakarta.persistence-api is (C) 1995-2013 Jean-loup Gailly and Mark Adler

- caniuise and caniuise-lite is copyright
- Java Native Access (JNA) is Copyright (c) 2007-2008 Timothy Wall, All Rights Reserved
- JSON Schema Validator, jackson-coreutils, jackson-coreutils-equivalence, json-patch, json-schema-core, msg-simple and uri-template is Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>. Licensed under (Apache License 2.0 AND GNU Lesser General Public License v3.0 or later).
- JSqlParser is Copyright (C) 2004 - 2020 JSQlParser. Licensed under (GNU Lesser General Public License v2.1 only OR Apache License 2.0).
- JUnit is Copyright (c) 2000-2010 hamcrest.org. Licensed under Eclipse Public License 1.0.
- mysql-connector-j is Copyright (C) 1991, 1999 Free Software Foundation, Inc.. Licensed under (Universal FOSS Exception, Version 1.0 AND GNU General Public License v2.0 only).
- reactive-streams is (C) 1995-2013 Jean-loup Gailly and Mark Adler
- @typescript-eslint/parser, @typescript-eslint/typescript-estree, @yarnpkg/lockfile, CSSselect, DomHandler, Esprima, Jodd Util, Leaflet, UglifyJS, browser-process-hrtime, cidr-regex, crac-compat, css-what, currency-symbol-map, damerau-levenshtein, default-gateway, domelementtype, domutils, dotenv-expand, dtrace-provider, escodegen, escope, eslint-scope, espree, esprima-next, esrecurse, estraverse, esutils, extract-zip, fontfaceobserver, fstream, glob-to-regexp, http-cache-semantics, is-cidr, jsc-android, next-frame, node-coveralls, node-entities, node-glob, normalize-package-data, npm-install-checks, npm-user-validate, nth-check, read, regjsparser, scottmott/dotenv, stax2-api, stringify-object, tar-pack, terser, uri-js, urlgrey, webidl-conversions and zstd-jni is Copyright (C) 2014 Thiago de Arruda <tpadilha84@gmail.com>. Licensed under BSD 2-clause "Simplified" License.
- Javassist is Copyright (c) 2015, 2023, Oracle and/or its affiliates. All rights reserved.
- Chroma.js and doctrine is @author Yusuke Suzuki <utatane.tea@gmail.com>
- Logback is (c) OpenJS Foundation and other contributors. Licensed under (GNU Lesser General Public License v2.1 only OR Eclipse Public License 1.0).
- Logback Contrib :: JSON :: Classic, Logback Contrib :: JSON :: Core and Logback Contrib :: Jackson is Copyright (C) 2016, The logback-contrib developers. All rights reserved.. Licensed under (GNU Lesser General Public License v3.0 or later AND Eclipse Public License 1.0).
- Mozilla Rhino, exeunt, lightningcss, lightningcss-darwin-arm64, lightningcss-darwin-x64, lightningcss-freebsd-x64, lightningcss-linux-arm-gnueabi, lightningcss-linux-arm64-gnu, lightningcss-linux-arm64-musl, lightningcss-linux-x64-gnu, lightningcss-linux-x64-musl, lightningcss-win32-x64-msvc and parcel-bundler/lightningcss is Copyright (c) 1991, 2000, 2001 by Lucent Technologies.. Licensed under Mozilla Public License 2.0.
- Boost C++ Libraries - boost is licensed under Boost Software License 1.0.
- DOMPurify is Copyright 2025 Dr.-Ing. Mario Heiderich, Cure53. Licensed under (Apache License 2.0 OR Mozilla Public License 2.0).
- Eclipse Parsson and Jakarta Annotations API is (C) 1995-2013 Jean-loup Gailly and Mark Adler
- Jetty :: ALPN :: JDK9 Client Implementation, Jetty :: ALPN :: JDK9 Server Implementation, Jetty :: ALPN Client, Jetty :: ALPN Server, Jetty :: HTTP2 :: Common, Jetty :: HTTP2 :: HPACK, eclipse-vertx/vert.x and vertx-web is Copyright (c) 2011-2022 Contributors to the Eclipse Foundation. Licensed under (Apache License 2.0 AND Eclipse Public License 2.0).
- Microsoftslib and jsc-safe-url is Copyright (c) Microsoft Corporation.. Licensed under BSD Zero Clause License.
- Hibernate ORM, Hibernate ORM - hibernate-graalvm and Hibernate ORM - hibernate-jpamodelgen is (c) OpenJS Foundation and other contributors. Licensed under GNU Lesser General Public License v2.1 or later.
- nodeca-argparse is Copyright (C) 2020 argparse.js authors
- dominictarr/rc is Copyright (c) 2011 Dominic Tarr. Licensed under (MIT License OR BSD 2-clause "Simplified" License OR Apache License 2.0).
- Tyrex is Copyright (c) 1999-2001, Intalio, Inc. All Rights Reserved.
- json-schema is Copyright (c) 2007 Kris Zyp. Licensed under (BSD 3-clause "New" or "Revised" License OR Academic Free License v2.1).
- Jetty :: Jakarta Servlet API and Schemas for JPMS and OSGi, Vert.x Bridge Common, Vert.x URI Template, vertx-auth-common, vertx-codegen, vertx-web-client and vertx-web-common is Copyright (c) 2011-2022 Contributors to the

Eclipse Foundation. Licensed under (Apache License 2.0 AND Eclipse Public License 1.0).

- Jetty: Java based HTTP/1.x, HTTP/2, Servlet, WebSocket Server is (c) OpenJS Foundation and other contributors. Licensed under (Apache License 2.0 OR Eclipse Public License 2.0).
- Node Stream Buffers, event-pubsub, fs-monkey, humanize-duration, streamich/memfs and tweetnacl-js is copyright for the contribution to the public domain.. Licensed under The Unlicense.
- isaacs/jackspeak, package-json-from-dist, path-scurry, tar and yallist is N/A. Licensed under Blue Oak Model License 1.0.0.
- fmtlib/fmt is licensed under (MIT License AND fmt exception).
- @fortawesome/free-regular-svg-icons and @fortawesome/free-solid-svg-icons is faCopyright. Licensed under (MIT License AND Creative Commons Attribution 4.0).
- Nativeimage and Word is Copyright (c) 2013, 2023, Oracle and/or its affiliates. All rights reserved.. Licensed under Universal Permissive License v1.0.
- doctrine is @author Yusuke Suzuki <utatane.tea@gmail.com>
- type-fest is Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)
- binary-search, gulp-ng-annotate, mdn-data, railroad-diagrams and spdx-license-ids is licensed under Creative Commons Zero v1.0 Universal.
- amdefine and sha.js is Copyright Paul Johnston 2000 - 2002.
- amdefine is Copyright (c) 2011-2016, The Dojo Foundation All Rights Reserved.
- node-forge is Copyright 2012 Stefan Siegl <stesie@brokenpipe.de>. Licensed under (BSD 3-clause "New" or "Revised" License OR GNU General Public License v2.0 or later).
- npm-cli and sortobject is Copyright (c) 2000-2006, The Perl Foundation.
- atob and through is Copyright 2015 AJ ONeal. Licensed under (MIT License OR Apache License 2.0).
- @react-leaflet/core and react-leaflet is N/A. Licensed under Hippocratic License 2.1.
- spdx-exceptions is Copyright © 2010-2015 Linux Foundation and its Contributors. Licensed
- base64id is licensed under Expat License.
- bcrypt-pbkdf is licensed under BSD 4-clause "Original" or "Old" License.
- sanitize-filename is Copyright (C) 2004 Sam Hocevar. Licensed under (ISC License OR Do What The F*ck You Want To Public License).
- doctrine is @author Yusuke Suzuki <utatane.tea@gmail.com>
- domenic/opener, path-is-inside and utf8-byte-length is Copyright 2023 Carl Xiong. Licensed under (MIT License OR Do What The F*ck You Want To Public License).
- truncate-utf8-bytes is licensed under Do What The F*ck You Want To Public License.
- fobject is Copyright (
- xdate is licensed under (MIT License OR GNU General Public License v2.0 only).
- fullcalendar-scheduler is (c)<Vt(n). Licensed under GNU General Public License v3.0 or later.
- immutable-js is Copyright (c) 2014-2015, Facebook, Inc.
- JSV is Copyright (c) 2008-2009 Atomic Inc <avi@jsorm.com>. Licensed under BSD 2-clause FreeBSD License.
- rouge is Copyright (c) 2012 Jeanine Adkisson.
- Ruby/EventMachine is Copyright (C) 2006-07 by Francis Cianfrocca.
- UAParser.js is Copyright © 2012-2015 Faisal Salman <fyzlman@gmail.com>
- UAParser.js is Copyright (c) C. Licensed under GNU Affero General Public License v3.0.