

# **Open Source Licenses – Verint Messaging**

Revision 1.03  
November 2025

Unauthorized use, duplication, or modification of this document in whole or in part without the written consent of Verint Systems Inc. is strictly prohibited. By providing this document, Verint Systems Inc. is not making any representations regarding the correctness or completeness of its contents and reserves the right to alter this document at any time without notice. Features listed in this document are subject to change. Contact your Verint representative for current product features and specifications. All marks referenced herein with the ® or TM symbol are registered trademarks or trademarks of Verint Systems Inc. or its subsidiaries. All rights reserved. All other marks are trademarks of their respective owners.

© 2025 Verint Systems Inc. All rights reserved worldwide.

## **Table of Contents**

|                               |   |
|-------------------------------|---|
| Open Source Attribution ..... | 1 |
|-------------------------------|---|

## Open Source Attribution

Certain components of this Software or software contained in this Product (collectively, "Software") may be covered by so-called "free or open source" software licenses ("Open Source Components"), which includes any software licenses approved as open source licenses by the Open Source Initiative or any similar licenses, including without limitation any license that, as a condition of distribution of the Open Source Components licensed, requires that the distributor make the Open Source Components available in source code format. A license in each Open Source Component is provided to you in accordance with the specific license terms specified in their respective license terms.

EXCEPT WITH REGARD TO ANY WARRANTIES OR OTHER RIGHTS AND OBLIGATIONS EXPRESSLY PROVIDED DIRECTLY TO YOU FROM VERINT, ALL OPEN SOURCE COMPONENTS ARE PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

Any third party technology that may be appropriate or necessary for use with the Verint Product is licensed to you only for use with the Verint Product under the terms of the third party license agreement specified in the Documentation, the Software or as provided online at <http://verint.com/thirdpartylicense>. You may not take any action that would separate the third-party technology from the Verint Product. Unless otherwise permitted under the terms of the third-party license agreement, you agree to only use the third-party technology in conjunction with the Verint Product.

The following Open Source Components may be included with this Software:

## License Attributions for Messaging

- @angular/animations, @angular/cdk, @angular/common, @angular/compiler, @angular/compiler-cli, @angular/forms, @angular/localize, @angular/platform-browser, @angular/platform-browser-dynamic, @angular/router, @babel/code-frame, @babel/compat-data, @babel/core, @babel/generator, @babel/helper-compilation-targets, @babel/helper-globals, @babel/helper-module-imports, @babel/helper-module-transforms, @babel/helper-string-parser, @babel/helper-validator-identifier, @babel/helper-validator-option, @babel/helpers, @babel/parser, @babel/template, @babel/types, @cyber4all/ngx-dropzone-wrapper, @jridgewell/gen-mapping, @jridgewell/resolve-uri, @jridgewell/sourcemap-codec, @jridgewell/trace-mapping, @ng-bootstrap/ng-bootstrap, @popperjs/core, @types/babel\_\_core, @types/babel\_\_generator, @types/babel\_\_template, @types/babel\_\_traverse, @types/grecaptcha, Angular, Auth0, BasicAuth, Bootstrap (Twitter), Checker Qual, DropzoneJS, JUL to SLF4J bridge, Lodash, Material Design for Angular, Mockito\_, Project Lombok, PyJWT, PyTZ - Python Time Zone Library, Pyflakes, Python six, RonnyPfannschmidt/iniconfig, SLF4J API Module, ScribeJava APIs, ScribeJava Apache HttpComponents HttpClient support, ScribeJava Core, ScribeJava Java 8+ compatibility stuff, Slack Webhook integration, Strip ANSI, Zone.js, angular-oauth2-oidc, ansi-regex, ansi-styles, asn1crypto, babel-traverse, browserslist, cachetools, chokidar, convert-source-map, dbader/schedule, debug-js/debug, ee-first, emoji-regex, entrypoints, escalade, eventemitter3, expressjs/morgan, fdir, flake8, follow-redirects, gensync, get-east-asian-width, http-proxy, java-jwt, jmespath.py, js-tokens, jsesc, json5, jwks-rsa, mccabe, mockito-inline, mockito-junit-jupiter, moment/moment, ms.js, mvc-auth-commons, nbvcsz, ng-recaptcha-2, ngx-clipboard, ngx-pendo, ngx-window-token, node-releases, nodejs Deprecate, on-finished, on-headers, oscrypto, parse5, picomatch, pip, platformdirs, pyproject-api, pytest, pytest-cov, python cffi, python-pluggy, python-tox, python-wheel, python3-charset-normalizer, readdirp, requires-port, safe-buffer, sdspater/tomlkit, selfsigned, sentry-python, sentry-sdk, string-width, tinyglobby, twilio, unirest-java, update-browserslist-db, urllib3, virtualenv, webjars-locator-lite, wrap-ansi and yargs is Copyright OpenJS Foundation and other contributors <<https://openjsf.org/>>

- @ampproject/remapping, AWS Java SDK for AWS Secrets Manager, AWS Java SDK for Amazon SES, AWS SDK for Java, Alexa Skills Kit, Apache Commons BeanUtils, Apache Commons Codec, Apache Commons Collections, Apache Commons Compress, Apache Commons IO, Apache Commons Lang, Apache Commons Logging, Apache Commons Pool, Apache Commons Text, Apache Commons Validator, Apache HTTP transport v2 for the Google HTTP Client Library for Java., Apache HTTPComponents Core, Apache HttpClient, Apache HttpComponents AsyncClient, Apache HttpMime, Apache Log4J API, Apache Log4j to SLF4J Adapter, Apache Tika, Apache Tomcat, AssertJ - Fluent Assertions for Java, AutoValue Annotations, Awaitility, BSON Record Codec, Byte Buddy, Coverage, Embedded MongoDB, Failsafe, FindBugs jsr305, Flapdoodle Embedded MongoDB Package Resolver, Flapdoodle Embedded Process Util, Flapdoodle Graph Stuff, Flapdoodle Java8 Stuff, Flapdoodle OS Detection Library, Flapdoodle Reverse, Flexjson, GSON extensions to the Google HTTP Client Library for Java., Google APIs Client Library for Java, Google HTTP Client Library for Java, Guava InternalFutureFailureAccess and InternalFutures, Guava ListenableFuture only, Hibernate Validator, HikariCP, JBoss Logging 3, JCommander Library, JHeaps, JWT :: API, JWT :: Extensions :: Jackson, JWT :: Impl, JMES Path Query library, JSON Web Token support for the JVM, JSON library from Android SDK, JSONassert, JSpecify annotations, Jackson-Datatype-JSR310, Jackson-module-parameter-names, Java 10 Shim, Java 8 Shim, Java Client for Google Maps Services, Java Native Access (JNA), JetBrains annotations, Joda Time, Kotlin, Lettuce, Maven Artifact, Mongo Java Driver, Netty Project, Netty/Codec/Marshalling, Netty/Transport/Native/Unix/Common, OWASP Java HTML Sanitizer, OkHttp, OkHttp Logging Interceptor, OkIO, OpenCensus, PathJson, Prometheus Java Simpleclient, Prometheus Java Simpleclient Common, Prometheus Java Span Context Supplier - Common, Prometheus Java Span Context Supplier - OpenTelemetry, Prometheus Java Span Context Supplier - OpenTelemetry Agent, PyMongo, RabbitMQ amqp-client, ReactiveX RxJS, SnakeYAML, Snowflake Ingest SDK, Snowflake JDBC, Spring AMQP, Spring Boot, Spring Boot Actuator AutoConfigure, Spring Boot Configuration Processor, Spring Boot Test, Spring Boot Test Auto-Configure, Spring Commons Logging Bridge, Spring Data Commons, Spring Data MongoDB, Spring Framework, Spring RabbitMQ Support, Spring Security, Super CSV, TypeScript, WireMock, ZXing Core, ZXing Java SE extensions, baseline-browser-mapping, boto3, botocore, byte-buddy-agent, easymockobjenesis, elastic-transport, elasticsearch-py, error-prone annotations, freezegun, google-oauth-java-client, googlegson, googleguava, googlei18n/libphonenumber, httpcomponents-core, imgscalr - A Java Image Scaling Library, importlib\_metadata, io.grpc:grpc-context, io.swagger:swagger-annotations, j2objc - Java to IOS, jackson-annotations, jackson-core, jackson-databind, jackson-dataformat-binary, jackson-dataformat-yaml, jackson-modules-java8, jakartaeevalidation, java-classmate, javax.inject:javax.inject, json-simple, kotlin-stdlib-common, micrometer-commons, micrometer-jakarta9, micrometer-metrics, micrometer-observation, micrometer-registry-prometheus, micrometer-spring-legacy, mongock-api, mongock-driver-api, mongock-driver-core, mongock-runner-core, mongock-spring-runner-util, mongock-spring-v5, mongock-utils, mongodbspringdata-v3-driver, mongodbsync-v4-driver, opencensus-api, org.apiguardian:apiguardian-api, org.jetbrains.kotlin:kotlin-stdlib-jdk7, org.jetbrains.kotlin:kotlin-stdlib-jdk8, org.opentest4j:opentest4j, org.xmlunit:xmlunit-core, plexus-utils, psf-requests, pyOpenSSL, python-distlib, reactor-core, reflect-metadata, s3transfer, shedlock-core, shedlock-provider-mongo, shedlock-spring, snowflake-connector-python, snowflake-ingest, sortedcontainers, spring-boot-actuator, spring-retry, springdoc-openapi-starter-common, springdoc-openapi-starter-webmvc-api, springdoc-openapi-starter-webmvc-ui, swagger-annotations-jakarta, swagger-core-jakarta, swagger-models, swagger-models-jakarta and swagger-ui is Copyright 2016 The gRPC Authors
- chardet is N/A. Licensed under GNU Lesser General Public License v2.1 or later.
- Google Auth Library for Java, Hamcrest, Java Advanced Imaging Image I/O Tools API core (standalone), colorama, com.warrenstrange:googleauth, idna, pycparser and python-dotenv is Copyright jQuery Foundation and other contributors
- cliui, dnspython, electron-to-chromium, get-caller-file, https, node-lru-cache, node-semver, picocolors, y18n, yallist and yargs-parser is Copyright (C) 2003-2007, 2009, 2011 Nominum, Inc.. Licensed under ISC License.
- furl, orderedmultidict and py-filelock is Copyright Ansgar Grunseid
- Packaging is N/A. Licensed under (BSD 2-clause "Simplified" License OR Apache License 2.0).
- Packaging is N/A. Licensed under (Apache License 2.0 AND BSD 3-clause "New" or "Revised" License).
- pycrypto and python-dateutil is © 2001-2016 Python Software Foundation; All Rights. Licensed under (Apache License 2.0 OR BSD 3-clause "New" or "Revised" License).
- pycodestyle is Copyright (C) 2014-2016 Ian Lee <ianlee1521@gmail.com>
- pycryptodomex is (C). Licensed under (BSD 3-clause "New" or "Revised" License AND Public Domain).
- python-certifi is licensed under Mozilla Public License 2.0.
- python-distlib and python-typing-extensions is Copyright (C) 2012-2023 The Python Software Foundation.. Licensed under Python Software Foundation License 2.0.
- AspectJ weaver, Grizzly OSGi HttpService, JUnit Jupiter (Aggregator), Jakarta Annotations API, Jakarta Expression Language 3.0 API, Jakarta Expression Language 3.0 Implementation, Java Servlet API, JavaServer Pages (TM) TagLib

Implementation, JavaServer Pages(TM) Standard Tag Library API, jakartaee/rest, javax.ws.rs-api, org.junit.jupiter:junit-jupiter-api, org.junit.jupiter:junit-jupiter-engine, org.junit.jupiter:junit-jupiter-params, org.junit.platform:junit-platform-commons and org.junit.platform:junit-platform-engine is Copyright (c) 2000, 2003 IBM Corporation and others.

- Jakarta Activation API, com.sun.xml.bind:jaxb-impl and jakarta.xml.bind:jakarta.xml.bind-api is Copyright (c) 2003, 2024 Oracle and/or its affiliates. All rights reserved.
- Expression Language API, JAXB CORE, Jakarta Activation API, Java Servlet API, TXW2 Runtime, istack common utility code runtime, javax.annotation API and jaxb-api is Copyright &#169; 2013,
- Javassist is (c) 2014 Stuart Knightley, David Duponchel
- JGraphT - Core and JUnit is (C) Copyright 2003-2020, by Joris Kinable and Contributors.. Licensed under Eclipse Public License 1.0.
- LatencyUtils is Written by Gil Tene of Azul Systems, and released to the
- Logback is Copyright (C) 1999-2015, QOS.ch. All rights. Licensed under GNU Lesser General Public License v2.1 only.
- caniuise-lite is N/A. Licensed under Creative Commons Attribution 4.0.
- ronmamorelections is N/A. Licensed under Do What The F\*ck You Want To Public License.
- @fontawesome/fontawesome-free is N/A. Licensed under (MIT License AND SIL Open Font License 1.1 AND Creative Commons Attribution 4.0).
- Microsoftslib is Copyright (c) Microsoft Corporation.. Licensed under BSD Zero Clause License.
- node-entities and scottmotte/dotenv is Copyright (c) 2015, Scott Motte. Licensed under BSD 2-clause "Simplified" License.
- node-forge is licensed under (BSD 3-clause "New" or "Revised" License OR GNU General Public License v2.0 only).
- text-security is licensed under SIL Open Font License 1.1.
- HdrHistogram is Written by Gil Tene of Azul Systems, and released to the public domain,
- JAXB CORE, Jakarta Activation API, TXW2 Runtime, istack common utility code runtime, javax.annotation API and jaxb-api is Copyright (c) 1997-2012 Oracle and/or its affiliates. All rights reserved.
- Jakarta Annotations API is (C) 1995-2013 Jean-loup Gailly and Mark Adler
- Javassist is (c) 2014 Stuart Knightley, David Duponchel
- JSON-java is Copyright (c) 2008 JSON.org. Licensed under JSON License.
- Logback is Copyright (C) 1999-2015, QOS.ch. All rights. Licensed under (GNU Lesser General Public License v2.1 only OR Eclipse Public License 1.0).
- reactive-streams is (C) 1995-2013 Jean-loup Gailly and Mark Adler