

Open Source Licenses – Verint Cogito Telephony Integrations (PIPM)

Revision 1.03
November 2025

Unauthorized use, duplication, or modification of this document in whole or in part without the written consent of Verint Systems Inc. is strictly prohibited. By providing this document, Verint Systems Inc. is not making any representations regarding the correctness or completeness of its contents and reserves the right to alter this document at any time without notice. Features listed in this document are subject to change. Contact your Verint representative for current product features and specifications. All marks referenced herein with the ® or TM symbol are registered trademarks or trademarks of Verint Systems Inc. or its subsidiaries. All rights reserved. All other marks are trademarks of their respective owners.

© 2025 Verint Systems Inc. All rights reserved worldwide.

Table of Contents

Open Source Attribution	1
-------------------------------	---

Open Source Attribution

Certain components of this Software or software contained in this Product (collectively, "Software") may be covered by so-called "free or open source" software licenses ("Open Source Components"), which includes any software licenses approved as open source licenses by the Open Source Initiative or any similar licenses, including without limitation any license that, as a condition of distribution of the Open Source Components licensed, requires that the distributor make the Open Source Components available in source code format. A license in each Open Source Component is provided to you in accordance with the specific license terms specified in their respective license terms.

EXCEPT WITH REGARD TO ANY WARRANTIES OR OTHER RIGHTS AND OBLIGATIONS EXPRESSLY PROVIDED DIRECTLY TO YOU FROM VERINT, ALL OPEN SOURCE COMPONENTS ARE PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

Any third party technology that may be appropriate or necessary for use with the Verint Product is licensed to you only for use with the Verint Product under the terms of the third party license agreement specified in the Documentation, the Software or as provided online at <http://verint.com/thirdpartylicense>. You may not take any action that would separate the third-party technology from the Verint Product. Unless otherwise permitted under the terms of the third-party license agreement, you agree to only use the third-party technology in conjunction with the Verint Product.

The following Open Source Components may be included with this Software:

License Attributions for Cogito Telephony Integrations (PIPM)

- @ampproject/remapping, @humanwhocodes/config-array, @humanwhocodes/module-importer, @surma/rollup-plugin-off-main-thread, @webassemblyjs/leb128, @xtuc/long, ASM based accessors helper used by json-smart, AWS Event Stream, AWS Glue Schema Registry AVRO Serializer Deserializer, AWS Glue Schema Registry Build Tools, AWS Glue Schema Registry common, AWS Java SDK :: AWS CRT Core, AWS Java SDK :: Arns, AWS Java SDK :: Bill of Materials, AWS Java SDK :: Checksums, AWS Java SDK :: Checksums SPI, AWS Java SDK :: Core :: Protocols :: AWS Cbor Protocol, AWS Java SDK :: Core :: Protocols :: AWS Json Protocol, AWS Java SDK :: Core :: Protocols :: AWS Xml Protocol, AWS Java SDK :: Core :: Protocols :: Json Utils, AWS Java SDK :: DynamoDB :: Enhanced Client, AWS Java SDK :: Endpoints SPI, AWS Java SDK :: HTTP Auth, AWS Java SDK :: HTTP Auth AWS, AWS Java SDK :: HTTP Auth Event Stream, AWS Java SDK :: HTTP Auth SPI, AWS Java SDK :: HTTP Clients :: AWS Common Runtime Client, AWS Java SDK :: HTTP Clients :: URL Connection, AWS Java SDK :: Identity SPI, AWS Java SDK :: Metrics Interface, AWS Java SDK :: Retries, AWS Java SDK :: Retries API, AWS Java SDK :: Services :: AWS Glue, AWS Java SDK :: Services :: AWS Secrets Manager, AWS Java SDK :: Services :: AWS Simple Systems Management (SSM), AWS Java SDK :: Services :: Amazon CloudWatch, AWS Java SDK :: Services :: Amazon DynamoDB, AWS Java SDK :: Services :: Amazon Kinesis, AWS Java SDK :: Services :: Amazon S3, AWS Java SDK :: Services :: SSO, AWS Java SDK :: Services :: SSO OIDC, AWS Java SDK :: Third Party :: Jackson-core, AWS Java SDK :: Third Party :: Jackson-dataformat-cbor, AWS Java SDK :: Utils Lite, AWS Java SDK for Amazon Kinesis Video Streams Media, AWS Java SDK for Amazon Rekognition, AWS Lambda Java Core Library, AWS Lambda Java Events Library, AWS Lambda Java Log4j 2.8 Libraries, AWS SDK for Java, ActiveMQ :: Client Jakarta, Amazon DynamoDB Lock Client, Amazon Kinesis Client Library for Java, Amazon Kinesis Video Streams Parser Library, Amazon Kinesis Video Streams Producer SDK Java, Amazon MSK Library for AWS Identity and Access Management, Apache ActiveMQ, Apache Avro, Apache Avro Protobuf Compatibility, Apache Commons Codec, Apache Commons Collections, Apache Commons Compress, Apache Commons Configuration, Apache Commons Digester, Apache Commons IO, Apache Commons Lang, Apache Commons Logging, Apache Commons Pool, Apache Commons Text, Apache Commons Validator,

Apache HTTPComponents Core, Apache HttpClient, Apache HttpComponents AsyncClient, Apache Kafka, Apache Log4J API, Apache Log4j, Apache Log4j JUL Adapter, Apache Log4j Layout for JSON template, Apache Log4j SLF4J 2.0 Binding, Apache Log4j SLF4J Binding, Apache Pulsar :: Bouncy Castle :: BC, Apache Pulsar :: Package Management :: Core, Apache Santuario (Java), Apache Tomcat, Apache Velocity, Apache XML Commons, Apache Xerces2 J, Asynchronous Http Client, Byte Buddy, Caffeine cache, CometD :: Bayeux API, CometD :: Java :: Bayeux Common, CometD :: Java :: Client, Core Reactor components, Coverage, Disruptor Framework, FindBugs jsr305, Google Guice, Guava InternalFutureFailureAccess and InternalFutures, Guava ListenableFuture only, HTTP functionality for the Reactor Netty library, Handy-URI-Templates, HawtBuf, Hibernate Commons Annotations, Hibernate ORM, Hibernate Validator, HikariCP, JBoss Logging 3, JCIP Annotations under Apache License, JWT :: API, JWT :: Extensions :: Jackson, JWT :: Impl, JMES Path Query library, JSpecify annotations, Jackson Jakarta-RS: JSON, Jackson Jakarta-RS: base, Jackson module: Jakarta XML Bind Annotations (jakarta.xml.bind), Jackson-Datatype-JSR310, Jackson-JAXRS-base, Jackson-dataformat-TOML, Jackson-module-parameter-names, Jakarta Dependency Injection, Jandex: Core, JetBrains annotations, Jimfs Parent, Joda Time, JsonNullable Jackson module, Kotlin, KotlinPoet, MapStruct Core, MapStruct Processor, Metrics Core, Netty Project, Netty/Codec/Redis, Netty/Codec/SMTP, Netty/Handler/Ssl/Ocsp, Netty/Resolver/DNS/Classes/MacOS, Netty/Resolver/DNS/MacOS, Netty/Transport/Classes/Epoll, Netty/Transport/Classes/KQueue, Netty/Transport/Native/KQueue, Netty/Transport/Native/Unix/Common, Nimbus Content Type, Nimbus LangTag, Nimbus-JOSE-JWT, OAuth 2.0 SDK with OpenID Connect extensions, OkHttp, OkHttp Logging Interceptor, OkIO, Okio Fake File System, OpenSAML 2.0, OpenTelemetry Instrumentation for Java, OpenTelemetry Java, PathJson, PooledJMS Library, Prometheus Java Simpleclient, Prometheus Java Simpleclient Common, Prometheus Java Simpleclient Pushgateway, Prometheus Java Span Context Supplier - Common, Prometheus Java Span Context Supplier - OpenTelemetry, Prometheus Java Span Context Supplier - OpenTelemetry Agent, Prometheus Metrics Config, Prometheus Metrics Core, Prometheus Metrics Exporter - Common, Prometheus Metrics Exporter - Pushgateway, Prometheus Metrics Exposition Formats, Prometheus Metrics Exposition Text Formats, Prometheus Metrics Model, Prometheus Metrics Tracer Common, Pulsar Client :: API, Pulsar Client Admin, Pulsar Client Admin :: API, Pulsar Client Java - org.apache.pulsar:pulsar-client, Querydsl, Querydsl - Codegen utils, Reactor Netty, Reactor Spring components, RxJava, Scala, SnakeYAML, Spring Boot, Spring Boot ActiveMQ Starter, Spring Boot Actuator AutoConfigure, Spring Boot Cache Starter, Spring Boot Configuration Processor, Spring Boot OAuth2/OpenID Connect Client Starter, Spring Boot Reactor Netty Starter, Spring Cloud AWS Autoconfigure, Spring Cloud AWS Core, Spring Cloud AWS Parameter Store Integration, Spring Cloud AWS Parameter Store Starter, Spring Cloud AWS Secrets Manager Integration, Spring Cloud AWS Secrets Manager Starter, Spring Cloud AWS Starter, Spring Cloud Commons, Spring Cloud Context, Spring Commons Logging Bridge, Spring Data Commons, Spring Data JPA, Spring Framework, Spring Integration, Spring Kafka, Spring Security, Spring WebFlux, Swift Poet, TypeScript, Vavr, Vavr Match, Wire, Wire Multiplatform Runtime (Experimental), Wire Protocol Buffer Compiler, Wire Protocol Buffer Java Generator, Wire Protocol Buffer Runtime, Woodstox, aiosignal, ansi-html, ansi-html-community, aria-query, aws-embedded-metrics, axios-query, bandit, boto3, botocore, client_python, com.google.api.grpc:proto-google-common-protos, com.neovisionaries:nv-websocket-client, deprecation, didyoumean.js, doctrine, error-prone annotations, eslint-visitor-keys, everit-json-schema, faye-websocket-node, flyway-core, flyway-mysql, frozenlist, google-gson, google-guava, httpcomponents-core, human-signals, io.swagger:swagger-annotations, j2objc - Java to IOS, jackson-annotations, jackson-bom, jackson-core, jackson-databind, jackson-dataformat-binary, jackson-dataformat-xml, jackson-dataformat-yaml, jackson-datatype-joda, jackson-jaxrs-json-provider, jackson-module-jaxb-annotations, jackson-modules-java8, jakartaeevalidation, jake, java-classmate, java-support, javaobj-py3, javapoet, javax.inject:javax.inject, json-smart, kotlin-reflect, kotlin-script-runtime, kotlin-stdlib-common, kotlin-stdlib-datetime, kotlin-serialization-bom, kotlin-serialization-core, lang, lz4java, mde (ejs), mde/filelist, micrometer-commons, micrometer-jakarta9, micrometer-metrics, micrometer-observation, micrometer-registry-cloudwatch2, micrometer-registry-prometheus, micrometer-registry-prometheus-simpleclient, multidict, nodejs-walker, okio-fakefilesystem, org.apiguardian:apiguardian-api, org.jetbrains.kotlin:kotlin-scripting-common, org.jetbrains.kotlin:kotlin-scripting-compiler-embeddable, org.jetbrains.kotlin:kotlin-scripting-compiler-impl-embeddable, org.jetbrains.kotlin:kotlin-scripting-jvm, org.jetbrains.kotlin:stdlib-jdk7, org.jetbrains.kotlin:stdlib-jdk8, org.osgi:org.osgi.annotation.bundle, org.osgi:org.osgi.annotation.versioning, org.osgi:org.osgi.resource, org.osgi:org.osgi.service.serviceloader, pbr, propcache, psf-requests, pyOpenSSL, python-stevedore, reactor-core, requests-toolbelt, responses, s3transfer, snappy-java, software.amazon.awssdk.crt:aws-crt, spring-boot-actuator, spring-cloud-starter, spring-cloud-starter-bootstrap, spring-retry, spring-security-oauth2-client, spring-security-oauth2-core, spring-security-oauth2-jose, spring-security-saml2-service-provider, springdoc-openapi-starter-common, springdoc-openapi-starter-webmvc-api, springdoc-openapi-starter-webmvc-ui, squareokio, swagger-annotations-jakarta, swagger-core-jakarta, swagger-models-jakarta, swagger-ui, ts-interface-checker, watchman, web-vitals, websocket-driver-node, websocket-extensions-node, wire-schema, xml-name-validator and yarls is Copyright 2012-2024 the original author or authors.. Licensed under Apache License 2.0.

- @humanwhocodes/object-schema, @sinonjs/commons, @sinonjs/fake-timers, @xtuc/ieee754, ASM, GitPython, JMESPath Core, JMESPath Jackson, Jakarta Activation, MarkupSafe, MiG Base64, ThreeTen backport, abab, antlr, babel-plugin-istanbul, colorama, create-react-app, eslint-plugin-flowtype, esquery, fast-uri, filesize.js, gitdb, hoist-non-react-statics, hyphenate-style-name, idna, istanbul-lib-coverage, istanbul-lib-instrument, istanbul-lib-report, istanbul-lib-source-maps, istanbul-reports, jinjapython, makeerror, protobuf-java, pyasn1-modules, pycparser, python-netaddr, qs - QS Querystring, re2j,

react-transition-group, serialize-javascript, smmap, source-map, source-map-js, sprintf.js, tmpl, tough-cookie, twofish and wrapt is Copyright (c) 2015, Gajus Kuizinas (<http://gajus.com/>). Licensed under BSD 3-clause "New" or "Revised" License.

- @adobe/css-tools, @alloc/quick-lru, @apideck/better-ajv-errors, @babel/code-frame, @babel/compat-data, @babel/core, @babel/eslint-parser, @babel/generator, @babel/helper-annotate-as-pure, @babel/helper-compilation-targets, @babel/helper-create-class-features-plugin, @babel/helper-create-regexp-features-plugin, @babel/helper-define-polyfill-provider, @babel/helper-globals, @babel/helper-member-expression-to-functions, @babel/helper-module-imports, @babel/helper-module-transforms, @babel/helper-optimise-call-expression, @babel/helper-plugin-utils, @babel/helper-remap-async-to-generator, @babel/helper-replace-supers, @babel/helper-skip-transparent-expression-wrappers, @babel/helper-string-parser, @babel/helper-validator-identifier, @babel/helper-validator-option, @babel/helper-wrap-function, @babel/helpers, @babel/parser, @babel/plugin-bugfix-firefox-class-in-computed-class-key, @babel/plugin-bugfix-safari-class-field-initializer-scope, @babel/plugin-bugfix-safari-id-structuring-collision-in-function-expression, @babel/plugin-bugfix-v8-spread-parameters-in-optional-chaining, @babel/plugin-bugfix-v8-static-class-fields-redefine-readonly, @babel/plugin-proposal-class-properties, @babel/plugin-proposal-decorators, @babel/plugin-proposal-nullish-coalescing-operator, @babel/plugin-proposal-numeric-separator, @babel/plugin-proposal-optional-chaining, @babel/plugin-proposal-private-methods, @babel/plugin-proposal-private-property-in-object, @babel/plugin-syntax-async-generators, @babel/plugin-syntax-bigint, @babel/plugin-syntax-class-properties, @babel/plugin-syntax-class-static-block, @babel/plugin-syntax-decorators, @babel/plugin-syntax-flow, @babel/plugin-syntax-import-assertions, @babel/plugin-syntax-import-attributes, @babel/plugin-syntax-import-meta, @babel/plugin-syntax-json-strings, @babel/plugin-syntax-jsx, @babel/plugin-syntax-logical-assignment-operators, @babel/plugin-syntax-nullish-coalescing-operator, @babel/plugin-syntax-numeric-separator, @babel/plugin-syntax-object-rest-spread, @babel/plugin-syntax-optional-catch-binding, @babel/plugin-syntax-optional-chaining, @babel/plugin-syntax-private-property-in-object, @babel/plugin-syntax-top-level-await, @babel/plugin-syntax-typescript, @babel/plugin-syntax-unicode-sets-regex, @babel/plugin-transform-arrow-functions, @babel/plugin-transform-async-generator-functions, @babel/plugin-transform-async-to-generator, @babel/plugin-transform-block-scoped-functions, @babel/plugin-transform-block-scoping, @babel/plugin-transform-class-properties, @babel/plugin-transform-class-static-block, @babel/plugin-transform-classes, @babel/plugin-transform-computed-properties, @babel/plugin-transform-destructuring, @babel/plugin-transform-dotall-regex, @babel/plugin-transform-duplicate-keys, @babel/plugin-transform-duplicate-named-capturing-groups-regex, @babel/plugin-transform-dynamic-import, @babel/plugin-transform-explicit-resource-management, @babel/plugin-transform-exponentiation-operator, @babel/plugin-transform-export-namespace-from, @babel/plugin-transform-flow-strip-types, @babel/plugin-transform-for-of, @babel/plugin-transform-function-name, @babel/plugin-transform-json-strings, @babel/plugin-transform-literals, @babel/plugin-transform-logical-assignment-operators, @babel/plugin-transform-member-expression-literals, @babel/plugin-transform-modules-amd, @babel/plugin-transform-modules-commonjs, @babel/plugin-transform-modules-systemjs, @babel/plugin-transform-modules-umd, @babel/plugin-transform-named-capturing-groups-regex, @babel/plugin-transform-new-target, @babel/plugin-transform-nullish-coalescing-operator, @babel/plugin-transform-numeric-separator, @babel/plugin-transform-object-rest-spread, @babel/plugin-transform-object-super, @babel/plugin-transform-optional-catch-binding, @babel/plugin-transform-optional-chaining, @babel/plugin-transform-parameters, @babel/plugin-transform-private-methods, @babel/plugin-transform-private-property-in-object, @babel/plugin-transform-property-literals, @babel/plugin-transform-react-constant-elements, @babel/plugin-transform-react-display-name, @babel/plugin-transform-react-jsx, @babel/plugin-transform-react-jsx-development, @babel/plugin-transform-react-pure-annotations, @babel/plugin-transform-regenerator, @babel/plugin-transform-regexp-modifiers, @babel/plugin-transform-reserved-words, @babel/plugin-transform-runtime, @babel/plugin-transform-shorthand-properties, @babel/plugin-transform-spread, @babel/plugin-transform-sticky-regex, @babel/plugin-transform-template-literals, @babel/plugin-transform-typeof-symbol, @babel/plugin-transform-typescript, @babel/plugin-transform-unicode-escapes, @babel/plugin-transform-unicode-property-regex, @babel/plugin-transform-unicode-regex, @babel/plugin-transform-unicode-sets-regex, @babel/preset-env, @babel/preset-modules, @babel/preset-react, @babel/preset-typescript, @babel/runtime, @babel/template, @babel/types, @bcoe/v8-coverage, @emotion/babel-plugin, @emotion/cache, @emotion/hash, @emotion/is-prop-valid, @emotion/memoize, @emotion/react, @emotion/serialize, @emotion/sheet, @emotion/styled, @emotion/unitless, @emotion/use-insertion-effect-with-fallbacks, @emotion/utils, @emotion/weak-memoize, @eslint-community/eslint-utils, @eslint-community/regexpp, @eslint/eslintrc, @eslint/js, @istanbuljs/schema, @jest/console, @jest/core, @jest/diff-sequences, @jest/environment, @jest/expect-utils, @jest/fake-timers, @jest/get-type, @jest/globals, @jest/pattern, @jest/reporters, @jest/schemas, @jest/source-map, @jest/test-result, @jest/test-sequencer, @jest/transform, @jest/types, @jridgewell/gen-mapping, @jridgewell/resolve-uri, @jridgewell/source-map, @jridgewell/sourcemap-codec, @jridgewell/trace-mapping, @leichtgewicht/ip-codec, @mui/core-downloads-tracker, @mui/icons-material, @mui/material,

@mui/private-theming, @mui/styled-engine, @mui/system, @mui/types, @mui/utils, @mui/x-data-grid, @mui/x-date-pickers, @mui/x-internals, @nicolo-ribaudo/eslint-scope-5-internals, @nodelib/fs.scandir, @nodelib/fs.stat, @nodelib/fs.walk, @pkgjs/parseargs, @pmmmwh/react-refresh-webpack-plugin, @popperjs/core, @react-hookz/deep-equal, @react-hookz/web, @rollup/plugin-babel, @rollup/plugin-node-resolve, @rollup/plugin-replace, @rollup/pluginutils, @rtsao/scc, @rushstack/eslint-patch, @sinclair/typebox, @svgr/babel-plugin-add-jsx-attribute, @svgr/babel-plugin-remove-jsx-attribute, @svgr/babel-plugin-remove-jsx-empty-expression, @svgr/babel-plugin-replace-jsx-attribute-value, @svgr/babel-plugin-svg-dynamic-title, @svgr/babel-plugin-svg-em-dimensions, @svgr/babel-plugin-transform-react-native-svg, @svgr/babel-plugin-transform-svg-component, @svgr/babel-preset, @svgr/core, @svgr/hast-util-to-babel-ast, @svgr/plugin-jsx, @svgr/plugin-svgo, @svgr/webpack, @testing-library/dom, @testing-library/jest-dom, @testing-library/react, @testing-library/user-event, @tootallnate/once, @types/aria-query, @types/babel__core, @types/babel__generator, @types/babel__template, @types/babel__traverse, @types/body-parser, @types/bonjour, @types/connect, @types/connect-history-api-fallback, @types/debug, @types/eslint, @types/eslint-scope, @types/estree, @types/estree-jsx, @types/express, @types/express-serve-static-core, @types/graceful-fs, @types/hast, @types/hoist-non-react-statics, @types/html-minifier-terser, @types/http-errors, @types/http-proxy, @types/istanbul-lib-coverage, @types/istanbul-lib-report, @types/istanbul-reports, @types/jest, @types/js-cookie, @types/json-schema, @types/json5, @types/mdast, @types/mime, @types/ms, @types/node, @types/node-forge, @types/parsе-json, @types/prettier, @types/prop-types, @types/q, @types/qs, @types/range-parser, @types/react, @types/react-dom, @types/react-transition-group, @types/resolve, @types/retry, @types/scheduler, @types/semver, @types/send, @types/serve-index, @types/serve-static, @types/sockjs, @types/stack-utils, @types/trusted-types, @types/unist, @types/ws, @types/yargs, @types/yargs-parser, @typescript-eslint/eslint-plugin, @typescript-eslint/experimental-utils, @typescript-eslint/scope-manager, @typescript-eslint/type-utils, @typescript-eslint/types, @typescript-eslint/utils, @typescript-eslint/visitor-keys, @webassemblyjs/ast, @webassemblyjs/floating-point-hex-parser, @webassemblyjs/helper-api-error, @webassemblyjs/helper-buffer, @webassemblyjs/helper-numbers, @webassemblyjs/helper-wasm-bytecode, @webassemblyjs/helper-wasm-section, @webassemblyjs/ieee754, @webassemblyjs/utf8, @webassemblyjs/wasm-edit, @webassemblyjs/wasm-gen, @webassemblyjs/wasm-opt, @webassemblyjs/wasm-parser, @webassemblyjs/wast-printer, @xobotyi/scrollbar-width, ARG, Acorn, Acorn-JSX, Async, Authentication API, Autoprefixer, Bluebird JS, Bouncy Castle, Bouncy Castle ASN.1 Extension and Utility APIs, Bouncy Castle PKIX, CMS, EAC, TSP, PKCS, OCSP, CMP, and CRMF APIs, Chalk, Checker Qual, ClassGraph, Commander.js, ESLint, Faux Pas, Gozala/events, Gson on Fire!, JSHTTP's negotiator, Jackson-datatype-Problem, Jest from Facebook, Lodash, Merge-Stream, Node Cookie Parser, PostCSS, Problem, Problem: Spring Common, Problem: Spring Web, Problem: Spring Web Autoconfiguration, Problem: Spring Web Starter, Problem: Violations, Project Lombok, Punycode.js, PyYAML, Pyflakes, Python six, Qix-/color-convert, Raynos/for-each, React from Facebook, RonnyPfannschmidt/iniconfig, SLF4J API Module, SLF4J Simple Binding, Strip ANSI, TOML, Two-Screen/stable, Underscore.js, Webpack, Workbox, Workspace API, acorn-globals, acorn-import-phases, acorn-walk, adjust-sourcemap-loader, agent-base, ajv, ajv-formats, ajv-keywords, ansi-escapes, ansi-regex, ansi-styles, any-promise, array-buffer-byte-length, array-flatten, array-includes, array-union, array.prototype.findlast, array.prototype.findlastindex, array.prototype.flat, array.prototype.flatMap, array.prototype.reduce, array.prototype.tosorted, arraybuffer.prototype.slice, asap, ast-types-flow, async-function, asyncnkit, available-typed-arrays, babel-loader, babel-plugin-macros, babel-plugin-polyfill-corejs2, babel-plugin-polyfill-corejs3, babel-plugin-polyfill-regenerator, babel-plugin-transform-react-remove-prop-types, babel-preset-current-node-syntax, babel-traverse, bail, balanced-match, bfj, big.js, binary-extensions, body-parser, bonjour-service, brace-expansion, braces, browserify/resolve, browserslist, buffer-from, builtin-modules, bytes.js, cachetools, call-bind, call-bind-apply-helpers, call-bound, callsites, camelcase, camelcase-css, caniuse-api, case-sensitive-paths-webpack-plugin, cattr, char-regex, character-entities, character-entities-html4, character-entities-legacy, character-reference-invalid, check-types.js, chokidar, chrisdickinson/raf, ci-info, cjs-module-lexer, clean-css, clsx, co, coa, collect-v8-coverage, color-name, colord, colorette, combined-stream, comma-separated-tokens, common-tags, compression, connect-history-api-fallback, content-disposition, convert-source-map, copy-to-clipboard, core-js, core-js-pure, core-util-is, cosmiconfig, create-react-app, crypto-random-string, css-in-js-utils, css-loader, css-minimizer-webpack-plugin, css-select-base-adapter, css-tree, css.escape, cssesc, cssnano, cssnano-preset-default, csso, cssom, cssstyle, csstype, data-urls, data-view-buffer, data-view-byte-length, data-view-byte-offset, dayjs, dchester/jsonpath, debug-js/debug, decimal.js, decode-named-character-reference, dedent, deep-is, deepmerge, define-data-property, define-lazy-prop, define-properties, delayed-stream, dequal, destroy, detect-newline, detect-node, detect-port, develop, dir-glob, dlv, dns-packet, dom-accessibility-api, dom-converter, dom-helpers, dom-serializer, domexception, dot-case, dunder-proto, duplex, eastasianwidth, ee-first, einaros/ws, emittery, emoji-regex, emojis-list, encodeurl, enhanced-resolve, error-stack-parser, es-abstract, es-array-method-boxes-properly, es-define-property, es-errors, es-iterator-helpers, es-module-lexer, es-object-atoms, es-set-tostringtag, es-shim-unscopables, es-to-primitive, escalate, escape-html, escape-string-regexp, eslint-config-react-app, eslint-import-resolver-node, eslint-plugin-import, eslint-plugin-jest, eslint-plugin-jsx-a11y, eslint-plugin-react-hooks, eslint-plugin-testing-library, eslint-webpack-plugin, estree-util-is-identifier-name, estree-walker, etag, eventemitter3, execa, expect, expressjs/accepts, expressjs/compressible, expressjs/express, extend, fast-deep-equal, fast-glob, fast-json-stable-stringify, fast-levenshtein, fastest-stable-stringify, felixge/node-retry, file-entry-cache, file-loader, fill-range, finalhandler, find-cache-dir, find-root, find-up, flake8, flat-cache, follow-redirects, fork-ts-checker-webpack-plugin, form-data, forwarded, fraction.js, fsevents, function-bind, function.prototype.name, functions-have-names, gensync, get-intrinsic, get-package-type, get-proto, get-stream,

get-symbol-description, github-markdown-css, global-modules, global-prefix, globalthis, gopd, graphemer, gzip-size, handle-thing, has-bigints, has-flag, has-property-descriptors, has-proto, has-symbols, has-tostringtag, hasown, hast-util-from-string, hast-util-heading-rank, hast-util-to-jsx-runtime, hast-util-whitespace, hoopy, hpack.js, html-encoding-sniffer, html-minifier-terser, html-webpack-plugin, htmlparser2, http-deceiver, http-errors, http-parser-js, http-proxy, http-proxy-middleware, https-proxy-agent, iconv-lite, immer, import-fresh, import-local, imurmurhash, indent-string, inline-style-parser, inline-style-prefixer, internal-slot, is-alphabetical, is-alphanumeric, is-array-buffer, is-arrayish, is-async-function, is-bigint, is-binary-path, is-boolean-object, is-callable, is-core-module, is-data-view, is-date-object, is-decimal, is-docker, is-extglob, is-finalizationregistry, is-fullwidth-code-point, is-generator-fn, is-generator-function, is-glob, is-hexadecimal, is-map, is-module, is-negative-zero, is-number, is-number-object, is-obj, is-path-inside, is-plain-obj, is-potential-custom-element-name, is-regex, is-regexp, is-root, is-set, is-shared-array-buffer, is-stream, is-string, is-symbol, is-typed-array, is-weakmap, is-weakref, is-weakset, is-wsl, isarray, isort, iterator.prototype, jest-changed-files, jest-config, jest-diff, jest-each, jest-environment-jsdom, jest-environment-node, jest-get-type, jest-haste-map, jest-leak-detector, jest-matcher-utils, jest-message-util, jest-pnp-resolver, jest-regex-util, jest-resolve, jest-resolve-dependencies, jest-runner, jest-runtime, jest-snapshot, jest-util, jest-validate, jest-watch-typeahead, jest-worker, jiti, jmespath.py, js-cookie, js-tokens, js-yaml, jsdom, jscs, jshttp/content-type, jshttp/fresh, jshttp/mime-types, jsjest, json-buffer, json-parse-even-better-errors, json-schema-traverse, json5, jsonpointer, jsx-ast-utils, keyanzhang/identity-obj-proxy, keyv, kind-of, kleur, klona, kriskowal's q, language-tags, launch-editor, leven, levn, lilconfig, lines-and-columns, ljharr/assign, loader-runner, locate-path, lodash.debounce, lodash.memoize, lodash.merge, lodash.sortby, lodash.uniq, longest-streak, loose-envify, lower-case, lz-string, magic-string, make-dir, markdown-it-py, markdown-table, math-intrinsics, mathiasbynens/he, mathiasbynens/regenerate, mbknor-jackson-jsonSchema, mdast-util-find-and-replace, mdast-util-from-markdown, mdast-util-gfm, mdast-util-gfm-autolink-literal, mdast-util-gfm-footnote, mdast-util-gfm-strikethrough, mdast-util-gfm-table, mdast-util-gfm-task-list-item, mdast-util-mdx-expression, mdast-util-mdx-jsx, mdast-util-mdxjs-esm, mdast-util-phrasing, mdast-util-to-hast, mdast-util-to-markdown, mdast-util-to-string, mdurl, media-typers, merge-descriptors, merge2, methods, micromark, micromark-core-commonmark, micromark-extension-gfm, micromark-extension-gfm-autolink-literal, micromark-extension-gfm-footnote, micromark-extension-gfm-strikethrough, micromark-extension-gfm-table, micromark-extension-gfm-tagfilter, micromark-extension-gfm-task-list-item, micromark-factory-destination, micromark-factory-label, micromark-factory-space, micromark-factory-title, micromark-factory-whitespace, micromark-util-character, micromark-util-chunked, micromark-util-classify-character, micromark-util-combine-extensions, micromark-util-decode-numeric-character-reference, micromark-util-decode-string, micromark-util-encode, micromark-util-html-tag-name, micromark-util-normalize-identifier, micromark-util-resolve-all, micromark-util-sanitize-uri, micromark-util-subtokenize, micromark-util-symbol, micromark-util-types, micromatch, mime, mime-db, mimic-fn, min-indent, mini-css-extract-plugin, minimist, moxystudio/node-cross-spawn, ms.js, mui-modal-provider, multicast-dns, mz, nanoid, natural-compare, natural-compare-lite, neo-async, no-case, node-address, node-commander, node-concat-map, node-cookie-signature, node-error-ex, node-fs-extra, node-html-entities, node-http-proxy-agent, node-ignore, node-int64, node-jsonfile, node-mkdirp, node-releases, node-shell-quote, node-source-map-support, nodeca-argparse, nodejs Deprecate, nodejs-exit, nodejs/string_decoder, normalize-path, normalize-range, notistack, npm-run-path, nwsapi, object-assign, object-hash, object-inspect, object-keys, object.entries, object.fromentries, object.getownpropertydescriptors, object.groupby, object.values, obuf, on-finished, on-headers, optionator, own-keys, p-limit, p-locate, p-retry, p-try, param-case, parent-module, parse-entities, parse-json, parse5, pascal-case, path-exists, path-is-absolute, path-key, path-parse, path-to-regexp, path-type, performance-now, picomatch, pify, pillarjs/parseurl, pirates, pkg-dir, pkg-up, platform-client-v2, platformdirs, popper.js, possible-typed-array-names, postcss-attribute-case-insensitive, postcss-calc, postcss-clamp, postcss-color-hex-alpha, postcss-colormin, postcss-convert-values, postcss-custom-media, postcss-custom-properties, postcss-custom-selectors, postcss-discard-comments, postcss-discard-duplicates, postcss-discard-empty, postcss-discard-overridden, postcss-flexbugs-fixes, postcss-font-variant, postcss-import, postcss-initial, postcss-js, postcss-load-config, postcss-loader, postcss-media-minmax, postcss-merge-longhand, postcss-merge-rules, postcss-minify-font-values, postcss-minify-gradients, postcss-minify-params, postcss-minify-selectors, postcss-modules-local-by-default, postcss-nested, postcss-normalize-charset, postcss-normalize-display-values, postcss-normalize-positions, postcss-normalize-repeat-style, postcss-normalize-string, postcss-normalize-timing-functions, postcss-normalize-unicode, postcss-normalize-url, postcss-normalize-whitespace, postcss-opacity-percentage, postcss-ordered-values, postcss-page-break, postcss-reduce-initial, postcss-reduce-transforms, postcss-replace-overflow-wrap, postcss-selector-not, postcss-selector-parser, postcss-svg, postcss-unique-selectors, postcss-value-parser, prelude-ls, pretty-bytes, pretty-error, pretty-format, process-nexttick-args, prompts, prop-types, property-information, proxy-addr, psl, py-jwt-verifier, pyjks, pypi/setuptools, pytest, python cffi, python-attrs, python-dill, python-keycloak, python-pluggy, python3-charset-normalizer, python3-rich, querystringify, queue-microtask, randombytes, range-parser, raw-body, raw-macro, react-app-polyfill, react-cookie, react-dev-utils, react-dom, react-hook-form, react-is, react-markdown, react-refresh, react-router-dom, react-scripts, reacttraining/react-router, read-cache, readable-stream, readdirp, recursive-readdir, redent, reflect.getprototypeof, regenerate-unicode-properties, regenerator-runtime, regex-parser, regexp.prototype.flags, regxp-core, regjsgen, rehype-slug, relateurl, remark-gfm, remark-js, remark-rehype, renderkid, require-directory, require-from-string, requires-port, reselect, resize-observer-polyfill, resolve-cwd, resolve-from, resolve-url-loader, resolve.exports, reusify, rich-harris/svg-parser, rollup-plugin-terser, rollup/rollup, rtl-css-js, run-parallel, safe-array-concat, safe-buffer, safe-push-apply, safe-regex-test, safer-buffer, samcone/chrome-trace-event, scheduler, schema-utils, screenfull,

select-hose, selfsigned, send, serve-index, serve-static, set-cookie-parser, set-function-length, set-function-name, set-proto, shebang-command, shebang-regex, side-channel, side-channel-list, side-channel-map, side-channel-weakmap, sindresorhus-open, sindresorhus/globals, sindresorhus/globby, sindresorhus/normalize-url, sindresorhus/onetime, sindresorhus/slash, sindresorhus/supports-color, sisteransi, socksjs-node, source-list-map, source-map-loader, sourcemap-codec, space-separated-tokens, spdy, spdy-transport, stable-stringify, stack-generator, stack-utils, stackframe, stacktrace-gps, stacktrace-js, static-eval, statuses, stop-iteration-iterator, string-length, string-natural-compare, string-width, string.prototype.includes, string.prototype.matchall, string.prototype.repeat, string.prototype.trim, string.prototype.trimend, string.prototype.trimstart, stringify-entities, strip-bom, strip-comments, strip-final-newline, strip-indent, strip-json-comments, style-loader, style-to-js, style-to-object, stylehacks, stylis, sucrase, supports-hyperlinks, supports-preserve-symlinks-flag, svgo, symbol-tree, tailwindcss, tapable, temp-dir, tempy, terminal-link, terser-webpack-plugin, text-table, then/promise, thenify, thenify-all, throat, throttle-debounce, thunky, to-regexp-range, toggle-selection, toidentifier, tomlkit, tr46, trim-lines, trough, tryer, tsconfig-paths, tsutils, twilio, type-check, type-detect, type-is, typed-array-buffer, typed-array-byte-length, typed-array-byte-offset, typed-array-length, typedarray-to-buffer, typescript-collections, unbox-primitive, undici-types, unicode-canonical-property-names-ecmascript, unicode-match-property-ecmascript, unicode-match-property-value-ecmascript, unicode-property-aliases-ecmascript, unified, unique-string, unist-util-is, unist-util-position, unist-util-stringify-position, unist-util-visit, unist-util-visit-parents, universal-cookie, universalify, unpipe, unquote, upath, update-browserslist-db, url-normalize, url-parse, urlib3, util-deprecate, util.promisify, utila, utils-merge, uuid, vary, vfile, vfile-message, visionmedia/batch, w3c-hr-time, w3c-xmlserializer, watchpack, wbuf, webjars-locator-lite, webpack-contrib/sass-loader, webpack-dev-server, webpack-manifest-plugin, webpack-sources, webpack/loader-utils, webpack/webpack-dev-middleware, webreflection/html-escaper, whatwg-encoding, whatwg-fetch, whatwg-mimetype, whatwg-url, which-boxed-primitive, which-builtin-type, which-collection, which-typed-array, whitequark/ipaddr.js, woorm/ccount, word-wrap, workbox-background-sync, wrap-ansi, xmlchars, yannickcr/eslint-plugin-react, yargs, yocto-queue and zwitch is Copyright (c) 2015. Licensed under MIT License.

- @typescript-eslint/parser, @typescript-eslint/typescript-estree, CSSselect, DomHandler, Esprima, Pygments - Python syntax highlighter, browser-process-hrtime, css-what, damerau-levenshtein, default-gateway, domelementtype, domutils, dotenv-expand, escodegen, eslint-scope, espree, esrecurse, estraverse, esutils, glob-to-regexp, lazy-object-proxy, node-entities, nose-parameterized, nth-check, pyasn1, regjsparser, requests-cache, scottmott/dotenv, stax2-api, stringify-object, terser, uri-js, webidl-conversions, wrap and zstd-jni is copyright comments in the output. By
- autopenp8, mccabe and pycodestyle is Copyright © 2009-2014 Florent Xicluna <florent.xicluna@gmail.com>. Licensed under Expat License.
- Packaging is N/A. Licensed under (Apache License 2.0 AND BSD 3-clause "New" or "Revised" License).
- fuzzywuzzy and pylint is Copyright (c) <https://github.com/pylint-dev/pylint/blob/main/CONTRIBUTORS.txt>. Licensed under GNU General Public License v2.0 only.
- python-astroid is Copyright (c) <https://github.com/PyCQA/astroid/blob/main/CONTRIBUTORS.txt>
- axe-core and python-certifi is © 2014-2023 Denis Pushkarev (zloirock.ru). Licensed under Mozilla Public License 2.0.
- pyca/cryptography and python-dateutil is Copyright (c) 2015- - dateutil contributors (see AUTHORS file). Licensed under (Apache License 2.0 OR BSD 3-clause "New" or "Revised" License).
- aiohappyeyeballs, nodeca-argparse and python-typing-extensions is Copyright (C) 2020 argparse.js authors
- Jetty: Java based HTTP/1.x, HTTP/2, Servlet, WebSocket Server and bnd Annotations Library is (c) OpenJS Foundation and other contributors. Licensed under (Apache License 2.0 OR Eclipse Public License 2.0).
- FindBugs Annotations, Hibernate ORM - hibernate-jpamodelgen and SpotBugs Annotations is Copyright (C) 2006, University of Maryland. Licensed under GNU Lesser General Public License v2.1 or later.
- HdrHistogram is Copyright (c) 2012, 2013, 2014, 2015, 2016 Gil Tene
- Jakarta Annotations API, javax.interceptor API, javax.transaction API and jms is Copyright © 2018, 2022 Eclipse Foundation. All rights reserved.. Licensed under (GNU General Public License v2.0 w/Classpath exception OR Eclipse Public License 2.0).
- LatencyUtils is Written by Gil Tene of Azul Systems, and released to the
- reactive-streams is (C) 1995-2013 Jean-loup Gailly and Mark Adler
- CometD :: Java :: API is Copyright 2007-2008 Dojo Foundation
- Jakarta Activation API, Jersey, javax.annotation API and jaxb-api is Copyright (c) 2010-2017 Oracle and/or its affiliates. All rights reserved.

- Jetty: Java based HTTP/1.x, HTTP/2, Servlet, WebSocket Server is (c) 2014 Stuart Knightley, David Duponchel
- AspectJ weaver and Eclipse Compiler for Java(TM) is Copyright (c) 2000, 2003 IBM Corporation and others.
- pycryptodome is (C). Licensed under (BSD 2-clause "Simplified" License AND Public Domain).
- pycryptodomex is (C). Licensed under (BSD 3-clause "New" or "Revised" License AND Public Domain).
- Angus Activation Registries, JAXB CORE, JAXB Runtime, Jakarta Activation API, TXW2 Runtime, istack common utility code runtime and jakarta.xml.bind:jakarta.xml.bind-api is Copyright (c) 2003, 2024 Oracle and/or its affiliates. All rights reserved.
- Bouncy Castle and aiohttp is (c)
- Jetty :: ALPN Client is licensed under (Apache License 2.0 AND Eclipse Public License 2.0).
- jwcrypto is Copyright (C) 2016 JWCrypto Project Contributors - see LICENSE file. Licensed under GNU Lesser General Public License v3.0 or later.
- mysql-connector-python is Copyright 1997, 1998, 1999 Computing Research Labs,. Licensed under GNU General Public License v2.0 or later.
- AOP Alliance (Java/J2EE AOP standard), JSON-java and fast-shallow-equal is N/A. Licensed under Public Domain.
- jakarta.persistence-api is (C) 1995-2013 Jean-loup Gailly and Mark Adler
- mysql-connector-j is Copyright (C) 1991, 1999 Free Software Foundation, Inc.. Licensed under (Universal FOSS Exception, Version 1.0 AND GNU General Public License v2.0 only).
- H2 Database Engine is Copyright (C) <year> <name of author>. Licensed under (Mozilla Public License 2.0 OR Eclipse Public License 1.0).
- cryptacular is N/A. Licensed under (Apache License 2.0 OR GNU Lesser General Public License v3.0 or later).
- "Java Concurrency in Practice" book annotations is Copyright (c) 2005 Brian Goetz and Tim Peierls
- JCodec is @author The JCodec project
- MIME streaming extension and jersey-multipart is Copyright (c) 2013 Oracle and/or its affiliates. All rights reserved.. Licensed under (Common Development and Distribution License 1.1 OR Sun GPL With Classpath Exception v2.0).
- jsr311-api is Copyright (C) 2006 Google Inc.
- @isaacs/cliui, @istanbuljs/load-nyc-config, @trysound/sax, @ungap/structured-clone, NPM idb, anymatch, at-least-node, boolbase, cliui, css-declaration-sorter, electron-to-chromium, fastq, flatted, foreground-child, fs.realpath, get-caller-file, get-own-enumerable-property-symbols, github-slurper, glob-parent, icss-utils, inflight, inherits, isaacs/once, isexe, minimalistic-assert, minimatch, minipass, node-glob, node-graceful-fs, node-lru-cache, node-semver, npm ini, picocolors, postcss-modules-extract-imports, postcss-modules-scope, postcss-modules-values, rimraf, sax-js, saxes, setprototypeof, signal-exit, string-width-cjs, strip-ansi-cjs, test-exclude, v8-to-istanbul, which, wrap-ansi-cjs, wrappy, write-file-atomic, y18n, yallist, yaml and yargs-parser is Copyright (c) 2015-2020, Matteo Collina <matteo.collina@gmail.com>. Licensed under ISC License.
- caniuse-lite is copyright
- @csstools/normalize.css, @csstools/postcss-cascade-layers, @csstools/postcss-color-function, @csstools/postcss-font-format-keywords, @csstools/postcss-hwb-function, @csstools/postcss-ic-unit, @csstools/postcss-is-pseudo-class, @csstools/postcss-nested-calc, @csstools/postcss-normalize-display-values, @csstools/postcss-oklab-function, @csstools/postcss-progressive-custom-properties, @csstools/postcss-stepped-value-functions, @csstools/postcss-text-decoration-shorthand, @csstools/postcss-trigonometric-functions, @csstools/postcss-unset-value, @csstools/selector-specificity, css-blank-pseudo, css-has-pseudo, css-prefers-color-scheme, csstools/cssdb, csstools/postcss-normalize, language-subtag-registry, mdn-data, postcss-browser-comments, postcss-color-functional-notation, postcss-color-rebeccapurple, postcss-dir-pseudo-class, postcss-double-position-gradients, postcss-env-function, postcss-focus-visible, postcss-focus-within, postcss-gap-properties, postcss-image-set-function, postcss-lab-function, postcss-logical, postcss-nesting, postcss-overflow-shorthand, postcss-place, postcss-preset-env, postcss-pseudo-class-any-link and sanitize.css is Copyright. Licensed under Creative Commons Zero v1.0 Universal.
- doctrine is @author Yusuke Suzuki <utatane.tea@gmail.com>
- fs-monkey, nano-css, react-universal-interface, react-use, set-harmonic-interval, streamich/memfs and ts-easing is licensed under The Unlicense.

- harmony-reflect is Copyright (C) 2011-2012 Software Languages Lab, Vrije Universiteit Brussel. Licensed under (Mozilla Public License 1.1 OR Apache License 2.0).
- isaacs/jackspeak, package-json-from-dist and path-scurry is N/A. Licensed under Blue Oak Model License 1.0.0.
- json-schema is Copyright Act, 17 U.S.C.
- Microsofttslib is Copyright (c) Microsoft Corporation.. Licensed under BSD Zero Clause License.
- node-forge is Copyright 2012 Stefan Siegl <stesie@brokenpipe.de>. Licensed under (BSD 3-clause "New" or "Revised" License OR GNU General Public License v2.0 or later).
- type-fest is Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>). Licensed under (MIT License OR Creative Commons Zero v1.0 Universal).
- vis-data and vis-timeline is Copyright (c) hammerjs