

Open Source Licenses – Verint Call Risk Scoring

Revision 1.03
November 2025

Unauthorized use, duplication, or modification of this document in whole or in part without the written consent of Verint Systems Inc. is strictly prohibited. By providing this document, Verint Systems Inc. is not making any representations regarding the correctness or completeness of its contents and reserves the right to alter this document at any time without notice. Features listed in this document are subject to change. Contact your Verint representative for current product features and specifications. All marks referenced herein with the ® or TM symbol are registered trademarks or trademarks of Verint Systems Inc. or its subsidiaries. All rights reserved. All other marks are trademarks of their respective owners.

© 2025 Verint Systems Inc. All rights reserved worldwide.

Table of Contents

Open Source Attribution	1
-------------------------------	---

Open Source Attribution

Certain components of this Software or software contained in this Product (collectively, "Software") may be covered by so-called "free or open source" software licenses ("Open Source Components"), which includes any software licenses approved as open source licenses by the Open Source Initiative or any similar licenses, including without limitation any license that, as a condition of distribution of the Open Source Components licensed, requires that the distributor make the Open Source Components available in source code format. A license in each Open Source Component is provided to you in accordance with the specific license terms specified in their respective license terms.

EXCEPT WITH REGARD TO ANY WARRANTIES OR OTHER RIGHTS AND OBLIGATIONS EXPRESSLY PROVIDED DIRECTLY TO YOU FROM VERINT, ALL OPEN SOURCE COMPONENTS ARE PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

Any third party technology that may be appropriate or necessary for use with the Verint Product is licensed to you only for use with the Verint Product under the terms of the third party license agreement specified in the Documentation, the Software or as provided online at <http://verint.com/thirdpartylicense>. You may not take any action that would separate the third-party technology from the Verint Product. Unless otherwise permitted under the terms of the third-party license agreement, you agree to only use the third-party technology in conjunction with the Verint Product.

The following Open Source Components may be included with this Software:

License Attributions for Call Risk Scoring

- @ampproject/remapping, @eslint/config-array, @eslint/config-helpers, @eslint/core, @eslint/object-schema, @eslint/plugin-kit, @humanfs/core, @humanfs/node, @humanwhocodes/module-importer, @humanwhocodes/retry, @jsonjoy.com/base64, @jsonjoy.com/json-pack, @jsonjoy.com/util, @swc/core, @swc/core-linux-arm-gnueabi, @swc/counter, @swc/types, @webassemblyjs/leb128, @xtuc/long, ASM based accessors helper used by json-smart, AWS Event Stream, AWS Java SDK :: Arns, AWS Java SDK :: Checksums, AWS Java SDK :: Checksums SPI, AWS Java SDK :: Core :: Protocols :: AWS Json Protocol, AWS Java SDK :: Core :: Protocols :: Json Utils, AWS Java SDK :: Endpoints SPI, AWS Java SDK :: HTTP Auth, AWS Java SDK :: HTTP Auth AWS, AWS Java SDK :: HTTP Auth Event Stream, AWS Java SDK :: HTTP Auth SPI, AWS Java SDK :: Identity SPI, AWS Java SDK :: Metrics Interface, AWS Java SDK :: Retries, AWS Java SDK :: Retries API, AWS Java SDK :: Services :: AWS Secrets Manager, AWS Java SDK :: Services :: SSO, AWS Java SDK :: Services :: SSO OIDC, AWS Java SDK :: Third Party :: Jackson-core, AWS Java SDK :: Utils Lite, AWS SDK for Java, AWS Secrets Manager SQL Connection Library, Amazon MSK Library for AWS Identity and Access Management, Apache Commons Codec, Apache Commons Collections, Apache Commons DbUtils, Apache Commons IO, Apache Commons Lang, Apache Commons Logging, Apache Commons Pool, Apache Commons Text, Apache HTTPComponents Core, Apache HttpClient, Apache Kafka, Apache Log4J API, Apache Log4j to SLF4J Adapter, Apache Tomcat, AssertJ - Fluent Assertions for Java, Awaitility, Byte Buddy, FindBugs jsr305, Guava InternalFutureFailureAccess and InternalFutures, Guava ListenableFuture only, HTTP functionality for the Reactor Netty library, Hibernate Commons Annotations, Hibernate ORM, Hibernate Validator, HikariCP, JBoss Logging 3, JCIP Annotations under Apache License, JCL 1.2 Implemented Over SLF4J, JWT :: API, JWT :: Extensions :: Jackson, JWT :: Impl, JSON library from Android SDK, JSONassert, JSpecify annotations, Jackson-Datatype-JSR310, Jackson-module-parameter-names, Jakarta Dependency Injection, Jandex: Core, JetBrains annotations, Joda Time, Kotlin, Netty Project, Netty/Resolver/DNS/Classes/MacOS, Netty/Resolver/DNS/MacOS, Netty/TomcatNative [BoringSSL - Static], Netty/TomcatNative [OpenSSL - Classes], Netty/Transport/Classes/Epoll, Netty/Transport/Classes/KQueue, Netty/Transport/Native/KQueue, Netty/Transport/Native/Unix/Common, Nimbus Content

Type, Nimbus LangTag, Nimbus-JOSE-JWT, OAuth 2.0 SDK with OpenID Connect extensions, OkHttp, OkHttp Logging Interceptor, Okta Commons :: Config Check, Okta Commons :: HTTP :: API, Okta Commons :: HTTP :: OkHttp Client, Okta Commons :: Lang, Okta JWT Verifier, Okta JWT Verifier :: Impl, Okta Spring Boot :: OAuth2, Okta Spring Boot :: SDK, Okta Spring Boot :: Starter, PathJson, Querydsl - Codegen module, Querydsl - Codegen utils, Querydsl - Core module, Reactor Extra utilities, Reactor Netty, Reactor Test support, SnakeYAML, Spring Boot, Spring Boot Actuator AutoConfigure, Spring Boot Configuration Metadata, Spring Boot Configuration Processor, Spring Boot Developer Tools, Spring Boot OAuth2 Resource Server Starter, Spring Boot OAuth2/OpenID Connect Client Starter, Spring Boot Properties Migrator, Spring Boot Reactor Netty Starter, Spring Boot Test, Spring Boot Test Auto-Configure, Spring Cloud AWS Autoconfigure, Spring Cloud AWS Core, Spring Cloud AWS SQS, Spring Cloud AWS SQS Starter, Spring Cloud AWS Secrets Manager Integration, Spring Cloud AWS Secrets Manager Starter, Spring Cloud AWS Starter, Spring Cloud Commons, Spring Cloud Context, Spring Commons Logging Bridge, Spring Data Commons, Spring Data JPA, Spring Framework, Spring Kafka, Spring Security, Spring Session, Spring WebFlux, Thymeleaf, ansi-html-community, aria-query, attoparser, aws-secretsmanager-caching-java, byte-buddy-agent, commons-dbcp, context-propagation, easymockobjenesis, error-prone annotations, eslint-visitor-keys, googleguava, httpcomponents-core, human-signals, hypersistence-utils-hibernate-63, j2objc - Java to IOS, jackson-annotations, jackson-core, jackson-databind, jackson-dataformat-yaml, jackson-modules-java8, jakartaeevalidation, java-classmate, javax.inject:javax.inject, jest-junit, json-smart, kotlin-stdlib-common, lang, lz4java, micrometer-commons, micrometer-jakarta9, micrometer-metrics, micrometer-observation, modelmapper, nodejs-walker, openfeign/querydsl, org.apiguardian:apiguardian-api, org.jetbrains.kotlin:kotlin-stdlib-jdk7, org.jetbrains.kotlin:kotlin-stdlib-jdk8, org.opentest4j:opentest4j, org.xmlunit:xmlunit-core, qpuid-proton, reactor-core, snappy-java, spring-boot-actuator, spring-cloud-gateway, spring-cloud-gateway-server-webflux, spring-cloud-starter, spring-cloud-starter-gateway-server-webflux, spring-data-keyvalue, spring-data-redis, spring-retry, spring-security-oauth2-client, spring-security-oauth2-core, spring-security-oauth2-jose, spring-security-oauth2-resource-server, spring-session-core, springdoc-openapi-starter-common, springdoc-openapi-starter-webmvc-api, springdoc-openapi-starter-webmvc-ui, squareokio, sslcontext-kickstart, sslcontext-kickstart-for-pem, streamich/memfs, swagger-annotations-jakarta, swagger-core-jakarta, swagger-models-jakarta, swagger-ui, thenby, thymeleaf-spring6, tree-dump, unescape, watchman and xml-name-validator is Copyright 2012-2024 the original author or authors.. Licensed under Apache License 2.0.

- @sinonjs/commons, @sinonjs/fake-timers, @sinonjs/samsam, @xtuc/ieee754, ASM, Hamcrest, Sinon.JS, abab, antlr, babel-plugin-istanbul, esquery, hoist-non-react-statics, hughsk/flat, istanbul-lib-coverage, istanbul-lib-instrument, istanbul-lib-report, istanbul-lib-source-maps, istanbul-reports, jsdiff, makeerror, qs - QS Querystring, react-transition-group, serialize-javascript, source-map, source-map-js, tmpl and tough-cookie is Copyright (c) Facebook, Inc. and its affiliates.
- Angus Activation Registries, JAXB CORE, JAXB Runtime, Jakarta Activation API, TXW2 Runtime, istack common utility code runtime and jakarta.xml.bind:jakarta.xml.bind-api is Copyright (c) 2003, 2024 Oracle and/or its affiliates. All rights reserved.
- Jakarta Annotations API and javax.transaction API is (C) 1995-2013 Jean-loup Gailly and Mark Adler
- @adobe/css-tools, @asamuzakjp/css-color, @babel/code-frame, @babel/compat-data, @babel/core, @babel/eslint-parser, @babel/generator, @babel/helper-annotate-as-pure, @babel/helper-compilation-targets, @babel/helper-create-class-features-plugin, @babel/helper-create-regexp-features-plugin, @babel/helper-define-polyfill-provider, @babel/helper-globals, @babel/helper-member-expression-to-functions, @babel/helper-module-imports, @babel/helper-module-transforms, @babel/helper-optimise-call-expression, @babel/helper-plugin-utils, @babel/helper-remap-async-to-generator, @babel/helper-replace-supers, @babel/helper-skip-transparent-expression-wrappers, @babel/helper-string-parser, @babel/helper-validator-identifier, @babel/helper-validator-option, @babel/helper-wrap-function, @babel/helpers, @babel/parser, @babel/plugin-bugfix-firefox-class-in-computed-class-key, @babel/plugin-bugfix-safari-class-field-initializer-scope, @babel/plugin-bugfix-safari-id-structuring-collision-in-function-expression, @babel/plugin-bugfix-v8-spread-parameters-in-optional-chaining, @babel/plugin-bugfix-v8-static-class-fields-redefine-readonly, @babel/plugin-proposal-decorators, @babel/plugin-proposal-do-expressions, @babel/plugin-proposal-export-default-from, @babel/plugin-proposal-function-bind, @babel/plugin-proposal-function-sent, @babel/plugin-proposal-pipeline-operator, @babel/plugin-proposal-private-property-in-object, @babel/plugin-proposal-throw-expressions, @babel/plugin-syntax-async-generators, @babel/plugin-syntax-bigint, @babel/plugin-syntax-class-properties, @babel/plugin-syntax-class-static-block, @babel/plugin-syntax-decorators, @babel/plugin-syntax-dynamic-import, @babel/plugin-syntax-import-assertions, @babel/plugin-syntax-import-attributes, @babel/plugin-syntax-import-meta, @babel/plugin-syntax-json-strings, @babel/plugin-syntax-jsx, @babel/plugin-syntax-logical-assignment-operators, @babel/plugin-syntax-nullish-coalescing-operator, @babel/plugin-syntax-numeric-separator, @babel/plugin-syntax-object-rest-spread, @babel/plugin-syntax-optional-catch-binding, @babel/plugin-syntax-optional-chaining, @babel/plugin-syntax-pipeline-operator, @babel/plugin-syntax-private-property-in-object, @babel/plugin-syntax-top-level-await, @babel/plugin-syntax-typescript, @babel/plugin-syntax-unicode-sets-regex, @babel/plugin-transform-arrow-functions, @babel/plugin-transform-async-generator-functions, @babel/plugin-transform-async-to-generator,

@babel/plugin-transform-block-scoped-functions, @babel/plugin-transform-block-scoping,
@babel/plugin-transform-class-properties, @babel/plugin-transform-class-static-block, @babel/plugin-transform-classes,
@babel/plugin-transform-computed-properties, @babel/plugin-transform-destructuring, @babel/plugin-transform-dotall-regex,
@babel/plugin-transform-duplicate-keys, @babel/plugin-transform-duplicate-named-capturing-groups-regex,
@babel/plugin-transform-dynamic-import, @babel/plugin-transform-explicit-resource-management,
@babel/plugin-transform-exponentiation-operator, @babel/plugin-transform-export-namespace-from,
@babel/plugin-transform-for-of, @babel/plugin-transform-function-name, @babel/plugin-transform-json-strings,
@babel/plugin-transform-literals, @babel/plugin-transform-logical-assignment-operators,
@babel/plugin-transform-member-expression-literals, @babel/plugin-transform-modules-amd,
@babel/plugin-transform-modules-commonjs, @babel/plugin-transform-modules-systemjs,
@babel/plugin-transform-modules-umd, @babel/plugin-transform-named-capturing-groups-regex,
@babel/plugin-transform-new-target, @babel/plugin-transform-nullish-coalescing-operator,
@babel/plugin-transform-numeric-separator, @babel/plugin-transform-object-rest-spread,
@babel/plugin-transform-object-super, @babel/plugin-transform-optional-catch-binding,
@babel/plugin-transform-optional-chaining, @babel/plugin-transform-parameters, @babel/plugin-transform-private-methods,
@babel/plugin-transform-private-property-in-object, @babel/plugin-transform-property-literals,
@babel/plugin-transform-react-display-name, @babel/plugin-transform-react-jsx,
@babel/plugin-transform-react-jsx-development, @babel/plugin-transform-react-pure-annotations,
@babel/plugin-transform-regenerator, @babel/plugin-transform-regexp-modifiers, @babel/plugin-transform-reserved-words,
@babel/plugin-transform-shorthand-properties, @babel/plugin-transform-spread, @babel/plugin-transform-sticky-regex,
@babel/plugin-transform-template-literals, @babel/plugin-transform-typeof-symbol, @babel/plugin-transform-unicode-escapes,
@babel/plugin-transform-unicode-property-regex, @babel/plugin-transform-unicode-regex,
@babel/plugin-transform-unicode-sets-regex, @babel/preset-env, @babel/preset-modules, @babel/preset-react,
@babel/register, @babel/runtime, @babel/template, @babel/types, @bcoe/v8-coverage,
@csstools/cascade-layer-name-parser, @csstools/color-helpers, @csstools/css-calc, @csstools/css-color-parser,
@csstools/css-parser-algorithms, @csstools/css-tokenizer, @csstools/media-query-list-parser,
@csstools/postcss-alpha-function, @csstools/postcss-cascade-layers, @csstools/postcss-color-function,
@csstools/postcss-color-function-display-p3-linear, @csstools/postcss-color-mix-function,
@csstools/postcss-color-mix-variadic-function-arguments, @csstools/postcss-content-alt-text,
@csstools/postcss-exponential-functions, @csstools/postcss-font-format-keywords, @csstools/postcss-gamut-mapping,
@csstools/postcss-gradients-interpolation-method, @csstools/postcss-hwb-function, @csstools/postcss-ic-unit,
@csstools/postcss-initial, @csstools/postcss-is-pseudo-class, @csstools/postcss-light-dark-function,
@csstools/postcss-logical-float-and-clear, @csstools/postcss-logical-overflow, @csstools/postcss-logical-overscroll-behavior,
@csstools/postcss-logical-resize, @csstools/postcss-logical-viewport-units, @csstools/postcss-media-minmax,
@csstools/postcss-media-queries-aspect-ratio-number-values, @csstools/postcss-nested-calc,
@csstools/postcss-normalize-display-values, @csstools/postcss-oklab-function,
@csstools/postcss-progressive-custom-properties, @csstools/postcss-random-function,
@csstools/postcss-relative-color-syntax, @csstools/postcss-scope-pseudo-class, @csstools/postcss-sign-functions,
@csstools/postcss-stepped-value-functions, @csstools/postcss-text-decoration-shorthand,
@csstools/postcss-trigonometric-functions, @csstools/postcss-unset-value, @csstools/selector-resolve-nested,
@csstools/selector-specificity, @csstools/utilities, @discoveryjs/json-ext, @emnapi/core, @emnapi/runtime,
@emnapi/wasi-threads, @emotion/babel-plugin, @emotion/cache, @emotion/hash, @emotion/is-prop-valid,
@emotion/memoize, @emotion/react, @emotion/serialize, @emotion/sheet, @emotion/styled, @emotion/unitless,
@emotion/use-insertion-effect-with-fallbacks, @emotion/units, @emotion/weak-memoize, @epic-web/invariant,
@eslint-community/eslint-utils, @eslint-community/regexpp, @eslint/eslintrc, @eslint/js, @isaacs/balanced-match,
@isaacs/brace-expansion, @istanbuljs/schema, @jest/console, @jest/core, @jest/create-cache-key-function,
@jest/diff-sequences, @jest/environment, @jest/expect, @jest/expect-utils, @jest/fake-timers, @jest/get-type, @jest/globals,
@jest/pattern, @jest/reporters, @jest/schemas, @jest/snapshot-utils, @jest/source-map, @jest/test-result,
@jest/test-sequencer, @jest/transform, @jest/types, @jridgewell/gen-mapping, @jridgewell/resolve-uri,
@jridgewell/source-map, @jridgewell/sourcemap-codec, @jridgewell/trace-mapping, @kurkle/color,
@mui/core-downloads-tracker, @mui/icons-material, @mui/material, @mui/private-theming, @mui/styled-engine,
@mui/system, @mui/types, @mui/utils, @napi-rs/wasm-runtime, @nicolo-ribaudo/eslint-scope-5-internals, @pkgjs/parseargs,
@pkgr/core, @popperjs/core, @reduxjs/toolkit, @rtsao/scc, @sinclair/typebox, @standard-schema/spec,
@standard-schema/utils, @swc/jest, @testing-library/dom, @testing-library/jest-dom, @testing-library/react,
@testing-library/user-event, @tootallnate/once, @tybys/wasm-util, @types/aria-query, @types/babel__core,
@types/babel__generator, @types/babel__template, @types/babel__traverse, @types/eslint, @types/eslint-scope,
@types/estree, @types/html-minifier-terser, @types/istanbul-lib-coverage, @types/istanbul-lib-report, @types/istanbul-reports,
@types/jstdom, @types/json-schema, @types/json5, @types/node, @types/parse-json, @types/prop-types, @types/react,
@types/react-transition-group, @types/stack-utils, @types/tough-cookie, @types/use-sync-external-store, @types/yargs,
@types/yargs-parser, @unrs/resolver-binding-android-arm-eabi, @unrs/resolver-binding-android-arm64,
@unrs/resolver-binding-darwin-arm64, @unrs/resolver-binding-darwin-x64, @unrs/resolver-binding-freebsd-x64,

@unrs/resolver-binding-linux-arm-gnueabi, @unrs/resolver-binding-linux-arm-musleabi, @unrs/resolver-binding-linux-arm64-gnu, @unrs/resolver-binding-linux-arm64-musl, @unrs/resolver-binding-linux-ppc64-gnu, @unrs/resolver-binding-linux-riscv64-gnu, @unrs/resolver-binding-linux-riscv64-musl, @unrs/resolver-binding-linux-s390x-gnu, @unrs/resolver-binding-linux-x64-gnu, @unrs/resolver-binding-linux-x64-musl, @unrs/resolver-binding-wasm32-wasi, @unrs/resolver-binding-win32-arm64-msvc, @unrs/resolver-binding-win32-ia32-msvc, @unrs/resolver-binding-win32-x64-msvc, @webassemblyjs/ast, @webassemblyjs/floating-point-hex-parser, @webassemblyjs/helper-api-error, @webassemblyjs/helper-buffer, @webassemblyjs/helper-numbers, @webassemblyjs/helper-wasm-bytecode, @webassemblyjs/helper-wasm-section, @webassemblyjs/ieee754, @webassemblyjs/utf8, @webassemblyjs/wasm-edit, @webassemblyjs/wasm-gen, @webassemblyjs/wasm-opt, @webassemblyjs/wasm-parser, @webassemblyjs/wast-printer, @webpack-cli/configtest, @webpack-cli/info, @webpack-cli/serve, Acorn, Acorn-JSX, Autoprefixer, Bouncy Castle ASN.1 Extension and Utility APIs, Bouncy Castle PKIX, CMS, EAC, TSP, PKCS, OSCP, CMP, and CRMF APIs, Chalk, Chart.js, Checker Qual, ClassGraph, Commander.js, DamonOehlman/wildcard, ESLint, Easy Random Core, Gozala/events, JSHTTP's negotiator, JUL to SLF4J bridge, Jest from Facebook, Lettuce, Lodash, Merge-Stream, Microsoft Azure Java Core AMQP Library, Microsoft Azure Java Core Library, Microsoft Azure Java JSON Library, Microsoft Azure Java XML Library, Microsoft Azure Netty HTTP Client Library, Microsoft Azure client library for Event Hubs, Microsoft Azure client library for Identity, Mockito_, Node Cookie Parser, PostCSS, Project Lombok, Punycode.js, Qix-/color-convert, Random Beans Core, Raynos/for-each, React from Facebook, Redux JS, SLF4J API Module, Strip ANSI, Webpack, acorn-globals, acorn-import-phases, acorn-walk, agent-base, ajv, ajv-formats, ajv-keywords, ansi-escapes, ansi-regex, ansi-styles, array-buffer-byte-length, array-flatten, array-includes, array.prototype.findlast, array.prototype.findlastindex, array.prototype.flat, array.prototype.flatmap, array.prototype.tosorted, arraybuffer.prototype.slice, async-function, asyncify, available-typed-arrays, babel-loader, babel-plugin-macros, babel-plugin-polyfill-corejs2, babel-plugin-polyfill-corejs3, babel-plugin-polyfill-regenerator, babel-preset-current-node-syntax, babel-traverse, balanced-match, big.js, body-parser, brace-expansion, browserify/resolve, browserslist, buffer-from, bytes.js, call-bind, call-bind-apply-helpers, call-bound, callsites, camelcase, camelcase-css, char-regex, chartjs-adapter-moment, ci-info, cjs-module-lexer, classnames, clean-css, clone-deep, clsx, co, collect-v8-coverage, color-name, colorette, combined-stream, content-disposition, convert-source-map, core-js, cosmiconfig, cross-env, css-blank-pseudo, css-has-pseudo, css-loader, css-prefers-color-scheme, css.escape, csesc, cssom, cssstyle, csstools/cssdb, csstype, data-urls, data-view-buffer, data-view-byte-length, data-view-byte-offset, datasource-proxy, debug-js/debug, decimal.js, dedent, deep-is, deepmerge, define-data-property, define-properties, delayed-stream, dequal, destroy, detect-newline, dom-accessibility-api, dom-converter, dom-helpers, dom-serializer, domexception, dot-case, dunder-proto, dylang/node-xml, eastasianwidth, ee-first, einaros/ws, emittery, emoji-regex, emojis-list, encodeurl, enhanced-resolve, env-paths, envinfo, es-abstract, es-define-property, es-errors, es-iterator-helpers, es-module-lexer, es-object-atoms, es-set-tostringtag, es-shim-unsupported, es-to-primitive, escalade, escape-html, escape-string-regexp, eslint-import-resolver-node, eslint-plugin-import, etag, eventsource-polyfill, execa, exit-x, expect, expressjs/accepts, expressjs/express, fast-deep-equal, fast-json-stable-stringify, fast-levenshtein, fast-uri, fastest-levenshtein, fdir, file-entry-cache, file-loader, fill-range, finalhandler, find-cache-dir, find-root, find-up, flat-cache, form-data, forwarded, fraction.js, fsevents, function-bind, function.prototype.name, functions-have-names, gensync, get-intrinsic, get-package-type, get-proto, get-stream, get-symbol-description, globalthis, gopd, has-bigints, has-flag, has-property-descriptors, has-proto, has-symbols, has-tostringtag, hasown, html-encoding-sniffer, html-minifier-terser, html-webpack-plugin, htmlparser2, http-errors, https-proxy-agent, hyperdyperid, hypersistence-ts, iconv-lite, ignore-styles, immer, import-fresh, import-local, imurmurhash, indent-string, internal-slot, interpret, invariant, is-arguments, is-array-buffer, is-arrayish, is-async-function, is-bigint, is-boolean-object, is-callable, is-core-module, is-data-view, is-date-object, is-extglob, is-finalizationregistry, is-fullwidth-code-point, is-generator-fn, is-generator-function, is-glob, is-map, is-negative-zero, is-number, is-number-object, is-plain-object, is-potential-custom-element-name, is-regex, is-set, is-shared-array-buffer, is-stream, is-string, is-symbol, is-typed-array, is-weakmap, is-weakref, is-weakset, isarray, isobject, iterator.prototype, jest-changed-files, jest-config, jest-diff, jest-each, jest-environment-jsdom, jest-environment-node, jest-haste-map, jest-leak-detector, jest-matcher-utils, jest-message-util, jest-pnp-resolver, jest-regex-util, jest-resolve, jest-resolve-dependencies, jest-runner, jest-runtime, jest-snapshot, jest-util, jest-validate, jest-worker, jiti, js-tokens, js-yaml, jsdom, jsesc, jshttp statuses, jshttp/content-type, jshttp/fresh, jshttp/mime-types, jsjest, json-buffer, json-parse-even-better-errors, json-schema-traverse, json5, jsonc-parser, jsx-ast-utils, keyv, kind-of, leonis/redux-immutable-state-invariant, leven, levn, lines-and-columns, lighthouse/object.assign, loader-runner, locate-path, lodash.debounce, lodash.get, lodash.isplainobject, lodash.merge, loose-envify, lower-case, lz-string, make-dir, math-intrinsics, mathiasbynens/he, mathiasbynens/regenerate, media-type, merge-descriptors, methods, micromatch, micromatch/braces, mime, mime-db, mimic-fn, min-indent, mini-css-extract-plugin, minimalist, mockito-junit-jupiter, moment/moment, moxystudio/node-cross-spawn, ms.js, msal4j, msal4j-persistence-extension, nanoid, napi-postinstall, natural-compare, neo-async, no-case, node-commander, node-concat-map, node-cookie-signature, node-error-ex, node-html-entities, node-http-proxy-agent, node-ignore, node-int64, node-mkdirp, node-releases, node-source-map-support, nodejs Deprecate, normalize-path, normalize-range, npm-run-path, nwsapi, object-assign, object-inspect, object-keys, object.entries, object.fromentries, object.groupby, object.values, on-finished, optionator, own-keys, p-limit, p-locate, p-try, param-case, parent-module, parse-json, parse5, parseurl, pascal-case, path-exists, path-key, path-parse, path-to-regexp, path-type, picomatch, pify, pirates, pkg-dir, possible-typed-array-names, postcss-attribute-case-insensitive, postcss-clamp, postcss-color-functional-notation, postcss-color-hex-alpha, postcss-color-rebeccapurple, postcss-custom-media, postcss-custom-properties, postcss-custom-selectors,

postcss-dir-pseudo-class, postcss-double-position-gradients, postcss-each, postcss-focus-visible, postcss-focus-within, postcss-font-variant, postcss-gap-properties, postcss-image-set-function, postcss-import, postcss-js, postcss-lab-function, postcss-loader, postcss-logical, postcss-mixins, postcss-modules-local-by-default, postcss-nesting, postcss-opacity-percentage, postcss-overflow-shorthand, postcss-page-break, postcss-place, postcss-preset-env, postcss-pseudo-class-any-link, postcss-replace-overflow-wrap, postcss-reporter, postcss-selector-not, postcss-selector-parser, postcss-simple-vars, postcss-value-parser, prelude-ls, pretty-error, pretty-format, prop-types, proxy-addr, psl, pure-rand, qpid-proton-j-extensions, querystringify, randombytes, range-parser, raw-body, react-chartjs-2, react-dom, react-is, react-router-dom, reactredux, reacttraining/react-router, read-cache, rechoir, redent, redis-authx-core, redux-mock-store, redux-thunk, reflect.getprototypeof, regenerate-unicode-properties, regenerator-runtime, regexp.prototype.flags, regexpu-core, regjsgen, relateurl, renderkid, require-directory, require-from-string, requires-port, reselect, resolve-cwd, resolve-from, rrweb-cssom, safe-array-concat, safe-buffer, safe-push-apply, safe-regex-test, safer-buffer, samccone/chrome-trace-event, saxes, scheduler, schema-utils, send, serve-static, set-cookie-parser, set-function-length, set-function-name, set-proto, shallow-clone, shebang-command, shebang-regex, side-channel, side-channel-list, side-channel-map, side-channel-weakmap, sindresorhus/globals, sindresorhus/onetime, sindresorhus/slash, stable-stringify, stack-utils, stop-iteration-iterator, string-length, string-width, string.prototype.matchall, string.prototype.repeat, string.prototype.trim, string.prototype.trimend, string.prototype.trimstart, strip-bom, strip-final-newline, strip-indent, strip-json-comments, style-loader, stylis, sugarss, supports-color, supports-preserve-symlinks-flag, symbol-tree, tapable, terser-webpack-plugin, tinyglobby, tldts, tldts-core, to-regex-range, toidentifier, tr46, tsconfig-paths, type-check, type-detect, type-is, typed-array-buffer, typed-array-byte-length, typed-array-byte-offset, typed-array-length, un-ts/synckit, unbox-primitive, undici-types, unicode-canonical-property-names-ecmascript, unicode-match-property-ecmascript, unicode-match-property-value-ecmascript, unicode-property-aliases-ecmascript, universalify, unpipe, unrs-resolver, update-browserslist-db, url-loader, url-parse, use-sync-external-store, util, util-deprecate, utila, utils-merge, uuid, vary, w3c-xmlserializer, watchpack, webjars-locator-lite, webpack-cli, webpack-hot-middleware, webpack-merge, webpack-node-externals, webpack-sources, webpack/loader-utils, webpack/webpack-dev-middleware, webreflection/html-escaper, whatwg-encoding, whatwg-fetch, whatwg-mimetype, whatwg-url, which-boxed-primitive, which-builtin-type, which-collection, which-typed-array, whitequark/ipaddr.js, word-wrap, wrap-ansi, xmlchars, yannickcr/eslint-plugin-react, yargs and yocto-queue is Copyright (c) 2015-2022 Douglas Christopher Wilson doug@somethingdoug.com

- AspectJ weaver, Eclipse Compiler for Java(TM), JUnit Jupiter (Aggregator), [org.junit.jupiter:junit-jupiter-api](https://www.junit.org/), [org.junit.jupiter:junit-jupiter-engine](https://www.junit.org/), [org.junit.jupiter:junit-jupiter-params](https://www.junit.org/), [org.junit.platform:junit-platform-commons](https://www.junit.org/) and [org.junit.platform:junit-platform-engine](https://www.junit.org/) is Copyright (c) 2000, 2003 IBM Corporation and others.
- LatencyUtils is Written by Gil Tene of Azul Systems, and released to the
- Logback is (c) OpenJS Foundation and other contributors. Licensed under (GNU Lesser General Public License v2.1 only OR Eclipse Public License 1.0).
- reactive-streams is (C) 1995-2013 Jean-loup Gailly and Mark Adler
- HdrHistogram is Copyright (c) 2012, 2013, 2014, 2015, 2016 Gil Tene
- [@swc/core-darwin-arm64](https://github.com/swc-project/swc), [@swc/core-darwin-x64](https://github.com/swc-project/swc), [@swc/core-linux-arm64-gnu](https://github.com/swc-project/swc), [@swc/core-linux-arm64-musl](https://github.com/swc-project/swc), [@swc/core-linux-x64-gnu](https://github.com/swc-project/swc), [@swc/core-linux-x64-musl](https://github.com/swc-project/swc), [@swc/core-win32-arm64-msvc](https://github.com/swc-project/swc), [@swc/core-win32-x64-msvc](https://github.com/swc-project/swc) and Bouncy Castle is (c)
- CSSselect, DomHandler, Esprima, PostgreSQL JDBC Driver (pgjdbc), css-what, domelementtype, domutils, escodegen, eslint-scope, espree, esrecurse, estraverse, esutils, glob-to-regexp, node-entities, nth-check, regjsparser, terser, uri-js, webidl-conversions and zstd-jni is Copyright (C) 2014 Thiago de Arruda <tpadilha84@gmail.com>. Licensed under BSD 2-clause "Simplified" License.
- JUnit is @author Tibor Digana (tibor17)
- jakarta.persistence-api is (C) 1995-2013 Jean-loup Gailly and Mark Adler
- JSON-java is N/A. Licensed under Public Domain.
- SpotBugs Annotations is (c) OpenJS Foundation and other contributors. Licensed under GNU Lesser General Public License v2.1 or later.
- Java Servlet API is (C) 1995-2013 Jean-loup Gailly and Mark Adler
- [@isaacs/cliui](https://github.com/isaacs/cliui), [@istanbuljs/load-nyc-config](https://github.com/istanbuljs/load-nyc-config), [@ungap/structured-clone](https://github.com/ungap/structured-clone), anymatch, boolbase, cliui, electron-to-chromium, flattened, foreground-child, get-caller-file, glob-parent, iarna/write-file-atomic, icss-utils, inherits, isexe, json-stringify-safe, minimatch, minipass, node-glob, node-graceful-fs, node-lru-cache, node-semver, picocolors, postcss-modules-extract-imports, postcss-modules-scope, postcss-modules-values, rimraf, setprototypeof, signal-exit, string-width-cjs, strip-ansi-cjs, test-exclude, v8-to-istanbul, which, wrap-ansi-cjs, y18n, yallist, yaml and yargs-parser is Copyright (c) 2016, Contributors

- Java Native Access (JNA) is Copyright (c) 2007-2008 Timothy Wall, All Rights Reserved
- caniuse-lite is copyright or other
- doctrine is @author Yusuke Suzuki <utatane.tea@gmail.com>
- isaacs/jackspeak, node-glob, package-json-from-dist and path-scurry is N/A. Licensed under Blue Oak Model License 1.0.0.
- Microsofttslib is licensed under BSD Zero Clause License.
- nodeca-argparse is Copyright (C) 2020 argparse.js authors
- thingies is © Vadim Dalecky. Licensed under The Unlicense.
- type-fest is Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)