

Open Source Licenses – Verint Channel Automation 2

Revision 1.03
November 2025

Unauthorized use, duplication, or modification of this document in whole or in part without the written consent of Verint Systems Inc. is strictly prohibited. By providing this document, Verint Systems Inc. is not making any representations regarding the correctness or completeness of its contents and reserves the right to alter this document at any time without notice. Features listed in this document are subject to change. Contact your Verint representative for current product features and specifications. All marks referenced herein with the ® or TM symbol are registered trademarks or trademarks of Verint Systems Inc. or its subsidiaries. All rights reserved. All other marks are trademarks of their respective owners.

© 2025 Verint Systems Inc. All rights reserved worldwide.

Table of Contents

Open Source Attribution	1
-------------------------------	---

Open Source Attribution

Certain components of this Software or software contained in this Product (collectively, "Software") may be covered by so-called "free or open source" software licenses ("Open Source Components"), which includes any software licenses approved as open source licenses by the Open Source Initiative or any similar licenses, including without limitation any license that, as a condition of distribution of the Open Source Components licensed, requires that the distributor make the Open Source Components available in source code format. A license in each Open Source Component is provided to you in accordance with the specific license terms specified in their respective license terms.

EXCEPT WITH REGARD TO ANY WARRANTIES OR OTHER RIGHTS AND OBLIGATIONS EXPRESSLY PROVIDED DIRECTLY TO YOU FROM VERINT, ALL OPEN SOURCE COMPONENTS ARE PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

Any third party technology that may be appropriate or necessary for use with the Verint Product is licensed to you only for use with the Verint Product under the terms of the third party license agreement specified in the Documentation, the Software or as provided online at <http://verint.com/thirdpartylicense>. You may not take any action that would separate the third-party technology from the Verint Product. Unless otherwise permitted under the terms of the third-party license agreement, you agree to only use the third-party technology in conjunction with the Verint Product.

The following Open Source Components may be included with this Software:

License Attributions for Channel Automation 2

- @adobe/css-tools, @asamuzakjp/css-color, @auth0/auth0-spa-js, @azure-rest/core-client, @azure/abort-controller, @azure/communication-common, @azure/core-auth, @azure/core-client, @azure/core-rest-pipeline, @azure/core-tracing, @azure/core-util, @azure/logger, @azure/msal-browser, @azure/msal-common, @babel/code-frame, @babel/compat-data, @babel/core, @babel/eslint-parser, @babel/generator, @babel/helper-annotate-as-pure, @babel/helper-builder-binary-assignment-operator-visitor, @babel/helper-compilation-targets, @babel/helper-create-class-features-plugin, @babel/helper-create-regexp-features-plugin, @babel/helper-define-polyfill-provider, @babel/helper-globals, @babel/helper-member-expression-to-functions, @babel/helper-module-imports, @babel/helper-module-transforms, @babel/helper-optimise-call-expression, @babel/helper-plugin-utils, @babel/helper-remap-async-to-generator, @babel/helper-replace-supers, @babel/helper-simple-access, @babel/helper-skip-transparent-expression-wrappers, @babel/helper-string-parser, @babel/helper-validator-identifier, @babel/helper-validator-option, @babel/helper-wrap-function, @babel/helpers, @babel/highlight, @babel/parser, @babel/plugin-bugfix-firefox-class-in-computed-class-key, @babel/plugin-bugfix-safari-class-field-initializer-scope, @babel/plugin-bugfix-safari-id-structuring-collision-in-function-expression, @babel/plugin-bugfix-v8-spread-parameters-in-optional-chaining, @babel/plugin-bugfix-v8-static-class-fields-redefine-readonly, @babel/plugin-proposal-private-property-in-object, @babel/plugin-syntax-async-generators, @babel/plugin-syntax-bigint, @babel/plugin-syntax-class-properties, @babel/plugin-syntax-class-static-block, @babel/plugin-syntax-dynamic-import, @babel/plugin-syntax-export-namespace-from, @babel/plugin-syntax-import-assertions, @babel/plugin-syntax-import-attributes, @babel/plugin-syntax-import-meta, @babel/plugin-syntax-json-strings, @babel/plugin-syntax-jsx, @babel/plugin-syntax-logical-assignment-operators, @babel/plugin-syntax-nullish-coalescing-operator, @babel/plugin-syntax-numeric-separator,

@babel/plugin-syntax-object-rest-spread, @babel/plugin-syntax-optional-catch-binding,
@babel/plugin-syntax-optional-chaining, @babel/plugin-syntax-private-property-in-object,
@babel/plugin-syntax-top-level-await, @babel/plugin-syntax-typescript, @babel/plugin-syntax-unicode-sets-regex,
@babel/plugin-transform-arrow-functions, @babel/plugin-transform-async-generator-functions,
@babel/plugin-transform-async-to-generator, @babel/plugin-transform-block-scoped-functions,
@babel/plugin-transform-block-scoping, @babel/plugin-transform-class-properties, @babel/plugin-transform-class-static-block,
@babel/plugin-transform-classes, @babel/plugin-transform-computed-properties, @babel/plugin-transform-destructuring,
@babel/plugin-transform-dotall-regex, @babel/plugin-transform-duplicate-keys,
@babel/plugin-transform-duplicate-named-capturing-groups-regex, @babel/plugin-transform-dynamic-import,
@babel/plugin-transform-explicit-resource-management, @babel/plugin-transform-exponentiation-operator,
@babel/plugin-transform-export-namespace-from, @babel/plugin-transform-for-of, @babel/plugin-transform-function-name,
@babel/plugin-transform-json-strings, @babel/plugin-transform-literals, @babel/plugin-transform-logical-assignment-operators,
@babel/plugin-transform-member-expression-literals, @babel/plugin-transform-modules-amd,
@babel/plugin-transform-modules-commonjs, @babel/plugin-transform-modules-systemjs,
@babel/plugin-transform-modules-umd, @babel/plugin-transform-named-capturing-groups-regex,
@babel/plugin-transform-new-target, @babel/plugin-transform-nullish-coalescing-operator,
@babel/plugin-transform-numeric-separator, @babel/plugin-transform-object-rest-spread,
@babel/plugin-transform-object-super, @babel/plugin-transform-optional-catch-binding,
@babel/plugin-transform-optional-chaining, @babel/plugin-transform-parameters, @babel/plugin-transform-private-methods,
@babel/plugin-transform-private-property-in-object, @babel/plugin-transform-property-literals,
@babel/plugin-transform-react-transform-react-javascript, @babel/plugin-transform-react-jsx,
@babel/plugin-transform-react-jsx-development, @babel/plugin-transform-react-pure-annotations,
@babel/plugin-transform-regenerator, @babel/plugin-transform-regexp-modifiers, @babel/plugin-transform-reserved-words,
@babel/plugin-transform-runtime, @babel/plugin-transform-shorthand-properties, @babel/plugin-transform-spread,
@babel/plugin-transform-sticky-regex, @babel/plugin-transform-template-literals, @babel/plugin-transform-typeof-symbol,
@babel/plugin-transform-typescript, @babel/plugin-transform-unicode-escapes,
@babel/plugin-transform-unicode-property-regex, @babel/plugin-transform-unicode-regex,
@babel/plugin-transform-unicode-sets-regex, @babel/preset-env, @babel/preset-modules, @babel/preset-react,
@babel/preset-typescript, @babel/regjsgen, @babel/runtime, @babel/template, @babel/types, @bcoe/v8-coverage,
@cspotcode/source-map-support, @csstools/color-helpers, @csstools/css-calc, @csstools/css-color-parser,
@csstools/css-parser-algorithms, @csstools/css-tokenizer, @date-io/core, @date-io/date-fns, @date-io/luxon,
@discoveryjs/json-ext, @dnd-kit/accessibility, @dnd-kit/core, @dnd-kit/modifiers, @dnd-kit/sortable, @dnd-kit/utilities,
@emnapi/core, @emnapi/runtime, @emnapi/wasi-threads, @emotion/babel-plugin, @emotion/cache, @emotion/css,
@emotion/hash, @emotion/is-prop-valid, @emotion/memoize, @emotion/react, @emotion/serialize, @emotion/sheet,
@emotion/styled, @emotion/unitless, @emotion/use-insertion-effect-with-fallbacks, @emotion/utils, @emotion/weak-memoize,
@eslint-community/eslint-utils, @eslint-community/regexpp, @eslint/eslintrc, @eslint/js, @floating-ui/core, @floating-ui/dom,
@floating-ui/react-dom, @floating-ui/utils, @hugeicons/core-free-icons, @inquirer/ansi, @inquirer/checkbox,
@inquirer/confirm, @inquirer/core, @inquirer/editor, @inquirer/expand, @inquirer/external-editor, @inquirer/figures,
@inquirer/input, @inquirer/number, @inquirer/password, @inquirer/prompts, @inquirer/rawlist, @inquirer/search,
@inquirer/select, @inquirer/type, @istanbuljs/schema, @jest/console, @jest/core, @jest/diff-sequences, @jest/environment,
@jest/environment-jsdom-abstract, @jest/expect, @jest/expect-utils, @jest/fake-timers, @jest/get-type, @jest/globals,
@jest/pattern, @jest/reporters, @jest/schemas, @jest/snapshot-utils, @jest/source-map, @jest/test-result,
@jest/test-sequencer, @jest/transform, @jest/types, @jridgewell/gen-mapping, @jridgewell/remapping,
@jridgewell/resolve-uri, @jridgewell/set-array, @jridgewell/source-map, @jridgewell/sourcemap-codec,
@jridgewell/trace-mapping, @ladjs/country-language, @leichtgewicht/ip-codec, @material-ui/core, @material-ui/lab,
@material-ui/pickers, @material-ui/styles, @material-ui/system, @material-ui/types, @material-ui/utils,
@motionone/animation, @motionone/dom, @motionone/easing, @motionone/generators, @motionone/types,
@motionone/utils, @mui/base, @mui/core-downloads-tracker, @mui/material, @mui/private-theming, @mui/styled-engine,
@mui/system, @mui/types, @mui/utils, @mui/x-date-pickers, @mui/x-internals, @mui/x-tree-view, @napi-rs/wasm-runtime,
@nicolo-ribaudo/eslint-scope-5-internals, @nodelib/fs.scandir, @nodelib/fs.stat, @nodelib/fs.walk, @pkgjs/parseargs,
@pkgjs/core, @polka/url, @popperjs/core, @sinclair/typebox, @testing-library/dom, @testing-library/jest-dom,
@testing-library/react, @testing-library/user-event, @toddalton/once, @tsconfig/node10, @tsconfig/node12,
@tsconfig/node14, @tsconfig/node16, @tybys/wasm-util, @types/aria-query, @types/babel__core, @types/babel__generator,
@types/babel__template, @types/babel__traverse, @types/body-parser, @types/bonjour, @types/connect,
@types/connect-history-api-fallback, @types/eslint, @types/eslint-scope, @types/estree, @types/express,
@types/express-serve-static-core, @types/graceful-fs, @types/hoist-non-react-statics, @types/html-minifier-terser,
@types/http-errors, @types/http-proxy, @types/istanbul-lib-coverage, @types/istanbul-lib-report, @types/istanbul-reports,
@types/jest, @types/jsdom, @types/json-schema, @types/lodash, @types/lodash-es, @types/mime, @types/node,
@types/node-forge, @types/parsify, @types/parsify5, @types/prettier, @types/prop-types, @types/qs,
@types/range-parser, @types/react, @types/react-beautiful-dnd, @types/react-dom, @types/react-redux,
@types/react-transition-group, @types/retry, @types/scheduler, @types/send, @types/serve-index, @types/serve-static,

@types/sockjs, @types/stack-utils, @types/styled-jsx, @types/systemjs, @types/testing-library__jest-dom, @types/tough-cookie, @types/webpack-env, @types/ws, @types/yargs, @types/yargs-parser, @typespec/ts-http-runtime, @unrs/resolver-binding-android-arm-eabi, @unrs/resolver-binding-android-arm64, @unrs/resolver-binding-darwin-arm64, @unrs/resolver-binding-darwin-x64, @unrs/resolver-binding-freebsd-x64, @unrs/resolver-binding-linux-arm-gnueabi, @unrs/resolver-binding-linux-arm-musleabi, @unrs/resolver-binding-linux-arm64-gnu, @unrs/resolver-binding-linux-arm64-musl, @unrs/resolver-binding-linux-ppc64-gnu, @unrs/resolver-binding-linux-riscv64-gnu, @unrs/resolver-binding-linux-riscv64-musl, @unrs/resolver-binding-linux-s390x-gnu, @unrs/resolver-binding-linux-x64-gnu, @unrs/resolver-binding-linux-x64-musl, @unrs/resolver-binding-wasm32-wasi, @unrs/resolver-binding-win32-arm64-msvc, @unrs/resolver-binding-win32-ia32-msvc, @unrs/resolver-binding-win32-x64-msvc, @webassemblyjs/ast, @webassemblyjs/floating-point-hex-parser, @webassemblyjs/helper-api-error, @webassemblyjs/helper-buffer, @webassemblyjs/helper-numbers, @webassemblyjs/helper-wasm-bytecode, @webassemblyjs/helper-wasm-section, @webassemblyjs/ieee754, @webassemblyjs/utf8, @webassemblyjs/wasm-edit, @webassemblyjs/wasm-gen, @webassemblyjs/wasm-opt, @webassemblyjs/wasm-parser, @webassemblyjs/wast-printer, @webpack-cli/configtest, @webpack-cli/info, @webpack-cli/serve, @zeit/schemas, ARG, Acorn, Acorn-JSX, Async, Chalk, Commander.js, ConnorAtherton/loaders.css, DamonOehlman/wildcard, ESLint, Go Testify, GoDoc Text, Gozala/events, Handlebars.js, JSHTTP's negotiator, Jest from Facebook, KyleBanks/depth, Lodash, Merge-Stream, Microsoft-go-winio, Node Cookie Parser, PostCSS, Prettier IO, Punycode.js, Qix-/color-convert, Raynos/for-each, React from Facebook, Redux JS, Shifty, Sirupsen/logrus, Strip ANSI, Underscore.js, Webpack, acorn-globals, acorn-import-attributes, acorn-import-phases, acorn-walk, agent-base, ajv, ajv-formats, ajv-keywords, alecthomas-kingpin, alecthomas-units, ansi-colors, ansi-escapes, ansi-regex, ansi-styles, arch, armon-go-metrics, array-buffer-byte-length, array-flatten, array-includes, array.prototype.flat, array.prototype.flatmap, arraybuffer.prototype.slice, ast-types-flow, astral-regex, async-function, asyncnkit, autobind-decorator, available-typed-arrays, axios, azure-sdk-for-js, azz/pretty-quick, babel-loader, babel-plugin-macros, babel-plugin-polyfill-corejs2, babel-plugin-polyfill-corejs3, babel-plugin-polyfill-regenerator, babel-preset-current-node-syntax, babel-traverse, balanced-match, beorn7-perks, big.js, bignumber.js, binary-extensions, body-parser, bonjour-service, brace-expansion, braces, browser-tabs-lock, browserify/resolve, browserslist, browserslist-config-single-spa, bs-logger, buffer-from, bundle-name, bytes.js, call-bind, call-bind-apply-helpers, call-bound, callsites, calvinmetcalf/lie, camelcase, cenkalti/backoff, cespere/xxhash, chalk/chalk-template, char-regex, chokidar, ci-info, cjs-module-lexer, classnames, clean-css, clipboardy, clone-deep, clsx, co, collect-v8-coverage, color-name, colorette, combined-stream, compression, concurrently, connect-history-api-fallback, content-disposition, convert-source-map, core-js, core-util-is, cosmiconfig, cpuguy83-go-md2man, cpuguy83/dockercfg, creack/pty, create-require, cross-env, css-box-model, css-loader, css-vendor, css.escape, cssesc, cssinjs, cssom, cssstyle, csstype, data-urls, data-view-buffer, data-view-byte-length, data-view-byte-offset, date-fns/date-fns, debounce, debug-js/debug, decimal.js, dedent, deep-extend, deep-is, deepmerge, default-browser, default-browser-id, define-data-property, define-lazy-prop, define-properties, delayed-stream, dequal, destroy, detect-newline, detect-node, detect-node-es, dns-packet, dom-accessibility-api, dom-converter, dom-helpers, dom-serializer, domexception, dot-case, dpop, dunder-proto, duplexer, eastasianwidth, ee-first, einaros/ws, emittery, emoji-regex, emojis-list, encodeurl, end-of-stream, enhanced-resolve, enquirer, envinfo, errcheck, es-abstract, es-cookie, es-define-property, es-errors, es-get-iterator, es-iterator-helpers, es-module-lexer, es-object-atoms, es-set-tostringtag, es-shim-unscopables, es-to-primitive, escalade, escape-html, escape-string-regexp, eslint-config-important-stuff, eslint-config-prettier, eslint-config-react-important-stuff, eslint-config-ts-react-important-stuff, eslint-plugin-jsx-a11y, eslint-plugin-prettier, eslint-plugin-react-hooks, eslint-utils, etag, eventemitter3, execa, exit-x, expect, expressjs/accepts, expressjs/compressible, expressjs/express, expressjs/mime-types, facebookhermes, fast-deep-equal, fast-json-stable-stringify, fast-levenshtein, fast-uri, fastest-levenshtein, felixge/httpsnoop, felixge/node-retry, file-entry-cache, fill-range, finalhandler, find-cache-dir, find-root, find-up, flat-cache, focus-lock, follow-redirects, fork-ts-checker-webpack-plugin, form-data, forwarded, framer/motion, framesync, francoispgt/gojay, frankban/quicktest, fsevents, function-bind, function.prototype.name, functional-red-black-tree, functions-have-names, gabriel-vasile/mimetype, generator-function, gensync, get-intrinsic, get-package-type, get-proto, get-stream, get-symbol-description, gin-contrib/sse, gin-gonic/gin, github.com/antihax/optional, github.com/power-devops/perfstat, github.com/sagikazarmark/locafero, github.com/yusufpapurcu/wmi, globalthis, go-ansiterm, go-chi, go-chi/cors, go-jwx, go-ole-go-ole, go-playground-universal-translator, go-playground/assert, go-playground/locales, go-playground/validator, go-toml, go-viper, go-zap, go.uber.org/multierr, goccy/go-json, goccy/go-yaml, golang-jwt/jwt, gopd, graphemer, gzip-size, handle-thing, has-bigints, has-flag, has-property-descriptors, has-proto, has-symbols, has-tostringtag, hashicorp/go-hclog, hasown, hey-listen, hpack.js, html-encoding-sniffer, html-minifier-terser, html-parse-stringify, html-webpack-plugin, htmlparser2, http-deceiver, http-errors, http-parser-js, http-proxy, http-proxy-middleware, https-proxy-agent, hyperdyperid, i18next, i18next-browser-languagedetector, iconv-lite, immediate, import-fresh, import-local, import-map-externals-webpack-plugin, imurmurhash, indent-string, internal-slot, interpret, is-arguments, is-array-buffer, is-arrayish, is-async-function, is-bigint, is-binary-path, is-boolean-object, is-callable, is-core-module, is-data-view, is-date-object, is-docker, is-extglob, is-finalizationregistry, is-fullwidth-code-point, is-generator-fn, is-generator-function, is-glob, is-in-browser, is-inside-container, is-map, is-negative-zero, is-network-error, is-number, is-number-object, is-path-inside, is-plain-obj, is-plain-object, is-potential-custom-element-name, is-regex, is-set, is-shared-array-buffer, is-stream, is-string, is-symbol, is-typed-array, is-weakmap, is-weakref, is-weakset, is-wsl, isarray, isobject, istarkov/rifm, iterator.prototype, jessetane/queue, jest-changed-files, jest-config, jest-diff, jest-each, jest-environment-jsdom, jest-environment-node, jest-get-type, jest-haste-map, jest-leak-detector, jest-matcher-utils, jest-message-util, jest-pnp-resolver, jest-regex-util, jest-resolve,

jest-resolve-dependencies, jest-runner, jest-runtime, jest-snapshot, jest-util, jest-validate, jest-worker, jodit, josharian/intern, jpillora-backoff, js-tokens, js-yaml, jsdom, jsesc, jshttp statuses, jshttp/content-type, jshttp/fresh, jshttp/mime-types, jsjest, json-buffer, json-parse-even-better-errors, json-schema-traverse, json5, jsoniter-go, jsonwebtoken, jss, jsx-ast-utils, jwa, jwt-decode, keyanzhang/identity-obj-proxy, keyv, kimmobrunfeldt/progressbar.js, kind-of, klauspost-cpuid, kleur, kr/pretty, ladjs/i18n-locales, language-tags, launch-editor, leodido/go-urn, lestrat-go/blackmagic, lestrat-go/httpcc, lestrat-go/httpcr, lestrat-go/option, leven, levn, lines-and-columns, liharp/object.assign, loader-runner, locate-path, lodash-es, lodash.debounce, lodash.includes, lodash.isboolean, lodash.isinteger, lodash.isnumber, lodash.isplainobject, lodash.isstring, lodash.memoize, lodash.merge, lodash.once, lodash.truncate, loose-envify, lower-case, lz-string, mafintosh/pump, mailru/easyjson, make-dir, mapstructure, math-intrinsics, mathiasbynens/he, mathiasbynens/regenerate, mattn-go-isatty, media-typer, memoize-one, merge-descriptors, merge2, methods, micromatch, micromatch/braces, microsoft-authentication-library-for-js, mime, mime-db, mimic-fn, min-indent, minimalist, mitchellh-go-homedir, morikuni/aec, moxystudio/node-cross-spawn, mri, mrmime, ms.js, multicast-dns, nanoid, napi-postinstall, natural-compare, neo-async, netroy/image-size, niemeyer/pretty, no-case, node-abort-controller, node-chardet, node-commandir, node-concat-map, node-cookie-signature, node-deep-equal, node-error-ex, node-external-editor, node-fs-extra, node-http-proxy-agent, node-ignore, node-int64, node-jsonfile, node-jws, node-progress, node-releases, node-shell-quote, node-source-map-support, node-tmp, nodeca-argparse, nodejs Deprecate, nodejs-exit, nodejs/string_decoder, normalize-path, npm-run-path, nwsapi, object-assign, object-inspect, object-is, object-keys, object-mapper, object.fromentries, object.values, obuf, on-finished, on-headers, optionator, os-tmpdir, own-keys, p-limit, p-locate, p-retry, p-try, param-case, parent-module, parse-json, parse5, parseurl, pascal-case, path-exists, path-is-absolute, path-key, path-parse, path-to-regexp, path-type, picomatch, pirates, pkg-dir, popmotion, popper.js, possible-typed-array-names, postcss-modules-local-by-default, postcss-selector-parser, postcss-value-parser, pptxgenjs, prelude-ls, prettier-linter-helpers, pretty-error, pretty-format, process-nextick-args, prompts, prop-types, proxy-addr, proxy-from-env, psl, pty, pure-rand, querystringify, queue-microtask, quic-go/qpack, quic-go/quic-go, raf-schd, randombytes, range-parser, raw-body, react-chat-elements-addlink, react-clientside-effect, react-dom, react-focus-lock, react-hook-form, react-i18next, react-icons, react-is, react-lifecycles-compat, react-spinkit, react-toastify, react-virtualized, reactredux, readable-stream, readdirp, rechoir, redent, reflect.getprototypeof, regenerate-unicode-properties, regenerator-transform, regexp.prototype.flags, regexpp, regexpu-core, registry-auth-token, registry-url, regjsen, relateurl, renderkid, require-directory, require-from-string, requires-port, resize-observer-polyfill, resolve-cwd, resolve-from, resolve.exports, reusify, rrweb-cssom, rs-xid, run-applescript, run-parallel, safe-array-concat, safe-buffer, safe-push-apply, safe-regex-test, safer-buffer, sagikazarmark/crypt, samcone/chrome-trace-event, saxes, scheduler, schema-utils, segmentio/asm, select-hose, selfsigned, send, serve-handler, serve-index, serve-static, set-function-length, set-function-name, set-proto, setImmediate, shallow-clone, shebang-command, shebang-regex, shurcool-sanitized_anchor_name, side-channel, side-channel-list, side-channel-map, side-channel-weakmap, sindresorhus-open, sindresorhus/boxen, sindresorhus/cli-boxes, sindresorhus/globals, sindresorhus/is-port-reachable, sindresorhus/onetime, sindresorhus/slash, sindresorhus/yoctocolors, single-spa, single-spa-layout, single-spa-react, sirv, sisteransi, slice-ansi, sockjs-node, sourcegraph/conc, spawn-command, spdy, spdy-transport, spf13-cast, stable-stringify, stack-utils, standalone-single-spa-webpack-plugin, stop-iteration-iterator, stretchr/objx, string-length, string-width, string.prototype.includes, string.prototype.trim, string.prototype.trimend, string.prototype.trimstart, strip-bom, strip-final-newline, strip-indent, strip-json-comments, style-loader, style-value-types, stylis, subosito/gotenv, supports-color, supports-hyperlinks, supports-preserve-symlinks-flag, swaggo/swag, symbol-tree, systemjs-webpack-interop, tapable, terminal-link, terser-webpack-plugin, testcontainers-go, text-table, thingies, throat, thunky, timeago.js, tiny-invariant, tiny-warning, tldts, tldts-core, to-regexp-range, toidentifier, totalist, tr46, tree-kill, ts-config-single-spa, ts-jest, ts-node, type-check, type-detect, type-is, typed-array-buffer, typed-array-byte-length, typed-array-byte-offset, typed-array-length, typedarray-to-buffer, uber-go/atomic, ugorji's go, un-ts/synckit, unbox-primitive, undici-types, unicode-canonical-property-names-ecmascript, unicode-match-property-ecmascript, unicode-match-property-value-ecmascript, unicode-property-aliases-ecmascript, universalify, unpipe, unrs-resolver, update-browserslist-db, update-check, urfave-cli, url-parse, use-callback-ref, use-memo-one, use-sidecar, use-sync-external-store, util-deprecate, utila, utils-merge, uuid, v8-compile-cache, v8-compile-cache-lib, vary, vercel/serve, visionmedia/batch, void-elements, w3c-hr-time, w3c-xmlserializer, watchpack, wbuf, webpack-bundle-analyzer, webpack-cli, webpack-config-single-spa, webpack-config-single-spa-react, webpack-config-single-spa-react-ts, webpack-config-single-spa-ts, webpack-dev-server, webpack-merge, webpack-sources, webpack/loader-utils, webpack/webpack-dev-middleware, webreflection/html-escaper, whatwg-encoding, whatwg-mimetype, whatwg-url, which-boxed-primitive, which-builtin-type, which-collection, which-typed-array, whitequark/ipaddr.js, widest-line, word-wrap, wordwrap, wrap-ansi, wsl-utils, xmlchars, yargs, yn, yocto-queue, yuin/goldmark, zerolog, zod, zod-validation-error and zustand is Copyright (c) 2015. Licensed under MIT License.

- @ampproject/remapping, @datadog/browser-core, @datadog/browser-logs, @datadog/browser-rum, @datadog/browser-rum-core, @eslint/config-array, @eslint/config-helpers, @eslint/core, @eslint/object-schema, @eslint/plugin-kit, @humanfs/core, @humanfs/node, @humanwhocodes/config-array, @humanwhocodes/module-importer, @humanwhocodes/retry, @jsonjoy.com/base64, @jsonjoy.com/buffers, @jsonjoy.com/codegen, @jsonjoy.com/json-pack, @jsonjoy.com/json-pointer, @jsonjoy.com/util, @webassemblyjs/leb128, @xtuc/long, CoreOS, ReactiveX RxJS, TypeScript, ansi-html-community, aria-query, aws/aws-sdk-go-v2, axios-query, baseline-browser-mapping, bytedance/sonic, census-instrumentation/opencensus-go, client_golang, containerd/typeurl, docker, docker-go-units, doctrine, ebiteengine/purego, ecdsa-sig-formatter, eslint-visitor-keys, fast-diff, faye-websocket-node,

github.com/AdaLogics/go-fuzz-headers, github.com/aws/smithy-go, github.com/cloudwego/base64x, github.com/containerd/errdefs, github.com/containerd/log, github.com/containerd/platforms, github.com/distribution/reference, github.com/moby/docker-image-spec, github.com/moby/go-archive, github.com/nats-io/nkeys, glob-to-regex.js, go-etcd, go-ini-ini, go-logr/logr, go-logr/stdr, go-openapi/jsonpointer, go-openapi/spec, go-systemd, go.opentelemetry.io/proto, godebug, golang-github-docker-go-connections-dev, golang/appengine, golang/glog, google-cloud-go, google-gofuzz, google/s2a-go, googleapis/enterprise-certificate-proxy, googleapis/go-genproto, googleapis/google-cloud-go-testing, gosimple/unidecode, gotest.tools, groupcache, grpc-go, htm, human-signals, jake, jmespath-go-jmespath, jsonreference, mde (ejs), mde/filelist, moby/patternmatcher, moby/sys, moby/term, modern-go/concurrent, modern-go/reflect2, mwitkow/go-conntrack, nats-io-nuid, nats-io/nats.go, nodejs-walker, open-telemetry/opentelemetry-go, open-telemetry/opentelemetry-go-contrib, open-telemetry/opentelemetry-go-instrumentation, opencontainers/go-digest, opencontainers/image-spec, pmezard-go-difflib, prometheus-client_model, prometheus-common, prometheus-procfs, react-beautiful-dnd, santhosh-tekuri/jsonschema, sigs.k8s.io/yaml, spf13-afero, streamich/memfs, swag, tklauser/numcpus, tree-dump, uber-go/mock, watchman, websocket-driver-node, websocket-extensions-node, xml-name-validator and yaml for Go is Copyright 2006 Google Inc.

- CSSselect, DomHandler, Esprima, UglifyJS, blackfriday, browser-process-hrtime, css-what, damerau-levenshtein, domelementtype, domutils, escodegen, eslint-scope, espre, esrecurse, estraverse, esutils, glob-to-regexp, go-check-check, godbus-dbus, golang-github-magiconair-properties, node-entities, nth-check, pkg/errors, regjsparser, scottmotte/dotenv, sftp, terser, uri-js and webidl-conversions is Copyright (c) 2015, Scott Motte. Licensed under BSD 2-clause "Simplified" License.

- @isaacs/cliui, @istanbuljs/load-nyc-config, @ungap/structured-clone, anymatch, boolbase, cli-width, cliui, decred-dcrd, electron-to-chromium, fastq, flatted, foreground-child, fs.realpath, get-caller-file, glob-parent, go-spew, https, iarna/write-file-atomic, icss-utils, inflight, inherits, isaacs/once, isexe, make-error, minimalist-assert, minimatch, minipass, mute-stream, nexdrew/ansi-align, node-glob, node-graceful-fs, node-lru-cache, node-semver, npm ini, picocolors, postcss-modules-extract-imports, postcss-modules-scope, postcss-modules-values, rimraf, saxes, setprototypeof, signal-exit, string-width-cjs, strip-ansi-cjs, tapjs/signal-exit, test-exclude, v8-to-istanbul, which, wrap-ansi-cjs, wrappy, write-file-atomic, y18n, yallist, yaml and yargs-parser is Copyright (c) 2016, Contributors

- Consul, axe-core, errwrap, go-immutable-radix, gosimple/slug, hashicorp serf, hashicorp-go-cleanhttp, hashicorp-go-multierror, hashicorp-go-rootcerts, hashicorp-golang-lru and hashicorp/hcl is (C). Licensed under Mozilla Public License 2.0.

- @humanwhocodes/object-schema, @sinonjs/commons, @sinonjs/fake-timers, @xtuc/ieee754, Golang Protobuf, Googleuuid, abab, babel-plugin-istanbul, buffer-equal-constant-time, esquery, exp, fast-uri, fsnotify-fsnotify, gajus/table, github.com/lufia/plan9stats, github.com/munnerz/goautoneg, github.com/rogpeppe/fastuuid, github.com/sagikazarmark/slog-shim, github.com/twitchyliquid64/golang-asm, go.googleapis.com/arch, gogo/protobuf, golang-github-spf13-pflag-dev, golang.org/x/crypto, golang.org/x/mod, golang.org/x/net, golang.org/x/oauth2, golang.org/x/sys, golang.org/x/term, golang.org/x/time, golang.org/x/tools, golang.org/x/xerrors, golang/sync, golang/telemetry, golang/text, google/go-cmp, googleapis/gax-go, googleapis/google-api-go-client, gopsutil, grpc-gateway, hoist-non-react-statics, hugosk/flat, hyphenate-style-name, istanbul-lib-coverage, istanbul-lib-instrument, istanbul-lib-report, istanbul-lib-source-maps, istanbul-reports, jsdiff, julienschmidt/httprouter, klauspost-compress, kr-fs, makeerror, mergo, purell, qs - QS Querystring, react-transition-group, rogpeppe/go-internal, rsc/pdf, serialize-javascript, source-map, source-map-js, sprintf.js, tklauser/go-sysconf, tmpl, tough-cookie, underscore.deep, urlesc and xhit/go-str2duration is Copyright (c) 2013, GoInstant Inc., a salesforce.com company. Licensed under BSD 3-clause "New" or "Revised" License.

- fatih-color, kisielk-gotool and mattn-go-colorable is Copyright (c) 2009 The Go Authors. All rights reserved.. Licensed under (MIT License AND BSD 3-clause "New" or "Revised" License).

- jszip is Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>. Licensed under (MIT License OR GNU General Public License v3.0 only).

- nodeca/pako is (C) 2014-2017 Vitaly Puzrin and Andrey Tupitsin. Licensed under (zlib License AND MIT License).

- type-fest is Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (https://sindresorhus.com)

- yaml for Go is Copyright (c) 2006-2011 Kirill Simonov

- caniuse-lite is copyright

- domenico/opener and path-is-inside is Copyright © 2013. Licensed under (MIT License OR Do What The F*ck You Want To Public License).

- DOMPurify is Copyright 2025 Dr.-Ing. Mario Heiderich, Cure53. Licensed under (Apache License 2.0 OR Mozilla Public License 2.0).

- fs-monkey, streamich/memfs and thingies is © Vadim Dalecky. Licensed under The Unlicense.

- harmony-reflect is Copyright (C) 2011-2012 Software Languages Lab, Vrije Universiteit Brussel. Licensed under (Mozilla Public License 1.1 OR Apache License 2.0).
- language-subtag-registry is licensed under Creative Commons Zero v1.0 Universal.
- Microsofttslib is Copyright (c) Microsoft Corporation.. Licensed under BSD Zero Clause License.
- node-forge is Copyright 2012 Stefan Siegl <stesie@brokenpipe.de>. Licensed under (BSD 3-clause "New" or "Revised" License OR GNU General Public License v2.0 or later).
- isaacs/jackspeak, package-json-from-dist and path-scurry is N/A. Licensed under Blue Oak Model License 1.0.0.
- dominictarr/rc is Copyright (c) 2011 Dominic Tarr. Licensed under (MIT License OR BSD 2-clause "Simplified" License OR Apache License 2.0).
- nodeca-argparse is Copyright (C) 2020 argparse.js authors