

Open Source Licenses – Verint Intelligent Virtual Assistant (IVA)

Revision 1.03
November 2025

Unauthorized use, duplication, or modification of this document in whole or in part without the written consent of Verint Systems Inc. is strictly prohibited. By providing this document, Verint Systems Inc. is not making any representations regarding the correctness or completeness of its contents and reserves the right to alter this document at any time without notice. Features listed in this document are subject to change. Contact your Verint representative for current product features and specifications. All marks referenced herein with the ® or TM symbol are registered trademarks or trademarks of Verint Systems Inc. or its subsidiaries. All rights reserved. All other marks are trademarks of their respective owners.

© 2025 Verint Systems Inc. All rights reserved worldwide.

Table of Contents

Open Source Attribution	1
-------------------------------	---

Open Source Attribution

Certain components of this Software or software contained in this Product (collectively, "Software") may be covered by so-called "free or open source" software licenses ("Open Source Components"), which includes any software licenses approved as open source licenses by the Open Source Initiative or any similar licenses, including without limitation any license that, as a condition of distribution of the Open Source Components licensed, requires that the distributor make the Open Source Components available in source code format. A license in each Open Source Component is provided to you in accordance with the specific license terms specified in their respective license terms.

EXCEPT WITH REGARD TO ANY WARRANTIES OR OTHER RIGHTS AND OBLIGATIONS EXPRESSLY PROVIDED DIRECTLY TO YOU FROM VERINT, ALL OPEN SOURCE COMPONENTS ARE PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

Any third party technology that may be appropriate or necessary for use with the Verint Product is licensed to you only for use with the Verint Product under the terms of the third party license agreement specified in the Documentation, the Software or as provided online at <http://verint.com/thirdpartylicense>. You may not take any action that would separate the third-party technology from the Verint Product. Unless otherwise permitted under the terms of the third-party license agreement, you agree to only use the third-party technology in conjunction with the Verint Product.

The following Open Source Components may be included with this Software:

License Attributions for Intelligent Virtual Assistant (IVA)

- @aashutoshtrathi/word-wrap, @alloc/quick-lru, @anthropic-ai/sdk, @apify/ps-tree, @asamuzakjp/css-color, @azure/abort-controller, @azure/core-auth, @azure/core-client, @azure/core-http, @azure/core-http-compat, @azure/core-paging, @azure/core-rest-pipeline, @azure/core-tracing, @azure/core-util, @azure/logger, @azure/msal-browser, @azure/msal-common, @azure/search-documents, @babel/code-frame, @babel/compat-data, @babel/core, @babel/generator, @babel/helper-annotate-as-pure, @babel/helper-compilation-targets, @babel/helper-create-class-features-plugin, @babel/helper-environment-visitor, @babel/helper-function-name, @babel/helper-globals, @babel/helper-hoist-variables, @babel/helper-member-expression-to-functions, @babel/helper-module-imports, @babel/helper-module-transforms, @babel/helper-optimise-call-expression, @babel/helper-plugin-utils, @babel/helper-replace-supers, @babel/helper-simple-access, @babel/helper-skip-transparent-expression-wrappers, @babel/helper-split-export-declaration, @babel/helper-string-parser, @babel/helper-validator-identifier, @babel/helper-validator-option, @babel/helpers, @babel/highlight, @babel/parser, @babel/plugin-syntax-async-generators, @babel/plugin-syntax-bigint, @babel/plugin-syntax-class-properties, @babel/plugin-syntax-class-static-block, @babel/plugin-syntax-import-attributes, @babel/plugin-syntax-import-meta, @babel/plugin-syntax-json-strings, @babel/plugin-syntax-jsx, @babel/plugin-syntax-logical-assignment-operators, @babel/plugin-syntax-nullish-coalescing-operator, @babel/plugin-syntax-numeric-separator, @babel/plugin-syntax-object-rest-spread, @babel/plugin-syntax-optional-catch-binding, @babel/plugin-syntax-optional-chaining, @babel/plugin-syntax-private-property-in-object, @babel/plugin-syntax-top-level-await, @babel/plugin-syntax-typescript, @babel/plugin-transform-typescript, @babel/runtime, @babel/template, @babel/types, @bcoe/v8-coverage, @browserbasehq/stagehand, @cfworker/json-schema, @colors/colors, @cspotcode/source-map-support, @csstools/color-helpers, @csstools/css-calc, @csstools/css-color-parser, @csstools/css-parser-algorithms, @csstools/css-tokenizer, @ctrl/tinycolor, @emnapi/core, @emnapi/runtime, @emnapi/wasi-threads, @eslint-community/eslint-utils, @eslint-community/regexpp, @eslint/eslintrc, @eslint/js,

@fastify/busboy, @fortawesome/fontawesome-common-types, @fortawesome/fontawesome-svg-core, @fortawesome/vue-fontawesome, @graphql-typed-document-node/core, @inquirer/figures, @interactjs/types, @intlify/core-base, @intlify/message-compiler, @intlify/shared, @ioredis/commands, @isaacs/balanced-match, @isaacs/brace-expansion, @istanbuljs/schema, @jest-mock/express, @jest/console, @jest/core, @jest/diff-sequences, @jest/environment, @jest/expect, @jest/expect-utils, @jest/fake-timers, @jest/get-type, @jest/globals, @jest/pattern, @jest/reporters, @jest/schemas, @jest/snapshot-utils, @jest/source-map, @jest/test-result, @jest/test-sequencer, @jest/transform, @jest/types, @jridgewell/gen-mapping, @jridgewell/resolve-uri, @jridgewell/set-array, @jridgewell/sourcemap-codec, @jridgewell/trace-mapping, @js-sdsl/ordered-map, @langchain/aws, @langchain/core, @langchain/google-common, @langchain/google-vertexai-web, @langchain/google-webauth, @langchain/openai, @langchain/pinecone, @langchain/textsplitters, @langchain/weaviate, @microsoft/recognizers-text, @microsoft/recognizers-text-choice, @microsoft/recognizers-text-data-types-timex-expression, @microsoft/recognizers-text-date-time, @microsoft/recognizers-text-number, @microsoft/recognizers-text-number-with-unit, @microsoft/recognizers-text-sequence, @microsoft/recognizers-text-suite, @mongodb-js/saslprep, @napi-rs/wasm-runtime, @naytey/grapheme-splitter, @nlpjs/lang-es, @noble/hashes, @node-lib/fs.scandir, @node-lib/fs.stat, @node-lib/fs.walk, @octokit/app, @octokit/auth-app, @octokit/auth-oauth-app, @octokit/auth-oauth-device, @octokit/auth-oauth-user, @octokit/auth-token, @octokit/auth-unauthenticated, @octokit/core, @octokit/endpoint, @octokit/graphql, @octokit/oauth-app, @octokit/oauth-authorization-url, @octokit/oauth-methods, @octokit/openapi-types, @octokit/plugin-paginate-graphql, @octokit/plugin-paginate-rest, @octokit/plugin-request-log, @octokit/plugin-rest-endpoint-methods, @octokit/plugin-retry, @octokit/plugin-throttling, @octokit/request, @octokit/request-error, @octokit/rest, @octokit/types, @octokit/webhooks-methods, @octokit/webhooks-types, @one-ini/wasm, @oozcitak/infra, @oozcitak/url, @oozcitak/util, @panzoom/panzoom, @paralleldrive/cuid2, @pkgjs/parseargs, @pkgr/core, @popperjs/core, @redis/bloom, @redis/client, @redis/graph, @redis/json, @redis/search, @redis/time-series, @rollup/rollup-android-arm-eabi, @rollup/rollup-android-arm64, @rollup/rollup-darwin-arm64, @rollup/rollup-darwin-x64, @rollup/rollup-linux-arm-gnueabi, @rollup/rollup-linux-arm-musleabi, @rollup/rollup-linux-arm64-gnu, @rollup/rollup-linux-arm64-musl, @rollup/rollup-linux-powerpc64le-gnu, @rollup/rollup-linux-riscv64-gnu, @rollup/rollup-linux-s390x-gnu, @rollup/rollup-linux-x64-gnu, @rollup/rollup-linux-x64-musl, @rollup/rollup-win32-arm64-msvc, @rollup/rollup-win32-ia32-msvc, @rollup/rollup-win32-x64-msvc, @rushstack/eslint-patch, @sapphire/async-queue, @sapphire/shapeshift, @sec-ant/readable-stream, @selderee/plugin-htmlparser2, @sinclair/typebox, @sindresorhus/is, @socket.io/component-emitter, @socket.io/redis-adapter, @standard-schema/spec, @swc/helpers, @szmarczak/http-timer, @tokenizer/inflate, @tokenizer/token, @tootallnate/once, @trutoo/funnel-graph, @tsconfig/node10, @tsconfig/node12, @tsconfig/node14, @tsconfig/node16, @tsconfig/node22, @tybys/wasm-util, @types/archiver, @types/autosize, @types/aws-lambda, @types/babel__core, @types/babel__generator, @types/babel__template, @types/babel__traverse, @types/bad-words, @types/body-parser, @types/btoa-lite, @types/caseless, @types/chai, @types/chai-subset, @types/cheerio, @types/connect, @types/content-type, @types/cookie, @types/cookiejar, @types/cors, @types/crawler, @types/d3, @types/d3-array, @types/d3-axis, @types/d3-brush, @types/d3-chord, @types/d3-color, @types/d3-contour, @types/d3-delaunay, @types/d3-dispatch, @types/d3-drag, @types/d3-dsv, @types/d3-ease, @types/d3-fetch, @types/d3-force, @types/d3-format, @types/d3-geo, @types/d3-hierarchy, @types/d3-interpolate, @types/d3-path, @types/d3-polygon, @types/d3-quadtree, @types/d3-random, @types/d3-scale, @types/d3-scale-chromatic, @types/d3-selection, @types/d3-shape, @types/d3-time, @types/d3-time-format, @types/d3-timer, @types/d3-transition, @types/d3-zoom, @types/debug, @types/docker-modem, @types/dockerode, @types/dropzone, @types/estree, @types/express, @types/express-serve-static-core, @types/geojson, @types/graceful-fs, @types/html-to-text, @types/http-cache-semantics, @types/http-errors, @types/http-proxy, @types/ip, @types/istanbul-lib-coverage, @types/istanbul-lib-report, @types/istanbul-reports, @types/jest, @types/jquery, @types/jqueryui, @types/js-cookie, @types/js-yaml, @types/jsdom, @types/json-schema, @types/json5, @types/jsonwebtoken, @types/lodash, @types/marked, @types/methods, @types/mime, @types/mocha, @types/ms, @types/multer, @types/netmask, @types/node, @types/node-fetch, @types/node-forge, @types/nodemailer, @types/papaparse, @types/prompt-sync, @types/pug, @types/qs, @types/range-parser, @types/readdir-glob, @types/request, @types/retry, @types/sax, @types/semver, @types/send, @types/serve-static, @types/sizzle, @types/splitpanes, @types/ssh2, @types/ssh2-streams, @types/stack-utils, @types/strip-bom, @types/strip-json-comments, @types/superagent, @types/supertest, @types/tar, @types/tar-stream, @types/tough-cookie, @types/triple-beam, @types/tunnel, @types/turndown, @types/uuid, @types/web-bluetooth, @types/webidl-conversions, @types/whatwg-url, @types/ws, @types/xml2js, @types/yargs, @types/yargs-parser, @typescript-eslint/eslint-plugin, @typescript-eslint/parser, @typescript-eslint/project-service, @typescript-eslint/scope-manager, @typescript-eslint/tsconfig-utils, @typescript-eslint/type-utils, @typescript-eslint/types, @typescript-eslint/typescript-estree, @typescript-eslint/utils, @typescript-eslint/visitor-keys, @typespec/ts-http-runtime, @unrs/resolver-binding-android-arm-eabi, @unrs/resolver-binding-android-arm64, @unrs/resolver-binding-darwin-arm64, @unrs/resolver-binding-darwin-x64, @unrs/resolver-binding-freebsd-x64, @unrs/resolver-binding-linux-arm-gnueabi, @unrs/resolver-binding-linux-arm-musleabi, @unrs/resolver-binding-linux-arm64-gnu, @unrs/resolver-binding-linux-arm64-musl, @unrs/resolver-binding-linux-ppc64-gnu, @unrs/resolver-binding-linux-riscv64-gnu, @unrs/resolver-binding-linux-riscv64-musl, @unrs/resolver-binding-linux-s390x-gnu, @unrs/resolver-binding-linux-x64-gnu, @unrs/resolver-binding-linux-x64-musl, @unrs/resolver-binding-wasm32-wasi, @unrs/resolver-binding-win32-arm64-msvc, @unrs/resolver-binding-win32-ia32-msvc, @unrs/resolver-binding-win32-x64-msvc, @vitejs/plugin-vue, @vitejs/plugin-vue-jsx,

@vitest/coverage-c8, @vitest/coverage-v8, @vitest/expect, @vitest/mocker, @vitest/pretty-format, @vitest/runner, @vitest/snapshot, @vitest/spy, @vitest/utils, @vladfrangu/async_event_emitter, @volar/language-core, @volar/source-map, @volar/typescript, @vue/babel-helper-vue-transform-on, @vue/babel-plugin-jsx, @vue/babel-plugin-resolve-type, @vue/compiler-core, @vue/compiler-dom, @vue/compiler-sfc, @vue/compiler-ssr, @vue/compiler-vue2, @vue/devtools-api, @vue/eslint-config-prettier, @vue/eslint-config-typescript, @vue/language-core, @vue/reactivity, @vue/reactivity-transform, @vue/runtime-core, @vue/runtime-dom, @vue/server-renderer, @vue/shared, @vue/test-utils, @vue/tsconfig, @vue/typescript, @vuepic/vue-datepicker, @vuetify/loader-shared, @vueuse/components, @vueuse/core, @vueuse/metadata, @vueuse/shared, ARG, Acorn, Acorn-JSX, AdaptiveCards, Args, Async, Autoprefixer, BasicAuth, Bluebird JS, Bootstrap (Twitter), BotBuilder, Buffer, Byline, Chai, Chalk, Clone, Commander.js, DABH/diagnostics, Decamelize, DropzoneJS, ESLint, ForbesLindesay/constantinople, ForbesLindesay/with, Gozala/events, Inquirer.js, JSHTTP's negotiator, Jest from Facebook, Jose, Lodash, Merge-Stream, Mocha (JavaScript Testing Framework), Mongoose, Node Cookie Parser, Node LevelUP, Nodemailer, PapaParse, PostCSS, Prettier IO, Punycode.js, Qix-/color-convert, Qix/color, Raynos/for-each, Socket.IO Parser, Strip ANSI, TypedArray, Underscore.js, Vue.js, abort-controller, acorn-globals, acorn-walk, adaptivecards-templating, adm-zip, afinn-165, afinn-165-financialmarketnews, agent-base, agentkeepalive, aggregate-error, aheckmann/mquery, ajv, alien-signals, ansi-colors, ansi-escapes, ansi-regex, ansi-styles, any-promise, apexcharts, apparatus, append-field, archiver-utils, array-buffer-byte-length, array-flatten, array-union, arraybuffer.prototype.slice, arrify, as-table, asap, asn1.js, assert-never, assertion-error, async-function, async-lock, async-retry, asynckit, atomic-sleep, autosize, available-typed-arrays, aws4, axios, azure-sdk-for-js, babel-preset-current-node-syntax, babel-traverse, babel-walk, bad-words, badwords-list, bahmutov/start-server-and-test, balanced-match, base64-js, base64id, base64url, bignumber.js, binary-extensions, bintrees, bl, bn.js, body-parser, bootstrap-icons, botbuilder-js, bottleneck, bottleneckp, brace-expansion, braces, brorand, browserify-aes, browserify-cipher, browserify-fs, browserify-rsa, browserify/detect, browserify/resolve, browserslist, bs-logger, btoa-lite, buffer-crc32, buffer-from, buffer-xor, buildcheck, builtin-status-codes, bundle-name, busboy, bytes.js, cac, cacheable-lookup, cacheable-request, call-bind, call-bind-apply-helpers, call-bound, callsites, calvinmetcalf/lie, camelcase, camelcase-css, canvas-renderer, char-regex, character-parser, check-error, cheerio, chokidar, ci-info, cipher-base, cjs-module-lexer, clean-stack, cli-cursor, cli-spinners, cli-truncate, co, collect-v8-coverage, color-name, color-string, colorette, colorspace, combined-stream, compress-commons, computed, concat-stream, confbox, config-chain, console-table-printer, content-disposition, convert-source-map, core-util-is, corser, cpu-features, crawler, crc32-stream, create-hash, create-hmac, create-require, createecdh, cross-env, cross-fetch, crypto-browserify, crypto-browserify/pbkdf2, cssesc, cssom, cssstyle, csstype, csv-stringify, data-uri-to-buffer, data-urls, data-view-buffer, data-view-byte-length, data-view-byte-offset, date-fns-tz, date-fns/date-fns, dayjs, de-indent, debug-js/debug, decimal.js, decompress-response, dedent, deep-eql, deep-extend, deep-is, deepmerge, default-browser, default-browser-id, defaults, defer-to-connect, deferred-leveldown, define-data-property, define-lazy-prop, define-properties, defined, delayed-stream, dependency-graph, des.js, destroy, detect-newline, diffie-hellman, dir-glob, div, docker-compose, doctypes, dom-serializer, domexception, dot-prop, doublearray, dunder-proto, duplex, duplexify, dynamic-dedupe, eastasianwidth, ecc-jsbn, editorconfig-core-c, ee-first, einaros/ws, elliptic, emitter-component, emittery, emoji-regex, enabled, encodeurl, encoding, encoding-down, encoding-sniffer, end-of-stream, engine.io, engine.io-client, engine.io-parser, errno, es-abstract, es-define-property, es-errors, es-module-lexer, es-object-atoms, es-set-tostringtag, es-shims/String.prototype.padEnd, es-to-primitive, esbuild, escalade, escape-html, escape-string-regexp, eslint-config-prettier, eslint-plugin-jest-extended, eslint-plugin-prettier, eslint-plugin-vue, eslint-utils, estree-walker, etag, event-stream, event-target-shim, EventEmitter3, evp_bytestokey, execa, exit-x, expect, expr-eval, expressjs/accepts, expressjs/express, expressjs/mime-types, extend, extract-files, extsprintf, faiss-node, fast-deep-equal, fast-fifo, fast-glob, fast-json-stable-stringify, fast-levenshtein, fast-redact, fast-safe-stringify, fast-uri, fast-xml-parser, fecha, felixge/node-retry, fflate, figlet.js, figures, file-entry-cache, file-type, file-uri-to-path, filename-reserved-regex, filenamify, fill-range, finalhandler, find-cache-dir, find-up, flat-cache, flatiron/union, flatiron/winston, fn.name, follow-redirects, foreach, form-data, form-data-encoder, formdata-node, formidable, forwarded, fraction.js, from, fs-constants, fsevents, function-bind, function.prototype.name, functions-have-names, fwd-stream, generator-function, gensync, get-func-name, get-intrinsic, get-package-type, get-port, get-proto, get-stream, get-symbol-description, get-tsconfig, getpass, github-from-package, globalthis, gopd, graphemer, graphql, graphql-request, gridstack.js, gtoken, har-validator, has, has-ansi, has-bigints, has-flag, has-property-descriptors, has-proto, has-symbols, has-tostringtag, hash-base, hash.js, hasown, hmac-drbg, hpagent, html-encoding-sniffer, html-tags, html-to-text, htmlparser2, http-errors, http-proxy, http2-wrapper, https-browserify, https-proxy-agent, humanize-ms, iconv-lite, idb-wrapper, immediate, immutable.js, import-fresh, import-local, imurmurhash, indent-string, indexof, interact.js, internal-slot, interpret, ioredis, ipaddress, is, is-any-array, is-array-buffer, is-arrayish, is-async-function, is-bigint, is-binary-path, is-boolean-object, is-buffer, is-callable, is-core-module, is-data-view, is-date-object, is-docker, is-expression, is-extglob, is-finalizationregistry, is-fullwidth-code-point, is-generator-fn, is-generator-function, is-glob, is-inside-container, is-interactive, is-map, is-negative-zero, is-number, is-number-object, is-obj, is-path-inside, is-plain-obj, is-potential-custom-element-name, is-regex, is-set, is-shared-array-buffer, is-stream, is-string, is-symbol, is-typed-array, is-unicode-supported, is-weakmap, is-weakref, is-weakset, is-wsl, isarray, isomorphic-dompurify, isomorphic.js, ispromise, isstream, jQuery, jQuery Query Builder, jQuery UI, jade-attrs, jade-error, jade-filters, jade-lexer, jade-linker, jade-parser, jade-runtime, jade-strip-comments, jdenticon, jest-changed-files, jest-community/jest-extended, jest-config, jest-diff, jest-each, jest-environment-node, jest-get-type, jest-haste-map, jest-leak-detector, jest-matcher-utils, jest-message-util, jest-pnp-resolver, jest-regex-util, jest-resolve, jest-resolve-dependencies, jest-runner, jest-runtime, jest-snapshot, jest-util, jest-validate, jest-worker, jiti, joycon, jquery-extend, js-beautify, js-cookie, js-sha256, js-sha512, js-stringify, js-tiktoken, js-tokens, js-yaml,

jsbn, jsdom, jsc, jshttp statuses, jshttp/content-type, jshttp/fresh, jsjest, json-bigint, json-buffer, json-parse-better-errors, json-parse-even-better-errors, json-schema-traverse, json-stable-stringify, json11, json5, jsonc-parser, jsonpointer, jsonwebtoken, jsprim, jstransformer, just-extend, jwa, jwks-rsa, kensho/check-more-types, keyv, klaw-sync, kleur, kuler, lancedikson/bowser, langchain-ai/langchainjs, langsmith, lazy-ass, lazystream, leac, level, level-blobs, level-codec, level-concat-iterator, level-errors, level-file-system, level-fix-range, level-hooks, level-iterator-stream, level-packager, level-peek, level-sublevel, level-supports, level.js, leven, levn, lib0, lilconfig, limiter, lines-and-columns, ljharp/is-object, ljharp/object.assign, load-json-file, local-pkg, locate-path, lodash-es, lodash.assignin, lodash.bind, lodash.camelcase, lodash.clonedeep, lodash.defaults, lodash.filter, lodash.flatten, lodash.foreach, lodash.includes, lodash.isarguments, lodash.isboolean, lodash.isequal, lodash.isinteger, lodash.isnumber, lodash.isplainobject, lodash.isstring, lodash.map, lodash.memoize, lodash.merge, lodash.once, lodash.pick, lodash.reduce, lodash.reject, lodash.some, log-symbols, logform, loupe, lowercase-keys, lru-memoizer, ltgt, mafintosh/pump, mafintosh/why-is-node-running, magic-string, magicast, make-dir, map-stream, markedjs, math-intrinsics, mathiasbynens/base64, mathiasbynens/he, md5.js, media-typers, memjs, memory-pager, memory-stream-mcavage, merge-descriptors, merge2, methods, micromatch, microsoft-authentication-library-for-js, miller-rabin, mime, mime-db, mimic-fn, mimic-response, minimalist-crypto-utils, minimalist, mjwitt/node-XMLHttpRequest, mkdirp-classic, ml-array-min, ml-logistic-regression, ml-matrix, mly, moment/moment, moxystudio/node-cross-spawn, mpath, mri, ms.js, muggle-string, multer, mustache.js, mylas, mz, nan, nanoid, napi-build-utils, napi-macros, napi-postinstall, natural, natural-compare, natural-compare-lite, ncp, netmask, nice-try, node-abi, node-abstract-leveldown, node-addon-api, node-archiver, node-assert-plus, node-bindings, node-browserify-des, node-chardet, node-commander, node-concat-map, node-cookie-signature, node-cookiejar, node-cors, node-dashdash, node-dateformat, node-domexception, node-error-ex, node-external-editor, node-fetch, node-fs-extra, node-gyp-build, node-html-entities, node-http-proxy-agent, node-http-signature, node-ign, node-int64, node-ip, node-jsonfile, node-jws, node-leveldown, node-mkdirp, node-mocks-http, node-pool, node-process, node-releases, node-shell-quote, node-source-map-support, node-stack-trace, node-tmp, node-tunnel, node-url, node-url-utils, node-xml2js, node_postgres, nodeapps/http-server, nodeca-argparse, nodejs Deprecate, nodejs-asn1, nodejs-exit, nodejs/string_decoder, normalize-path, normalize-range, notepack, npm-run-all, npm-run-path, nwsapi, object-assign, object-hash, object-inspect, object-keys, octal, octokit.js, octokit/webhooks.js, on-exit-leak-free, on-finished, open-api-monorepo, openssl-wrapper, optionator, ora, os-tmpdir, own-keys, p-cancelable, p-finally, p-limit, p-locate, p-queue, p-retry, p-timeout, p-try, parent-module, parent-require, parse-json, parse5, parseley, parseurl, patch-package, path-browserify, path-exists, path-is-absolute, path-key, path-parse, path-to-regexp, path-type, pathe, pathval, pebermint, peek-readable, performance-now, pg-connection-string, pg-pool, pg-protocol, pg-types, pgpass, picomatch, pidtree, pify, pinia, pinia-plugin-persistedstate, pino, pino-abstract-transport, pino-std-serializers, pinojs/pino-pretty, pirates, pkg-dir, pkg-types, plimit-lit, portfinder, possible-typed-array-names, postcss-import, postcss-js, postcss-load-config, postcss-nested, postcss-selector-parser, postcss-value-parser, postgres-array, postgres-bytea, postgres-date, postgres-interval, prebuild-install, prelude-ls, prettier-linter-helpers, prettier-plugin-organize-imports, pretty-format, prettymuchbryce/http-status-codes, primeicons, primevue, process-nextick-args, process-warning, prompt-sync, prompts, proper-lockfile, properties-reader, property-expr, proxy-addr, proxy-from-env, prr, ps-tree, psl, publicEncrypt, pug, pug-load, pug-walk, pugjs/pug, pure-rand, querystringify, queue-lit, queue-microtask, quick-format-unescaped, quick-lru, randombytes, randomfill, range-parser, raw-body, react-is, read-cache, read-pkg, readable-stream, readable-web-to-node-stream, readdirp, real-require, rechoir, redis, redis-errors, redis-om, redis-parser, reflect.getPrototypeOf, regenerator-runtime, regexp.prototype.flags, regxp, require-directory, require-from-string, requires-port, resolve-alpn, resolve-cwd, resolve-from, resolve-pkg-maps, resolve.exports, responselike, restore-cursor, retry-request, reusify, rfc4648, rfdc, ripemd160, robots-parser, rollup/rollup, router, rweb-cssom, rsa-pem-from-mod-exp, run-applescript, run-async, run-parallel, safe-array-concat, safe-buffer, safe-push-apply, safe-regex-test, safe-stable-stringify, safer-buffer, sass, sax, seenreq, selderee, send, serve-static, set-function-length, set-function-name, set-proto, setImmediate, shebang-command, shebang-regex, shelljs/shx, side-channel, side-channel-list, side-channel-map, side-channel-weakmap, sift, simple-concat, simple-get, simple-swizzle, simple-wcwidth, sindresorhus-open, sindresorhus/globals, sindresorhus/globby, sindresorhus/got, sindresorhus/normalize-url, sindresorhus/once, sindresorhus/ow, sindresorhus/slash, sindresorhus/yoctocolors, sisteransi, sleep-promise, slice-ansi, smart-buffer, socket.io, socket.io-adapter, socket.io-client, socks, socks-proxy-agent, sonic-boom, sourcemap-codec, sparse-bitfield, sdp-expression-parse.js, split, splitpanes, sql-parser-misc, ssh-remote-port-forward, ssh2, sshpk, stable-stringify, stack-utils, stackback, standard-as-callback, std-env, stop-iteration-iterator, stoppable, stopwords-iso, stream-browserify, stream-combiner, stream-events, stream-http, stream-shift, streamsearch, streamx, string-comparison, string-length, string-range, string-width, string.prototype.trim, string.prototype.trimend, string.prototype.trimstart, strip-bom, strip-final-newline, strip-json-comments, strip-literal, strip-outer, striptags, strnum, strtok3, stubs, sucrase, superagent, supertest, supports-color, supports-preserve-symlinks-flag, svg-tags, svg.draggable.js, svg.easing.js, svg.filter.js, svg.js, svg.pathmorphing.js, svg.resize.js, svg.select.js, sylvester, symbol-tree, tailwindcss, tar-fs, tar-stream, testcontainers, text-hex, text-table, then/promise, thenify, thenify-all, thread-stream, tiny-case, tiny-typed-emitter, tinybench, tinyexec, tinypool, tinyrainbow, tinyspy, tldts, tldts-core, to-buffer, to-fast-properties, to-regex-range, toidentifier, token-stream, token-types, toposort, tr46, tree-kill, trim-repeated, triple-beam, ts-api-utils, ts-jest, ts-jest-mock-import-meta, ts-node, ts-node-dev, tsc-alias, tsconfig, tsconfig-paths, tsutils, tsx, turndown, twilio-node, type-check, type-detect, type-is, typed-array-buffer, typed-array-byte-length, typed-array-byte-offset, typed-array-length, typedarray-to-buffer, typescript-eslint, ufo, uid2, uint8array-extras, ulid, un-ts/synckit, unbox-primitive, undici, undici-types, unicolor, universal-github-app-jwt, universalify, unpdf, unpipe, unrs-resolver, unshiftio/one-time, upath, update-browserslist-db, url-parse, urljoin, util-deprecate, utils-merge,

uuid, v8-compile-cache-lib, vali-date, vary, verror, vite-node, vite-plugin-css-injected-by-js, vite-plugin-monaco-editor, vite-plugin-vuetify, vitejs, vitest, vm2, void-elements, vscode-uri, vue-component-type-helpers, vue-composable-tester, vue-contenteditable, vue-demi, vue-eslint-parser, vue-i18n, vue-loading-overlay, vue-router, vue-timeago3, vue-tsc, vue-uuid, vue3-apexcharts, vuejs/vue, vuetify, w3c-xmlserializer, wait-on, wavefile, wcwidth, web-auth-library, web-streams-polyfill, webreflection/html-escaper, welch/tdigest, whatwg-encoding, whatwg-mimetype, whatwg-url, which-boxed-primitive, which-builtin-type, which-collection, which-typed-array, whitequark/ipaddr.js, winston-transport, word-wrap, wordnet-db, wrap-ansi, wsl-utils, xmlbuilder-js, xmlbuilder2, xmlchars, xmldom, xtend, y-leveldb, y-protocols, y-socket.io, yargs, yargs-unparser, yjs, yn, yocto-queue, yup, zip-stream, zlib.js and zod is Copyright (c) 2015-2022 Douglas Christopher Wilson doug@somethingdoug.com

• @ampproject/remapping, @apify/consts, @apify/datastructures, @apify/log, @apify/pseudo_url, @apify/timeout, @apify/utilities, @aws-crypto/crc32, @aws-crypto/crc32c, @aws-crypto/sha1-browser, @aws-crypto/sha256-browser, @aws-crypto/sha256-js, @aws-crypto/supports-web-crypto, @aws-crypto/util, @aws-sdk/client-bedrock-agent-runtime, @aws-sdk/client-bedrock-runtime, @aws-sdk/client-cognito-identity, @aws-sdk/client-kendra, @aws-sdk/client-s3, @aws-sdk/client-ses, @aws-sdk/client-sqs, @aws-sdk/client-ssm, @aws-sdk/client-ssm-oidc, @aws-sdk/client-sts, @aws-sdk/core, @aws-sdk/credential-provider-cognito-identity, @aws-sdk/credential-provider-env, @aws-sdk/credential-provider-http, @aws-sdk/credential-provider-ini, @aws-sdk/credential-provider-node, @aws-sdk/credential-provider-process, @aws-sdk/credential-provider-ssm, @aws-sdk/credential-provider-web-identity, @aws-sdk/credential-providers, @aws-sdk/eventstream-handler-node, @aws-sdk/lib-storage, @aws-sdk/middleware-bucket-endpoint, @aws-sdk/middleware-eventstream, @aws-sdk/middleware-expect-continue, @aws-sdk/middleware-flexible-checksums, @aws-sdk/middleware-host-header, @aws-sdk/middleware-location-constraint, @aws-sdk/middleware-logger, @aws-sdk/middleware-recursion-detection, @aws-sdk/middleware-sdk-s3, @aws-sdk/middleware-sdk-sqs, @aws-sdk/middleware-ssec, @aws-sdk/middleware-user-agent, @aws-sdk/nested-clients, @aws-sdk/region-config-resolver, @aws-sdk/s3-request-presigner, @aws-sdk/signature-v4-multi-region, @aws-sdk/token-providers, @aws-sdk/types, @aws-sdk/util-arn-parser, @aws-sdk/util-endpoints, @aws-sdk/util-format-url, @aws-sdk/util-locate-window, @aws-sdk/util-user-agent-browser, @aws-sdk/util-user-agent-node, @aws-sdk/util-utf8-browser, @aws-sdk/xml-builder, @aws/lambda-invoke-store, @balena/dockerignore, @browserbasehq/sdk, @crawlee/basic, @crawlee/browser, @crawlee/browser-pool, @crawlee/cheerio, @crawlee/cli, @crawlee/core, @crawlee/http, @crawlee/memory-storage, @crawlee/playwright, @crawlee/puppeteer, @crawlee/templates, @crawlee/types, @crawlee/utils, @elastic/elasticsearch, @elastic/transport, @eslint/config-array, @eslint/config-helpers, @eslint/core, @eslint/object-schema, @eslint/plugin-kit, @google-cloud/common, @google-cloud/paginator, @google-cloud/projectify, @google-cloud/promisify, @grpc/proto-loader, @humanfs/core, @humanfs/node, @humanwhocodes/config-array, @humanwhocodes/module-importer, @humanwhocodes/retry, @ibm-cloud/watsonx-ai, @img/sharp-darwin-arm64, @img/sharp-darwin-x64, @img/sharp-libvips-darwin-arm64, @img/sharp-libvips-darwin-x64, @img/sharp-libvips-linux-arm, @img/sharp-libvips-linux-arm64, @img/sharp-libvips-linux-s390x, @img/sharp-libvips-linux-x64, @img/sharp-libvips-linuxmusl-arm64, @img/sharp-libvips-linuxmusl-x64, @img/sharp-linux-arm, @img/sharp-linux-arm64, @img/sharp-linux-s390x, @img/sharp-linux-x64, @img/sharp-linuxmusl-arm64, @img/sharp-linuxmusl-x64, @img/sharp-wasm32, @img/sharp-win32-ia32, @img/sharp-win32-x64, @mdi/font, @opensearch-project/opensearch, @opentelemetry/api, @pinecone-database/pinecone, @playwright/test, @smithy/abort-controller, @smithy/chunked-blob-reader, @smithy/chunked-blob-reader-native, @smithy/config-resolver, @smithy/core, @smithy/credential-provider-imds, @smithy/eventstream-codec, @smithy/eventstream-serde-browser, @smithy/eventstream-serde-config-resolver, @smithy/eventstream-serde-node, @smithy/eventstream-serde-universal, @smithy/fetch-http-handler, @smithy/hash-blob-browser, @smithy/hash-node, @smithy/hash-stream-node, @smithy/invalid-dependency, @smithy/is-array-buffer, @smithy/md5-js, @smithy/middleware-content-length, @smithy/middleware-endpoint, @smithy/middleware-retry, @smithy/middleware-serde, @smithy/middleware-stack, @smithy/node-config-provider, @smithy/node-http-handler, @smithy/property-provider, @smithy/protocol-http, @smithy/querystring-builder, @smithy/querystring-parser, @smithy/service-error-classification, @smithy/shared-ini-file-loader, @smithy/signature-v4, @smithy/smithy-client, @smithy/types, @smithy/url-parser, @smithy/util-base64, @smithy/util-body-length-browser, @smithy/util-body-length-node, @smithy/util-buffer-from, @smithy/util-config-provider, @smithy/util-defaults-mode-browser, @smithy/util-defaults-mode-node, @smithy/util-endpoints, @smithy/util-hex-encoding, @smithy/util-middleware, @smithy/util-retry, @smithy/util-stream, @smithy/util-uri-escape, @smithy/util-utf8, @smithy/util-waiter, @smithy/uuid, Long.js, ReactiveX RxJS, Request - Simple HTTP Client, TypeScript, acorn-node, aws-sign, b4a, bare-events, bare-fs, bare-os, bare-path, bare-stream, bare-url, before-after-hook, caseless, cluster-key-slot, crawlee, crc-32, denque, detect-libc, didyoumean.js, docker.model, dockeroode, doctrine, ecdsa-sig-formatter, eslint-visitor-keys, events-universal, expect-type, fast-diff, find-yarn-workspace-root, fingerprint-generator, fingerprint-injector, forever-agent, gaxios, gcp-metadata, generative-bayesian-network, google-auth-library, google_apis, got-scraping, grpc-js, header-generator, human-signals, ibm-cloud-sdk-core, jake, js-bson, kareem, kuromoji, lovell/sharp, mde (ejs), mde/filelist, mikeal/oauth-sign, mongodb-connection-string-url, node-mongodb-native, nodejs-walker, openai, playwright, proxy-chain, readdir-glob, request/tunnel-agent, retry-axios, siimon/prom-client, sidx-correct.js, text-decoder, ts-interface-checker, validate-npm-package-license, watchman, workerpool, xml-name-validator and yargonaut is Copyright 2006 Google Inc.

- @isaacs/cliui, @istanbuljs/load-nyc-config, @ungap/structured-clone, D3.js, abbrev, animir/node-rate-limiter-flexible, anymatch, at-least-node, boolbase, browser-stdout, browserify-sign, c8, chownr, cli-width, cliui, d3-array, d3-axis, d3-brush, d3-chord, d3-color, d3-contour, d3-delaunay, d3-dispatch, d3-drag, d3-dsv, d3-fetch, d3-force, d3-format, d3-geo, d3-hierarchy, d3-interpolate, d3-path, d3-polygon, d3-quadtree, d3-random, d3-scale, d3-scale-chromatic, d3-selection, d3-shape, d3-time, d3-time-format, d3-timer, d3-transition, d3-zoom, delaunator, deprecation, dezalgo, digest-fetch, electron-to-chromium, fastq, flattened, foreground-child, fs.realpath, get-caller-file, glob-parent, har-schema, hosted-git-info, inflight, inherits, internmap, isaacs/once, isexe, json-stringify-safe, make-error, minimalistic-assert, minimatch, minipass, mute-stream, node-glob, node-graceful-fs, node-lru-cache, node-semver, nopt, npm ini, parse-asn1, pg-int8, picocolors, proto-list, rimraf, sax-js, setprototypeof, siginfo, signal-exit, split-ca, split2, string-width-cjs, strip-ansi-cjs, test-exclude, universal-user-agent, v8-to-istanbul, which, wrap-ansi-cjs, wrappy, write-file-atomic, y18n, yallist, yaml, yargs-parser and zod-to-json-schema is Copyright (c) 2016, Contributors

- @hapi/address, @hapi/formula, @hapi/pinpoint, @hapi/tlds, @humanwhocodes/object-schema, @protobufjs/aspromise, @protobufjs/base64, @protobufjs/codegen, @protobufjs/eventemitter, @protobufjs/fetch, @protobufjs/float, @protobufjs/inquire, @protobufjs/path, @protobufjs/pool, @protobufjs/utf8, @sideway/address, @sideway/formula, @sideway/pinpoint, @sinonjs/commons, @sinonjs/fake-timers, CSSselect, ProtoBuf.js, abab, babel-plugin-istanbul, bcrypt-pbkdf, buffer-equal-constant-time, charenc, crypt, d3-ease, devtools-protocol, duck, esquery, hapi__hoek, hapi__topo, hughsk/flat, ieee754, istanbul-lib-coverage, istanbul-lib-instrument, istanbul-lib-report, istanbul-lib-source-maps, istanbul-reports, joi, jsdiff, makeerror, md5, qs - QS Querystring, rw, scmp, secure-compare, secure-json-parse, serialize-javascript, shelljs, source-map, source-map-js, sprintf.js, stream-chain, stream-json, tmpl, tough-cookie and weaviate-ts-client is Copyright (c) 2013, Golnstant Inc., a salesforce.com company. Licensed under BSD 3-clause "New" or "Revised" License.

- caniuse-lite is copyright

- DOMPurify is Copyright 2025 Dr.-Ing. Mario Heiderich, Cure53. Licensed under (Apache License 2.0 OR Mozilla Public License 2.0).

- @mixmark-io/domino, @typescript-eslint/parser, @typescript-eslint/typescript-estree, @yarnpkg/lockfile, CSSselect, DomHandler, Esprima, cheerio-select, css-what, dingbat-to-unicode, domelementtype, domutils, escodegen, eslint-scope, espree, esrecurse, estraverse, esutils, http-cache-semantics, level.js, lop, mammoth, node-entities, node-semver, normalize-package-data, nth-check, option, scottmott/dotenv, uri-js and webidl-conversions is Copyright (C) 2014 Thiago de Arruda <tpadilha84@gmail.com>. Licensed under BSD 2-clause "Simplified" License.

- GreenSock-JS is (c)?!. Licensed under Basic Proprietary Commercial License.

- isaacs/jackspeak, package-json-from-dist and path-scurry is N/A. Licensed under Blue Oak Model License 1.0.0.

- Microsofttslib is Copyright (c) Microsoft Corporation.. Licensed under BSD Zero Clause License.

- nodeca-argparse is Copyright (C) 2020 argparse.js authors

- @jsplumb/browser-ui, @jsplumb/common, @jsplumb/connector-flowchart, @jsplumb/core and @jsplumb/util is licensed under (MIT License OR GNU General Public License v2.0 only).

- pause-stream is Copyright (c) 2011 Dominic Tarr

- domenic/opener and expand-template is Copyright (c) 2018 Lars-Magnus Skog. Licensed under (MIT License OR Do What The F*ck You Want To Public License).

- spdx-exceptions is Copyright © 2010-2015 Linux Foundation and its Contributors. Licensed

- spdx-license-ids is licensed under Creative Commons Zero v1.0 Universal.

- through is Copyright (c) 2011 Dominic Tarr

- @fontawesome/fontawesome-free is Copyright 2023 Fonticons, Inc.. Licensed under (MIT License AND SIL Open Font License 1.1 AND Creative Commons Attribution 4.0).

- @fontawesome/free-brands-svg-icons, @fontawesome/free-regular-svg-icons and @fontawesome/free-solid-svg-icons is Copyright 2023 Fonticons, Inc.

- type-fest is Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)

- get-source, printable-characters, robust-predicates, stacktracey and tweetnacl-js is Copyright (c) 2016 Vitaly Gordon (<https://github.com/xpl>). Licensed under The Unlicense.

- dominictarr/rc is Copyright (c) 2011 Dominic Tarr. Licensed under (MIT License OR BSD 2-clause "Simplified" License OR Apache License 2.0).

- idcac-playwright is Copyright (C) 2007 Free Software Foundation, Inc. <<https://fsf.org/>>
- jszip is Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>. Licensed under (MIT License OR GNU General Public License v3.0 only).
- nodeca/pako is (C) 2014-2017 Vitaly Puzrin and Andrey Tupitsin. Licensed under (zlib License AND MIT License).
- node-forge is Copyright 2012 Stefan Siegl <stesie@brokenpipe.de>. Licensed under (BSD 3-clause "New" or "Revised" License OR GNU General Public License v2.0 or later).
- jsonify is licensed under Public Domain.
- json-schema is Copyright Act, 17 U.S.C.
- sha.js is Copyright to contributors