

Open Source Licenses – Verint UI Shell Admin

Revision 1.03
November 2025

Unauthorized use, duplication, or modification of this document in whole or in part without the written consent of Verint Systems Inc. is strictly prohibited. By providing this document, Verint Systems Inc. is not making any representations regarding the correctness or completeness of its contents and reserves the right to alter this document at any time without notice. Features listed in this document are subject to change. Contact your Verint representative for current product features and specifications. All marks referenced herein with the ® or TM symbol are registered trademarks or trademarks of Verint Systems Inc. or its subsidiaries. All rights reserved. All other marks are trademarks of their respective owners.

© 2025 Verint Systems Inc. All rights reserved worldwide.

Table of Contents

Open Source Attribution	1
-------------------------------	---

Open Source Attribution

Certain components of this Software or software contained in this Product (collectively, "Software") may be covered by so-called "free or open source" software licenses ("Open Source Components"), which includes any software licenses approved as open source licenses by the Open Source Initiative or any similar licenses, including without limitation any license that, as a condition of distribution of the Open Source Components licensed, requires that the distributor make the Open Source Components available in source code format. A license in each Open Source Component is provided to you in accordance with the specific license terms specified in their respective license terms.

EXCEPT WITH REGARD TO ANY WARRANTIES OR OTHER RIGHTS AND OBLIGATIONS EXPRESSLY PROVIDED DIRECTLY TO YOU FROM VERINT, ALL OPEN SOURCE COMPONENTS ARE PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

Any third party technology that may be appropriate or necessary for use with the Verint Product is licensed to you only for use with the Verint Product under the terms of the third party license agreement specified in the Documentation, the Software or as provided online at <http://verint.com/thirdpartylicense>. You may not take any action that would separate the third-party technology from the Verint Product. Unless otherwise permitted under the terms of the third-party license agreement, you agree to only use the third-party technology in conjunction with the Verint Product.

The following Open Source Components may be included with this Software:

License Attributions for UI Shell Admin

- @adobe/css-tools, @ant-design/colors, @ant-design/cssinjs, @ant-design/cssinjs-utils, @ant-design/fast-color, @ant-design/icons, @ant-design/icons-svg, @ant-design/react-slick, @asamuzakjp/css-color, @auth0/auth0-spa-js, @azure/msal-browser, @azure/msal-common, @azure/msal-react, @babel/code-frame, @babel/compat-data, @babel/core, @babel/eslint-parser, @babel/generator, @babel/helper-annotate-as-pure, @babel/helper-compilation-targets, @babel/helper-create-class-features-plugin, @babel/helper-create-regexp-features-plugin, @babel/helper-define-polyfill-provider, @babel/helper-globals, @babel/helper-member-expression-to-functions, @babel/helper-module-imports, @babel/helper-module-transforms, @babel/helper-optimise-call-expression, @babel/helper-plugin-utils, @babel/helper-remap-async-to-generator, @babel/helper-replace-supers, @babel/helper-skip-transparent-expression-wrappers, @babel/helper-split-export-declaration, @babel/helper-string-parser, @babel/helper-validator-identifier, @babel/helper-validator-option, @babel/helper-wrap-function, @babel/helpers, @babel/highlight, @babel/parser, @babel/plugin-bugfix-firefox-class-in-computed-class-key, @babel/plugin-bugfix-safari-class-field-initializer-scope, @babel/plugin-bugfix-safari-id-structuring-collision-in-function-expression, @babel/plugin-bugfix-v8-spread-parameters-in-optional-chaining, @babel/plugin-bugfix-v8-static-class-fields-redefine-readonly, @babel/plugin-proposal-class-properties, @babel/plugin-proposal-decorators, @babel/plugin-proposal-nullish-coalescing-operator, @babel/plugin-proposal-numeric-separator, @babel/plugin-proposal-optional-chaining, @babel/plugin-proposal-private-methods, @babel/plugin-proposal-private-property-in-object, @babel/plugin-syntax-async-generators, @babel/plugin-syntax-bigint, @babel/plugin-syntax-class-properties, @babel/plugin-syntax-class-static-block, @babel/plugin-syntax-decorators, @babel/plugin-syntax-flow, @babel/plugin-syntax-import-assertions, @babel/plugin-syntax-import-attributes, @babel/plugin-syntax-import-meta, @babel/plugin-syntax-json-strings, @babel/plugin-syntax-jsx, @babel/plugin-syntax-logical-assignment-operators,

@babel/plugin-syntax-nullish-coalescing-operator, @babel/plugin-syntax-numeric-separator,
@babel/plugin-syntax-object-rest-spread, @babel/plugin-syntax-optional-catch-binding,
@babel/plugin-syntax-optional-chaining, @babel/plugin-syntax-private-property-in-object,
@babel/plugin-syntax-top-level-await, @babel/plugin-syntax-typescript, @babel/plugin-syntax-unicode-sets-regex,
@babel/plugin-transform-arrow-functions, @babel/plugin-transform-async-generator-functions,
@babel/plugin-transform-async-to-generator, @babel/plugin-transform-block-scoped-functions,
@babel/plugin-transform-block-scoping, @babel/plugin-transform-class-properties, @babel/plugin-transform-class-static-block,
@babel/plugin-transform-classes, @babel/plugin-transform-computed-properties, @babel/plugin-transform-destructuring,
@babel/plugin-transform-dotall-regex, @babel/plugin-transform-duplicate-keys,
@babel/plugin-transform-duplicate-named-capturing-groups-regex, @babel/plugin-transform-dynamic-import,
@babel/plugin-transform-explicit-resource-management, @babel/plugin-transform-exponentiation-operator,
@babel/plugin-transform-export-namespace-from, @babel/plugin-transform-flow-strip-types, @babel/plugin-transform-for-of,
@babel/plugin-transform-function-name, @babel/plugin-transform-json-strings, @babel/plugin-transform-literals,
@babel/plugin-transform-logical-assignment-operators, @babel/plugin-transform-member-expression-literals,
@babel/plugin-transform-modules-amd, @babel/plugin-transform-modules-commonjs,
@babel/plugin-transform-modules-systemjs, @babel/plugin-transform-modules-umd,
@babel/plugin-transform-named-capturing-groups-regex, @babel/plugin-transform-new-target,
@babel/plugin-transform-nullish-coalescing-operator, @babel/plugin-transform-numeric-separator,
@babel/plugin-transform-object-rest-spread, @babel/plugin-transform-object-super,
@babel/plugin-transform-optional-catch-binding, @babel/plugin-transform-optional-chaining,
@babel/plugin-transform-parameters, @babel/plugin-transform-private-methods,
@babel/plugin-transform-private-property-in-object, @babel/plugin-transform-property-literals,
@babel/plugin-transform-react-display-name, @babel/plugin-transform-react-jsx,
@babel/plugin-transform-react-jsx-development, @babel/plugin-transform-react-jsx-self,
@babel/plugin-transform-react-jsx-source, @babel/plugin-transform-react-pure-annotations,
@babel/plugin-transform-regenerator, @babel/plugin-transform-regexp-modifiers, @babel/plugin-transform-reserved-words,
@babel/plugin-transform-runtime, @babel/plugin-transform-shorthand-properties, @babel/plugin-transform-spread,
@babel/plugin-transform-sticky-regex, @babel/plugin-transform-template-literals, @babel/plugin-transform-typeof-symbol,
@babel/plugin-transform-typescript, @babel/plugin-transform-unicode-escapes,
@babel/plugin-transform-unicode-property-regex, @babel/plugin-transform-unicode-regex,
@babel/plugin-transform-unicode-sets-regex, @babel/preset-env, @babel/preset-modules, @babel/preset-react,
@babel/preset-typescript, @babel/runtime, @babel/template, @babel/types, @bcoe/v8-coverage, @bpmn-io/diagram-js-ui,
@csstools/color-helpers, @csstools/css-calc, @csstools/css-color-parser, @csstools/css-parser-algorithms,
@csstools/css-tokenizer, @date-io/core, @date-io/date-fns, @date-io/luxon, @discoveryjs/json-ext, @dnd-kit/accessibility,
@dnd-kit/core, @dnd-kit/modifiers, @dnd-kit/sortable, @dnd-kit/utilities, @emnapi/core, @emnapi/runtime,
@emnapi/wasi-threads, @emotion/babel-plugin, @emotion/cache, @emotion/css, @emotion/hash, @emotion/is-prop-valid,
@emotion/memoize, @emotion/react, @emotion/serialize, @emotion/sheet, @emotion/styled, @emotion/unitless,
@emotion/use-insertion-effect-with-fallbacks, @emotion/units, @emotion/weak-memoize, @eslint-community/eslint-utils,
@eslint-community/regexpp, @eslint/eslintrc, @eslint/js, @floating-ui/core, @floating-ui/dom, @floating-ui/react-dom,
@floating-ui/utils, @formatjs/ecma402-abstract, @formatjs/fast-memoize, @formatjs/icu-messageformat-parser,
@formatjs/icu-skeleton-parser, @formatjs/intl, @formatjs/intl-localematcher, @hugeicons/core-free-icons, @inquirer/ansi,
@inquirer/checkbox, @inquirer/confirm, @inquirer/core, @inquirer/editor, @inquirer/expand, @inquirer/external-editor,
@inquirer/figures, @inquirer/input, @inquirer/number, @inquirer/password, @inquirer/prompts, @inquirer/rawlist,
@inquirer/search, @inquirer/select, @inquirer/type, @isaacs/balanced-match, @isaacs/brace-expansion, @istanbuljs/schema,
@jest/console, @jest/core, @jest/diff-sequences, @jest/environment, @jest/environment-jsdom-abstract, @jest/expect,
@jest/expect-utils, @jest/fake-timers, @jest/get-type, @jest/globals, @jest/pattern, @jest/reporters, @jest/schemas,
@jest/snapshot-utils, @jest/source-map, @jest/test-result, @jest/test-sequencer, @jest/transform, @jest/types,
@jridgewell/gen-mapping, @jridgewell/remapping, @jridgewell/resolve-uri, @jridgewell/set-array, @jridgewell/source-map,
@jridgewell/sourcemap-codec, @jridgewell/trace-mapping, @ladjs/country-language, @leichtgewicht/ip-codec,
@material-ui/core, @material-ui/lab, @material-ui/pickers, @material-ui/styles, @material-ui/system, @material-ui/types,
@material-ui/utils, @monaco-editor/loader, @monaco-editor/react, @mswjs/cookies, @mswjs/interceptors, @mui/base,
@mui/core-downloads-tracker, @mui/icons-material, @mui/material, @mui/private-theming, @mui/styled-engine,
@mui/system, @mui/types, @mui/utils, @mui/x-date-pickers, @mui/x-internals, @mui/x-tree-view,
@mux/mux-data-google-ima, @mux/mux-player, @mux/mux-player-react, @mux/mux-video, @mux/playback-core,
@napi-rs/wasm-runtime, @nicolo-ribaudo/eslint-scope-5-internals, @nodelib/fs.scandir, @nodelib/fs.stat, @nodelib/fs.walk,
@open-draft/until, @parcel/watcher, @parcel/watcher-android-arm64, @parcel/watcher-darwin-arm64,
@parcel/watcher-darwin-x64, @parcel/watcher-freebsd-x64, @parcel/watcher-linux-arm-glibc,
@parcel/watcher-linux-arm-musl, @parcel/watcher-linux-arm64-glibc, @parcel/watcher-linux-arm64-musl,
@parcel/watcher-linux-x64-glibc, @parcel/watcher-linux-x64-musl, @parcel/watcher-win32-arm64,
@parcel/watcher-win32-ia32, @parcel/watcher-win32-x64, @pkgjs/parseargs, @pkgr/core, @polka/url, @popperjs/core,
@rc-component/async-validator, @rc-component/color-picker, @rc-component/context, @rc-component/mini-decimal,

[@rc-component/mutate-observer](#), [@rc-component/portal](#), [@rc-component/qrcode](#), [@rc-component/tour](#),
[@rc-component/trigger](#), [@reach/observe-rect](#), [@reduxjs/toolkit](#), [@remix-run/router](#), [@rollup/pluginutils](#),
[@rollup/rollup-android-arm-eabi](#), [@rollup/rollup-android-arm64](#), [@rollup/rollup-darwin-arm64](#), [@rollup/rollup-darwin-x64](#),
[@rollup/rollup-freebsd-arm64](#), [@rollup/rollup-freebsd-x64](#), [@rollup/rollup-linux-arm-gnueabi](#),
[@rollup/rollup-linux-arm-musleabi](#), [@rollup/rollup-linux-arm64-gnu](#), [@rollup/rollup-linux-arm64-musl](#),
[@rollup/rollup-linux-loongarch64-gnu](#), [@rollup/rollup-linux-powerpc64le-gnu](#), [@rollup/rollup-linux-riscv64-gnu](#),
[@rollup/rollup-linux-s390x-gnu](#), [@rollup/rollup-linux-x64-gnu](#), [@rollup/rollup-linux-x64-musl](#), [@rollup/rollup-win32-arm64-msvc](#),
[@rollup/rollup-win32-ia32-msvc](#), [@rollup/rollup-win32-x64-msvc](#), [@rtsao/scc](#), [@rushstack/eslint-patch](#), [@sinclair/typebox](#),
[@svgdotjs/svg.draggable.js](#), [@svgdotjs/svg.filter.js](#), [@svgdotjs/svg.js](#), [@svgdotjs/svg.resize.js](#), [@svgdotjs/svg.select.js](#),
[@tailwindcss/cli](#), [@tailwindcss/node](#), [@tailwindcss/oxide](#), [@tailwindcss/oxide-android-arm64](#),
[@tailwindcss/oxide-darwin-arm64](#), [@tailwindcss/oxide-darwin-x64](#), [@tailwindcss/oxide-freebsd-x64](#),
[@tailwindcss/oxide-linux-arm-gnueabi](#), [@tailwindcss/oxide-linux-arm64-gnu](#), [@tailwindcss/oxide-linux-arm64-musl](#),
[@tailwindcss/oxide-linux-x64-gnu](#), [@tailwindcss/oxide-linux-x64-musl](#), [@tailwindcss/oxide-wasm32-wasi](#),
[@tailwindcss/oxide-win32-arm64-msvc](#), [@tailwindcss/oxide-win32-x64-msvc](#), [@tanstack/svelte-table](#), [@tanstack/table-core](#),
[@testing-library/dom](#), [@testing-library/jest-dom](#), [@testing-library/react](#), [@testing-library/user-event](#), [@tootallnate/once](#),
[@tybys/wasm-util](#), [@types/aria-query](#), [@types/babel__core](#), [@types/babel__generator](#), [@types/babel__template](#),
[@types/babel__traverse](#), [@types/body-parser](#), [@types/bonjour](#), [@types/connect](#), [@types/connect-history-api-fallback](#),
[@types/cookie](#), [@types/css-modules](#), [@types/d3-array](#), [@types/d3-color](#), [@types/d3-ease](#), [@types/d3-interpolate](#),
[@types/d3-path](#), [@types/d3-scale](#), [@types/d3-shape](#), [@types/d3-time](#), [@types/d3-timer](#), [@types/debug](#), [@types/eslint](#),
[@types/eslint-scope](#), [@types/estree](#), [@types/express](#), [@types/express-serve-static-core](#), [@types/graceful-fs](#), [@types/hast](#),
[@types/hoist-non-react-statics](#), [@types/html-minifier-terser](#), [@types/http-errors](#), [@types/http-proxy](#),
[@types/istanbul-lib-coverage](#), [@types/istanbul-lib-report](#), [@types/istanbul-reports](#), [@types/jest](#), [@types/js-levenshtein](#),
[@types/jstest](#), [@types/json-schema](#), [@types/json5](#), [@types/lodash](#), [@types/lodash-es](#), [@types/mdast](#), [@types/mime](#),
[@types/ms](#), [@types/node](#), [@types/node-forge](#), [@types/parse-json](#), [@types/parse5](#), [@types/prettier](#), [@types/prop-types](#),
[@types/qs](#), [@types/range-parser](#), [@types/react](#), [@types/react-beautiful-dnd](#), [@types/react-dom](#), [@types/react-redux](#),
[@types/react-transition-group](#), [@types/retry](#), [@types/scheduler](#), [@types/semver](#), [@types/send](#), [@types/serve-index](#),
[@types/serve-static](#), [@types/set-cookie-parser](#), [@types/sockjs](#), [@types/stack-utils](#), [@types/styled-jsx](#), [@types/stylis](#),
[@types/systemjs](#), [@types/testing-library__jest-dom](#), [@types/tough-cookie](#), [@types/unist](#), [@types/use-sync-external-store](#),
[@types/webpack-env](#), [@types/ws](#), [@types/yargs](#), [@types/yargs-parser](#), [@typescript-eslint/eslint-plugin](#),
[@typescript-eslint/experimental-utils](#), [@typescript-eslint/scope-manager](#), [@typescript-eslint/type-utils](#), [@typescript-eslint/types](#),
[@typescript-eslint/utils](#), [@typescript-eslint/visitor-keys](#), [@unrs/resolver-binding-android-arm-eabi](#),
[@unrs/resolver-binding-android-arm64](#), [@unrs/resolver-binding-darwin-arm64](#), [@unrs/resolver-binding-darwin-x64](#),
[@unrs/resolver-binding-freebsd-x64](#), [@unrs/resolver-binding-linux-arm-gnueabi](#),
[@unrs/resolver-binding-linux-arm-musleabi](#), [@unrs/resolver-binding-linux-arm64-gnu](#),
[@unrs/resolver-binding-linux-arm64-musl](#), [@unrs/resolver-binding-linux-ppc64-gnu](#), [@unrs/resolver-binding-linux-riscv64-gnu](#),
[@unrs/resolver-binding-linux-riscv64-musl](#), [@unrs/resolver-binding-linux-s390x-gnu](#), [@unrs/resolver-binding-linux-x64-gnu](#),
[@unrs/resolver-binding-linux-x64-musl](#), [@unrs/resolver-binding-wasm32-wasi](#), [@unrs/resolver-binding-win32-arm64-msvc](#),
[@unrs/resolver-binding-win32-ia32-msvc](#), [@unrs/resolver-binding-win32-x64-msvc](#), [@vimeo/player](#), [@vitejs/plugin-legacy](#),
[@vitejs/plugin-react](#), [@webassemblyjs/ast](#), [@webassemblyjs/floating-point-hex-parser](#), [@webassemblyjs/helper-api-error](#),
[@webassemblyjs/helper-buffer](#), [@webassemblyjs/helper-numbers](#), [@webassemblyjs/helper-wasm-bytecode](#),
[@webassemblyjs/helper-wasm-section](#), [@webassemblyjs/ieee754](#), [@webassemblyjs/utf8](#), [@webassemblyjs/wasm-edit](#),
[@webassemblyjs/wasm-gen](#), [@webassemblyjs/wasm-opt](#), [@webassemblyjs/wasm-parser](#), [@webassemblyjs/wast-printer](#),
[@webpack-cli/configtest](#), [@webpack-cli/info](#), [@webpack-cli/serve](#), [@yr/monotone-cubic-spline](#), [@zeit/schemas](#), ARG, Acorn,
Acorn-JSX, Animal Sniffer Annotations, Antd, Async, Auth0, Bouncy Castle, Bouncy Castle ASN.1 Extension and Utility APIs,
Bouncy Castle PKIX, CMS, EAC, TSP, PKCS, OCSP, CMP, and CRMF APIs, Buffer, BurntSushi/toml, Chalk, Checker Qual,
Clone, CloudyKit/fastprinter, Commander.js, ConnorAtherton/loaders.css, Cucumber CiEnvironment, Cucumber HTML
Formatter, Cucumber JUnit XML Formatter, Cucumber Json Formatter, Cucumber Messages, Cucumber Query, Cucumber
Tag Expressions, Cucumber create meta, Cucumber-JVM Plugin, Cucumber-JVM: Core, Cucumber-JVM: Docstring,
Cucumber-JVM: Gherkin, Cucumber-JVM: Gherkin Messages, Cucumber-JVM: JUnit, Cucumber-JVM: JUnit Platform Engine,
Cucumber-JVM: Java, Cucumber-JVM: PicoContainer, Cucumber-JVM: Spring, Cucumber-JVM: TestNG,
DamonOehlman/wildcard, DataTable, Duct Tape, ESLint, Gherkin, Go Logrus, Go Testify, GoDoc Text, Gozala/events,
InfluxCommunity/influxdb3-go, Inquirer.js, JSHTTP's negotiator, JUL to SLF4J bridge, Jest from Facebook,
JohnCGriffith/overflow, KyleBanks/depth, Lettuce, Lodash, Masterminds-semver, Merge-Stream, Microsoft Azure Java Core
Library, Microsoft Azure Java JSON Library, Microsoft Azure Java XML Library, Microsoft Azure Netty HTTP Client Library,
Microsoft Azure client library for Identity, Microsoft Graph Beta Java SDK, Microsoft Graph Java Core SDK, Microsoft Graph
Java SDK, Microsoft-go-winio, Mock Service Writer (MSW), Mockito_, Node Cookie Parser, PostCSS, Preact, Prettier IO,
Pretty Formatter, Project Lombok, Punycode.js, Qix/color-convert, RaveNoX/go-jsoncommentstrip, Raynos/for-each, React
from Facebook, Redux JS, SLF4J API Module, Shifty, Shopify/goreferrer, Sirupsen/logrus, Strip ANSI, Styled Components,
SystemJS, TeamCity Formatter, TestContainers :: Vault, TestContainers Core, TestNG XML Formatter, Testcontainers :: JUnit
Jupiter Extension, UAParser.js, Underscore.js, Usage Formatter, Webpack, acorn-globals, acorn-import-phases, acorn-walk,
agent-base, agnivade/levenshtein, ajv, ajv-formats, ajv-keywords, alecthomas-kingpin, alecthomas-units, alecthomas/participle,

altinity/clickhouse-grafana, andreyyvit/diff, andybalholm/brotli, ansi-colors, ansi-escapes, ansi-regex, ansi-styles, apexcharts, arch, armon-go-metrics, array-buffer-byte-length, array-flatten, array-includes, array-union, array.prototype.findlast, array.prototype.findlastindex, array.prototype.flat, array.prototype.flatMap, array.prototype.tosorted, arraybuffer.prototype.slice, asap, ast-types-flow, astral-regex, async-function, asyncnkit, autobind-decorator, available-typed-arrays, avast/retry-go, axios, aymerick/douceur, azz/pretty-quick, babel-loader, babel-plugin-macros, babel-plugin-polyfill-corejs2, babel-plugin-polyfill-corejs3, babel-plugin-polyfill-regenerator, babel-plugin-transform-react-remove-prop-types, babel-preset-current-node-syntax, babel-traverse, bail, balanced-match, base64-js, bcp-47, bcp-47-match, bcp-47-normalize, beorn7-perks, better-npm-audit, big.js, bignumber.js, binary-extensions, bl, bmatcuk/doublestar, body-parser, bonjour-service, bpmn-io/ids, bpmn-js, bpmn-moddle, brace-expansion, braces, browser-tabs-lock, browserify/resolve, browserslist, browserslist-config-single-spa, browserslist-to-esbuild, buffer-from, buger/jsonparser, bundle-name, bytes.js, call-bind, call-bind-apply-helpers, call-bound, callsites, calvinmetcalf/lie, camelcase, camelize, castable-video, cenkalti/backoff, cespare/xxhash, chalk/chalk-template, char-regex, character-entities, chokidar, chrisdickinson/raf, chzyer/readline, ci-info, cjs-module-lexer, classnames, clean-css, cli-cursor, cli-spinners, clipboardy, clone-deep, cloudflare-video-element, clsx, co, codem-isoboxer, collect-v8-coverage, color-name, colorette, combined-stream, comma-separated-tokens, component-event, component/domify, compression, compute-scroll-into-view, concurrently, connect-history-api-fallback, content-disposition, convert-source-map, copy-to-clipboard, core-js, core-util-is, cosmicconfig, cpuguy83-go-md2man, cpuguy83/dockercfg, creack/pty, create-react-app, create-react-class, cross-env, cross-fetch, css-box-model, css-loader, css-to-react-native, css-vendor, css.escape, cssesc, cssinjs, cssom, cssstyle, csstype, cucumber-expressions, cucumber/godog, custom-media-element, dash-video-element, data-urls, data-view-buffer, data-view-byte-length, data-view-byte-offset, date-fns/date-fns, dayjs, debounce, debug-js/debug, decimal.js, decimal.js-light, decode-named-character-reference, dedent, deep-extend, deep-is, deepmerge, default-browser, default-browser-id, defaults, define-data-property, define-lazy-prop, define-properties, delayed-stream, dequal, destroy, detect-newline, detect-node, detect-node-es, dgryski/trifles, diagram-js, diagram-js-direct-editing, didi, dir-glob, dns-packet, dom-accessibility-api, dom-converter, dom-helpers, dom-serializer, domexception, dot-case, dpop, dunder-proto, duplexer, dylang/node-xml, eapache-go-resiliency, eapache-queue, eapache/go-xerial-snappy, eastasianwidth, ee-first, einaros/ws, emittery, emoji-regex, emojis-list, encodeurl, end-of-stream, enhanced-resolve, enquirer, envinfo, errcheck, es-abstract, es-cookie, es-define-property, es-errors, es-get-iterator, es-iterator-helpers, es-module-lexer, es-object-atoms, es-set-tostringtag, es-shim-unscopables, es-to-primitive, esbuild, escalade, escape-html, escape-string-regexp, eslint-cli, eslint-config-important-stuff, eslint-config-prettier, eslint-config-react-app, eslint-config-react-important-stuff, eslint-config-ts-react-important-stuff, eslint-import-resolver-node, eslint-plugin-import, eslint-plugin-jest, eslint-plugin-jsx-a11y, eslint-plugin-prettier, eslint-plugin-react-hooks, eslint-plugin-testing-library, eslint-utils, estree-walker, etag, eventemitter3, execa, exit-x, expect, expressjs/accepts, expressjs/compressible, expressjs/express, expressjs/mime-types, extend, facebookhermes, fast-deep-equal, fast-equals, fast-glob, fast-json-stable-stringify, fast-levenshtein, fastest-levenshtein, fatih-color, fatih/structs, fdir, felixge/httpsnoop, felixge/node-retry, figures, file-entry-cache, fill-range, finalhandler, find-cache-dir, find-root, find-up, flat-cache, focus-lock, follow-redirects, fork-ts-checker-webpack-plugin, form-data, forwarded, francoispqt/gojay, frankban/quicktest, fsevents, function-bind, function.prototype.name, functional-red-black-tree, functions-have-names, gabriel-vasile/mimetype, generator-function, gensync, get-intrinsic, get-package-type, get-proto, get-stream, get-symbol-description, getkin/kin-openapi, gin-contrib/sse, gin-gonic/gin, github.com/99designs/gqlgen, github.com/IBM/sarama, github.com/antihax/optional, github.com/apapsch/go-jsonmerge, github.com/docopt/docopt-go, github.com/go-viper/mapstructure, github.com/influxdata/line-protocol, github.com/joshdk/go-junit, github.com/mailgun/ramond, github.com/power-devops/perfstat, github.com/sagikazarmark/locafero, github.com/vektah/gqlparser, github.com/yusufpapurcu/wmi, gkampitakis/ciinfo, gkampitakis/go-diff, gkampitakis/go-snaps, globalthis, go humanize, go-ansiterm, go-chi, go-chi/cors, go-co-op/gocron, go-echo, go-jwx, go-ole-go-ole, go-playground-universal-translator, go-playground/assert, go-playground/locales, go-playground/validator, go-shellquote, go-task/slim-sprig, go-test/deep, go-toml, go-viper, go-zap, go.uber.org/automaxprocs, go.uber.org/goleak, go.uber.org/multierr, go.uuid, go.yaml.in/yaml/v2, goccoy/go-json, goccoy/go-yaml, golang-github-ghodss-yaml-dev, golang-jwt/jwt, gomega, gopd, graphemer, graphql, gzip-size, hamba/avro, handle-thing, has-bigints, has-flag, has-property-descriptors, has-proto, has-symbols, has-tostringtag, hashicorp/go-hclog, hasown, hast-util-whitespace, headers-polyfill, hls-video-element, hpack.js, html-encoding-sniffer, html-minifier-terser, html-parse-stringify, html-webpack-plugin, htmlparser2, http-deceiver, http-errors, http-parser-js, http-proxy, http-proxy-middleware, https-proxy-agent, huandu/go-assert, huandu/go-sqlbuilder, huandu/xstrings, hyperdyperid, i18next, i18next-browser-languagedetector, i18next-http-backend, i18next/i18next, iconv-lite, immediate, immer, immutable-js, import-fresh, import-local, import-map-externals-webpack-plugin, imurmurhash, indent-string, influxdata/line-protocol-corpus, inline-style-parser, internal-slot, interpret, is-alphabetical, is-alphanumeric, is-arguments, is-array-buffer, is-arrayish, is-async-function, is-bigint, is-binary-path, is-boolean-object, is-buffer, is-callable, is-core-module, is-data-view, is-date-object, is-decimal, is-docker, is-extglob, is-finalizationregistry, is-fullwidth-code-point, is-generator-fn, is-generator-function, is-glob, is-in-browser, is-inside-container, is-interactive, is-map, is-negative-zero, is-network-error, is-node-process, is-number, is-number-object, is-path-inside, is-plain-obj, is-plain-object, is-potential-custom-element-name, is-regex, is-set, is-shared-array-buffer, is-stream, is-string, is-symbol, is-typed-array, is-unicode-supported, is-weakmap, is-weakref, is-weakset, is-wsl, isarray, isobject, istarkov/rifm, iterator.prototype, jarcoal/httpmock, java-jwt, jessetane/queue, jest-changed-files, jest-config, jest-diff, jest-each, jest-environment-jsdom, jest-environment-node, jest-get-type, jest-haste-map, jest-leak-detector, jest-matcher-utils, jest-message-util, jest-pnp-resolver, jest-regex-util, jest-resolve,

jest-resolve-dependencies, jest-runner, jest-runtime, jest-snapshot, jest-util, jest-validate, jest-watch-typeahead, jest-worker, jiti, jodit, jordanlewis/gcassert, josharian/intern, jpillora-backoff, js-file-download, js-levenshtein, js-tokens, js-yaml, jsdom, jsesc, jshttp statuses, jshttp/content-type, jshttp/fresh, jshttp/mime-types, jsjest, json-buffer, json-parse-even-better-errors, json-schema-traverse, json2mq, json5, jsoniter-go, jss, jsx-ast-utils, jwt-decode, kataras/blocks, kataras/sitemap, kataras/tunnel, keyanzhang/identity-obj-proxy, keyv, kimmobrunfeldt/progressbar.js, kind-of, klauspost-cpuid, klauspost/asmfmt, kleur, kr/pretty, labstack-gommon, ladjs/i18n-locales, language-tags, launch-editor, leodido/go-urn, lestrrat-go/blackmagic, lestrrat-go/httpcc, lestrrat-go/httpc, lestrrat-go/iter, lestrrat-go/option, leven, levn, lines-and-columns, lijharb/object.assign, loader-runner, locate-path, lodash-es, lodash.debounce, lodash.get, lodash.merge, lodash.truncate, log-symbols, loose-envify, lower-case, lukechampine/uint128, lz-string, mafintosh/pump, magic-string, mailru/easyjson, make-dir, mapstructure, markedjs, math-intrinsics, mathiasbynens/he, mathiasbynens/regenerate, matryer/moq, mattn-go-colorable, mattn-go-isatty, mdast-util-definitions, mdast-util-from-markdown, mdast-util-to-hast, mdast-util-to-string, media-chrome, media-tracks, media-typer, memoize-one, meow, merge-descriptors, merge2, messages, methods, mfridman/tparse, micromark, micromark-core-commonmark, micromark-factory-destination, micromark-factory-label, micromark-factory-space, micromark-factory-title, micromark-factory-whitespace, micromark-util-character, micromark-util-chunked, micromark-util-classify-character, micromark-util-combine-extensions, micromark-util-decode-numeric-character-reference, micromark-util-decode-string, micromark-util-encode, micromark-util-html-tag-name, micromark-util-normalize-identifier, micromark-util-resolve-all, micromark-util-sanitize-uri, micromark-util-subtokenize, micromark-util-symbol, micromark-util-types, micromatch, micromatch/braces, mime, mime-db, mimic-fn, min-dash, min-dom, min-indent, minimalist, minizlib, mitchellh-go-homedir, mockito-inline, mockito-junit-jupiter, moddle, moddle-xml, mohae/deepcopy, moment/moment, monaco-editor, morikuni/aec, moxystudio/node-cross-spawn, mri, mrmime, ms.js, msal4j, msal4j-persistence-extension, multicast-dns, mux-embed, nanoid, napi-postinstall, native-promise-only, natural-compare, natural-compare-lite, neo-async, netroy/image-size, niemeyer/pretty, no-case, node-abort-controller, node-addon-api, node-chardet, node-commanddir, node-concat-map, node-cookie-signature, node-deep-equal, node-error-ex, node-external-editor, node-fetch, node-fs-extra, node-html-entities, node-http-proxy-agent, node-ignore, node-int64, node-jsonfile, node-mkdirp, node-progress, node-releases, node-shell-quote, node-source-map-support, node-tmp, nodeca-argparse, nodejs Deprecate, nodejs-exit, nodejs/string_decoder, normalize-path, npm-run-path, nwsapi, object-assign, object-inspect, object-is, object-keys, object-refs, object.entries, object.fromentries, object.groupby, object.values, obuf, on-finished, on-headers, onsi/ginkgo, optionator, ora, os-tmpdir, outvariant, own-keys, p-limit, p-locate, p-retry, p-try, panjf2000/ants, param-case, parent-module, parse-json, parse5, parseurl, pascal-case, path-browserify, path-exists, path-intersection, path-is-absolute, path-key, path-parse, path-to-regexp, path-type, performance-now, picomatch, pirates, pkg-dir, player.style, pongo2, popper.js, possible-typed-array-names, postcss-modules-local-by-default, postcss-selector-parser, postcss-value-parser, ppxgenjs, prashantv/gostub, prelude-ls, prettier-linter-helpers, pretty-error, pretty-format, process-nextick-args, prompts, prop-types, property-information, proxy-from-env, psl, pty, pure-rand, query-selector, querystringify, queue-microtask, quic-go/qpack, quic-go/quic-go, raf-schd, randombytes, range-parser, raw-body, rc-cascader, rc-checkbox, rc-collapse, rc-dialog, rc-drawer, rc-dropdown, rc-field-form, rc-image, rc-input, rc-input-number, rc-mentions, rc-menu, rc-motion, rc-notification, rc-overflow, rc-pagination, rc-picker, rc-progress, rc-rate, rc-resize-observer, rc-segmented, rc-select, rc-slider, rc-steps, rc-switch, rc-tabs, rc-textarea, rc-tooltip, rc-tree, rc-tree-select, rc-util, rc-virtual-list, react-apexcharts, react-app-polyfill, react-chartjs-2, react-chat-elements-addlink, react-chatbot-kit, react-clientside-effect, react-component/table, react-component/upload, react-d3-cloud, react-dom, react-draggable, react-fast-compare, react-focus-lock, react-gauge-chart, react-highlight, react-hook-form, react-i18next, react-icons, react-is, react-lifecycles-compat, react-markdown, react-player, react-refresh, react-router-dom, react-smooth, react-spinkit, react-table, react-toastify, react-virtual, react-virtualized, reactredux, reacttraining/react-router, readable-stream, readdirp, recharts, recharts-scale, rechoir, redent, redux-thunk, reflect.getprototypeof, regenerate-unicode-properties, regenerator-runtime, regenerator-transform, regexp.prototype.flags, regexp, regexpu-core, registry-auth-token, registry-url, regjsen, relateurl, remark-js, remark-rehype, renderkid, repeat-string, require-directory, require-from-string, requires-port, reselect, resize-observer-polyfill, resolve-cwd, resolve-from, resolve.exports, restore-cursor, reusify, robfig/cron, rollup/rollup, rrweb-cssom, rs-xid, run-applescript, run-async, run-parallel, sade, safe-array-concat, safe-buffer, safe-push-apply, safe-regex-test, safer-buffer, sagikazarmark/crypt, samcone/chrome-trace-event, sass, save-dev, saxen, saxes, scheduler, schema-utils, schollz/closestmatch, scroll-into-view-if-needed, segmentio/asm, select-hose, selfsigned, send, serialize-error, serve-handler, serve-index, serve-static, set-cookie-parser, set-function-length, set-function-name, set-proto, setImmediate, shallow-clone, shalloequal, shebang-command, shebang-regex, shurcooL-sanitized_anchor_name, side-channel, side-channel-list, side-channel-map, side-channel-weakmap, sindresorhus-open, sindresorhus/boxen, sindresorhus/cli-boxes, sindresorhus/globals, sindresorhus/globby, sindresorhus/is-port-reachable, sindresorhus/onetime, sindresorhus/slash, sindresorhus/supports-color, sindresorhus/yoctocolors, single-spa, single-spa-layout, single-spa-react, sirv, sisteransi, slice-ansi, sockjs-node, sosodev/duration, sourcegraph/conc, space-separated-tokens, spawn-command, spdy, spdy-transport, spf13-cast, spkg/bom, stable-stringify, stack-utils, standalone-single-spa-webpack-plugin, state-local, statuses, stop-iteration-iterator, stretchr/objx, strict-event-emitter, string-convert, string-length, string-natural-compare, string-width, string.prototype.includes, string.prototype.matchall, string.prototype.repeat, string.prototype.trim, string.prototype.trimend, string.prototype.trimstart, strip-bom, strip-final-newline, strip-indent, strip-json-comments, style-attr, style-loader, style-to-object, stylis, subosito/gotenv, super-media-element, supports-color, supports-hyperlinks, supports-preserve-symlinks-flag, swagger/swagger, symbol-tree, systemjs-webpack-interop, tailwindcss, tapable, tar-mini, tdewolff-minify, tdewolff-parse,

terminal-link, terser-webpack-plugin, testcontainers-go, text-table, then/promise, thingies, throat, throttle-debounce, thunky, tidwall/gjson, tidwall/match, tidwall/pretty, tidwall/sjson, timeago.js, tiny-invariant, tiny-svg, tiny-warning, tinyexec, tinyglobby, tldts, tldts-core, to-regexp-range, toggle-selection, toidentifier, totalist, tr46, tree-kill, trim-lines, trough, ts-config-single-spa, ts-loader, tsconfig-paths, tsutils, type-check, type-detect, type-is, typed-array-buffer, typed-array-byte-length, typed-array-byte-offset, typed-array-length, typedarray-to-buffer, typicode/husky, uber-go/atomic, ugorji's go, un-ts/synckit, unbox-primitive, undici-types, unicode-canonical-property-names-ecmascript, unicode-match-property-ecmascript, unicode-match-property-value-ecmascript, unicode-property-aliases-ecmascript, unified, unirest-java-core, unirest-modules-jackson, unist-util-generated, unist-util-is, unist-util-position, unist-util-stringify-position, unist-util-visit, unist-util-visit-parents, universalify, unpipe, unrs-resolver, update-browserslist-db, update-check, urfave-cli, url-parse, use-callback-ref, use-memo-one, use-sidecar, use-sync-external-store, util, util-deprecate, utila, utils-merge, uuid, uvu, v8-compile-cache, valyala-fasttemplate, valyala/bytebufferpool, vary, vercel/serve, vfile, vfile-message, victory, vimeo-video-element, visionmedia/batch, vite-plugin-compression2, vite-plugin-ejs, vitejs, void-elements, w3c-hr-time, w3c-xmlserializer, watchpack, wbuf, wwidth, weakmap-polyfill, web-encoding, webjars-locator-lite, webpack-bundle-analyzer, webpack-cli, webpack-config-single-spa, webpack-config-single-spa-react, webpack-config-single-spa-react-ts, webpack-config-single-spa-ts, webpack-dev-server, webpack-merge, webpack-sources, webpack/loader-utils, webpack/webpack-dev-middleware, webreflection/html-escaper, whatwg-encoding, whatwg-fetch, whatwg-mimetype, whatwg-url, which-boxed-primitive, which-builtin-type, which-collection, which-typed-array, whitequark/ipaddr.js, widest-line, wistia-video-element, word-wrap, wrap-ansi, wsl-utils, xml-but-prettier, xmlchars, xmldom, xrash/smetrics, yannickcr/eslint-plugin-react, yargs, yocto-queue, yosssi/ace, youtube-video-element, yuin/goldmark, zeebo/errs, zerolog, zod and zod-validation-error is Copyright (c) 2015-2022 Douglas Christopher Wilson doug@somethingdoug.com

- @ampproject/remapping, @datadog/browser-core, @datadog/browser-logs, @datadog/browser-rum, @datadog/browser-rum-core, @eslint/compat, @eslint/config-array, @eslint/config-helpers, @eslint/core, @eslint/object-schema, @eslint/plugin-kit, @humanfs/core, @humanfs/node, @humanwhocodes/config-array, @humanwhocodes/module-importer, @humanwhocodes/retry, @jsonjoy.com/base64, @jsonjoy.com/buffers, @jsonjoy.com/codegen, @jsonjoy.com/json-pack, @jsonjoy.com/json-pointer, @jsonjoy.com/util, @svta/common-media-library, @vercel/edge, @webassemblyjs/leb128, @xtuc/long, ASM based accessors helper used by json-smart, AWS Event Stream, AWS Java SDK :: AWS CRT Core, AWS Java SDK :: Arns, AWS Java SDK :: Checksums, AWS Java SDK :: Checksums SPI, AWS Java SDK :: Core :: Protocols :: AWS Xml Protocol, AWS Java SDK :: Core :: Protocols :: Json Utils, AWS Java SDK :: Endpoints SPI, AWS Java SDK :: HTTP Auth, AWS Java SDK :: HTTP Auth AWS, AWS Java SDK :: HTTP Auth SPI, AWS Java SDK :: Identity SPI, AWS Java SDK :: Metrics Interface, AWS Java SDK :: Services :: Amazon S3, AWS Java SDK :: Third Party :: Jackson-core, AWS SDK for Java, Apache Ant, Apache Arrow, Apache Commons BeanUtils, Apache Commons Codec, Apache Commons Collections, Apache Commons Compress, Apache Commons Digester, Apache Commons FileUpload, Apache Commons IO, Apache Commons Lang, Apache Commons Logging, Apache Commons Pool, Apache Commons Text, Apache Commons Validator, Apache Groovy, Apache HTTPComponents Core, Apache HttpClient, Apache HttpMime, Apache Log4J API, Apache Log4j, Apache Log4j JUL Adapter, Apache Log4j Layout for JSON template, Apache Log4j SLF4J 2.0 Binding, Apache Log4j to SLF4J Adapter, Apache Thrift, Apache Tomcat, AssertJ - Fluent Assertions for Java, Awaitility, Byte Buddy, Caffeine cache, CoreOS, Disruptor Framework, Failsafe, FasterXML/jackson-modules-java8, Feign Core, Feign SLF4J, FindBugs jsr305, FlatBuffers, FreeMarker, FusionAuth Java Client Library, Google Guice, GoogleCloudPlatform/opentelemetry-operations-go, Gson on Fire!, Guava InternalFutureFailureAccess and InternalFutures, Guava ListenableFuture only, HPACK, HTTP functionality for the Reactor Netty library, Hibernate Commons Annotations, Hibernate ORM, Hibernate Validator, HikariCP, Inversoft Jackson Serializers and Deserializers, Inversoft Java 8 REST Client, Inversoft Java Error, Inversoft Prime JWT, JBoss Logging 3, JCIP Annotations under Apache License, JCommander Library, JWT :: API, JWT :: Extensions :: Jackson, JWT :: Impl, JMES Path Query library, JSON library from Android SDK, JSONassert, JSpecify annotations, Jackson Databind JSONC (All-in-One), Jackson-Datatype-JSR310, Jackson-core, Jackson-module-parameter-names, Jakarta Dependency Injection, Jandex: Core, JetBrains annotations, Joda Time, Kotlin, Kubernetes Client API, Lettuce, LiquiBase, Log4J Commons Logging Bridge, MapStruct Core, Maven Wrapper, Maven Wrapper Jar, MockWebServer, Netty Project, Netty/Codec/Base, Netty/Codec/Compression, Netty/Codec/Marshalling, Netty/Codec/Protobuf, Netty/Resolver/DNS/Classes/MacOS, Netty/Resolver/DNS/MacOS, Netty/TomcatNative [BoringSSL - Static], Netty/TomcatNative [OpenSSL - Classes], Netty/Transport/Classes/Epoll, Netty/Transport/Classes/KQueue, Netty/Transport/Native/KQueue, Netty/Transport/Native/Unix/Common, Nimbus Content Type, Nimbus LangTag, Nimbus-JOSE-JWT, OAuth 2.0 SDK with OpenID Connect extensions, OkHttp, OkHttp Logging Interceptor, OkIO, Open Feign Forms Core, Open Feign Forms Extension for Spring, PathJson, Prometheus Java Simpleclient, Prometheus Java Simpleclient Common, Prometheus Java Simpleclient Httpserver, Prometheus Java Span Context Supplier - Common, Prometheus Java Span Context Supplier - OpenTelemetry, Prometheus Java Span Context Supplier - OpenTelemetry Agent, Prometheus Metrics Config, Prometheus Metrics Core, Prometheus Metrics Exposition Formats, Prometheus Metrics Exposition Text Formats, Prometheus Metrics Model, Prometheus Metrics Tracer Common, Prometheus Metrics Tracer Initializer, Prometheus Metrics Tracer OpenTelemetry, Prometheus Metrics Tracer OpenTelemetry Agent, Quartz Enterprise Job Scheduler, Querydsl - Core module, REST Assured, Reactive Relational Database Connectivity - SPI, ReactiveX RxJS, Reactor Netty, SnakeYAML, Spring Boot, Spring Boot Actuator AutoConfigure, Spring Boot Auto-Configure Annotation Processor, Spring Boot Cache Starter, Spring

Boot Configuration Processor, Spring Boot OAuth2 Resource Server Starter, Spring Boot Reactor Netty Starter, Spring Boot Test, Spring Boot Test Auto-Configure, Spring Boot Undertow Starter, Spring Cloud Commons, Spring Cloud Config, Spring Cloud Context, Spring Cloud Kubernetes :: Kubernetes Client Discovery, Spring Cloud OpenFeign Core, Spring Cloud Starter OpenFeign, Spring Cloud Starter Vault Config, Spring Cloud Vault Configuration Integration, Spring Commons Logging Bridge, Spring Data Commons, Spring Data JDBC, Spring Data JPA, Spring Data Relational, Spring Framework, Spring HATEOAS, Spring Plugin Core, Spring Security, Spring Vault Core, Spring WebFlux, TagSoup, TestNG, TypeScript, Undertow Servlet, Undertow WebSockets JSR356 implementations, WildFly Client Configuration, WireMock, Zipkin Reporter Brave, Zipkin Reporter: Core, Zipkin v2, ansi-html-community, aria-query, aws/aws-sdk-go-v2, axobject-query, baseline-browser-mapping, brave, bucket4j-core, byte-buddy-agent, bytedance/gopkg, bytedance/sonic, census-instrumentation/opencensus-go, chenzhuoyu/base64x, chenzhuoyu/iasm, client-java-api, client-java-extended, client-java-fluent, client-java-proto, client_golang, cloudykit/jet, commons-csv, containerd/typeurl, deepmap/oapi-codegen, detect-libc, docker, docker-go-units, docker-java-api, docker-java-transport, docker-java-transport-zerodep, doctrine, easymockobjenesis, ebitengine/purego, envoyproxy/go-control-plane, envoyproxy/protoc-gen-validate, error-prone annotations, eslint-visitor-keys, fast-diff, faye-websocket-node, flyway-database-postgresql, github.com/AdaLogics/go-fuzz-headers, github.com/aws/smithy-go, github.com/cloudwego/base64x, github.com/cloudwego/iasm, github.com/cncf/xds, github.com/containerd/errdefs, github.com/containerd/log, github.com/containerd/platforms, github.com/distribution/reference, github.com/google/cel-spec, github.com/maruel/natural, github.com/moby/docker-image-spec, github.com/moby/go-archive, github.com/nats-io/nkeys, github.com/oapi-codegen/runtime, glob-to-regex.js, go-etcd, go-ini-ini, go-jose, go-logr/logr, go-logr/stdr, go-openapi/jsonpointer, go-openapi/spec, go-systemd, go.opentelemetry.io/proto, godebug, golang-github-docker-go-connections-dev, golang/appengine, golang/glog, google-cloud-go, google-gofuzz, google/pprof, google/s2a-go, googleapis/enterprise-certificate-proxy, googleapis/go-genproto, googleapis/google-cloud-go-testing, googlejson, googleuava, gopkg.in/jcmturmer/aescts.v1, gosimple/unidecode, gotest.tools, groupcache, grpc-go, hls.js, httpcomponents-core, human-signals, inconstreveable/mousetrap, io.swagger:swagger-annotations, j2objc - Java to IOS, jackson-annotations, jackson-core, jackson-databind, jackson-dataformat-binary, jackson-dataformat-yaml, jackson-datatype-guava, jackson-datatype-joda, jackson-modules-java8, jakartaeevalidation, jake, java-classmate, javax.inject:javax.inject, jboss-threads, jcmturmer/dnsutils, jcmturmer/goidentity, jcmturmer/gokrb5, jcmturmer/rpc, jest-junit, jmespath-go-jmespath, jose4j, json-path, json-smart, jsonreference, kevinmbeaulieu/eq-go, knz/go-libedit, kotlin-stdlib-common, lang, localForage/localForage, logstash-logback-encoder, matttproud-golang_protobuf_extensions, mde (ejs), mde/filelist, micrometer-commons, micrometer-jakarta9, micrometer-metrics, micrometer-observation, micrometer-registry-prometheus, minio/c2goasm, moby/patternmatcher, moby/sys, moby/term, modern-go/concurrent, modern-go/reflect2, mwitkow/go-contrack, nats-io-nuid, nats-io/nats.go, nodejs-walker, open-feature/go-sdk, open-feature/go-sdk-contrib, open-telemetry/opentelemetry-go, open-telemetry/opentelemetry-go-contrib, open-telemetry/opentelemetry-go-instrumentation, opencontainers/go-digest, opencontainers/image-spec, opencsv, openfeign/querydsl, org.apache.groovy:groovy-json, org.apache.groovy:groovy-xml, org.apiguardian:apiguardian-api, org.jetbrains.kotlin:kotlin-stdlib-jdk7, org.jetbrains.kotlin:kotlin-stdlib-jdk8, org.opentest4j:opentest4j, org.xmlunit:xmlunit-core, pmezard-go-difflib, prometheus-client_model, prometheus-common, prometheus-procfs, psf-requests, react-beautiful-dnd, reactor-core, resilience4j, rest-assured-common, ronmamorelections, santhosh-tekuri/jsonschema, sigs.k8s.io/yaml, spf13-afero, spf13-cobra, spiffe/go-spiffe, spring-boot-actuator, spring-boot-jarmode-tools, spring-cloud-circuitbreaker-resilience4j, spring-cloud-kubernetes-client-autoconfig, spring-cloud-kubernetes-commons, spring-cloud-starter, spring-cloud-starter-bootstrap, spring-cloud-starter-circuitbreaker-resilience4j, spring-cloud-starter-config, spring-cloud-starter-kubernetes-client, spring-retry, spring-security-oauth2-core, spring-security-oauth2-jose, spring-security-oauth2-resource-server, springdoc-openapi-starter-common, springdoc-openapi-starter-webmvc-api, springdoc-openapi-starter-webmvc-ui, squareokio, streamich/memfs, subtrait-io/subtrait-go, swagger, swagger-annotations-jakarta, swagger-core-jakarta, swagger-models, swagger-models-jakarta, swagger-ui, tklauser/numcpus, tree-dump, trivy, uber-go/mock, undertow, watchman, websocket-driver-node, websocket-extensions-node, wildfly-common, xml-name-validator, xml-path, xnio, yaml for Go and zjsonpatch is Copyright 2023-2024 the original author or authors.

- @typescript-eslint/parser, @typescript-eslint/typescript-estree, CSSselect, DomHandler, Esprima, PostgreSQL JDBC Driver (pgjdbc), andybalholm-cascadia, blackfriday, browser-process-hrtime, css-what, damerau-levenshtein, default-gateway, domelementtype, domutils, escodegen, eslint-scope, esprez, esrecurse, estraverse, esutils, glob-to-regexp, go-check-check, go-metrics, godbus-dbus, golang-github-magiconair-properties, gomarkdown/markdown, gorilla/sessions, gorilla/websocket, imsc, node-entities, nth-check, pkg-errors, python-json-logger, regjsparser, scottmott/dotenv, sftp, terser, uri-js, vmihailenco/msgpack, vmihailenco/tagparser, webidl-conversions and zeebo/xxh3 is Copyright (C) 2014 Thiago de Arruda <tpadilha84@gmail.com>. Licensed under BSD 2-clause "Simplified" License.

- @isaacs/cliui, @isaacs/fs-minipass, @istanbuljs/load-nyc-config, @ungap/structured-clone, D3.js, Gozala/crypto, anymatch, boolbase, chownr, cli-width, cliui, css-color-keywords, d3-array, d3-axis, d3-brush, d3-chord, d3-color, d3-contour, d3-delaunay, d3-dispatch, d3-drag, d3-dsv, d3-fetch, d3-force, d3-format, d3-geo, d3-hierarchy, d3-interpolate, d3-path, d3-polygon, d3-quadtrees, d3-random, d3-scale, d3-scale-chromatic, d3-selection, d3-shape, d3-time, d3-time-format, d3-timer, d3-transition, d3-zoom, d3dcd, delaunator, electron-to-chromium, fastq, flattened, foreground-child, fs.realpath, get-caller-file, glob-parent, go-spew, https, iarna/write-file-atomic, icss-utils, inflight, inherits, inherits-browser, internmap, isaacs/once, isexe, lucide-react, minimalistic-assert, minimatch, minipass, mute-stream, nexdrew/ansi-align, node-glob,

node-graceful-fs, node-lru-cache, node-semver, npm ini, picocolors, postcss-modules-extract-imports, postcss-modules-scope, postcss-modules-values, react-conditionally-render, rimraf, sax-js, saxes, setprototypeof, signal-exit, string-width-cjs, strip-ansi-cjs, tapjs/signal-exit, tar, test-exclude, turbo-stream, v8-to-istanbul, vite-plugin-react-js-support, which, wrap-ansi-cjs, wrappy, write-file-atomic, y18n, yallist, yaml and yargs-parser is Copyright (c) 2013-2014 The btcsuite developers. Licensed under ISC License.

- @humanwhocodes/object-schema, @sinonjs/commons, @sinonjs/fake-timers, @xtuc/ieee754, ASM, Golang Protobuf, Gonum numerical packages, Googleuuid, Hamcrest, PicoContainer, ThreeTen backport, abab, antlr, arbovm-levenshtein, babel-plugin-istanbul, bigfft, bluemonday, ce-la-react, create-react-app, d3-array, d3-cloud, d3-color, d3-dispatch, d3-ease, d3-format, d3-interpolate, d3-scale, d3-scale-chromatic, d3-selection, d3-time, d3-time-format, dashjs, eslint-plugin-flowtype, esquery, exp, fast-uri, fortytw2/leaktest, fsnotify-fsnotify, gajus/table, github.com/Joker/jade, github.com/juju/gnuflag, github.com/lufia/plan9stats, github.com/munnerz/goautoneg, github.com/planetscale/vtprotobuf, github.com/rogpeppe/fastuuid, github.com/sagikazarmark/slog-shim, github.com/twitchyliquid64/golang-asm, gitlab.com/cznic/cc, gitlab.com/cznic/ccgo, gitlab.com/cznic/libc, gitlab.com/cznic/mathutil, gitlab.com/cznic/memory, gitlab.com/cznic/opt, gitlab.com/cznic/sqlite, gitlab.com/cznic/strutil, gitlab.com/cznic/token, go-errgo-errgo, go.googlecode.com/arch, gogo/protobuf, golang-github-spf13-pflag-dev, golang-snappy-go-dev, golang.org/x/crypto, golang.org/x/mod, golang.org/x/net, golang.org/x/oauth2, golang.org/x/sys, golang.org/x/term, golang.org/x/time, golang.org/x/tools, golang.org/x/errors, golang/sync, golang/telemetry, golang/text, google/go-cmp, googleapis/gax-go, googleapis/google-api-go-client, gopsutil, goquery, gorilla/css, gorilla/mux, gorilla/securecookie, grpc-gateway, hoist-non-react-statics, hugsk/flat, hyphenate-style-name, ianlancetaylor/demangle, ieee754, intl-messageformat, iris-contrib/schema, istanbul-lib-coverage, istanbul-lib-instrument, istanbul-lib-report, istanbul-lib-source-maps, istanbul-reports, jcmtturner/gofork, jsdiff, julienschmidt/httprouter, kataras/golog, kataras/iris, kataras/pio, klauspost-compress, kr-fs, makeerror, mergo, murmur3, org.xmlunit:xmlunit-core, pierrec-lz4, pkg/diff, pmezard-go-difflib, protobuf-java, purell, qs - QS Querystring, react-intl, react-transition-group, rogpeppe/go-internal, rsc/pdf, rw, serialize-javascript, source-map, source-map-js, sprintf.js, tklauser/go-sysconf, tmpl, tough-cookie, underscore.deep, urlsc, xhit/go-str2duration and zeekay/highlight.js is Copyright 2019 The Go Authors. All rights reserved.

- Consul, axe-core, errwrap, go-immutable-radix, gosimple/slug, hashicorp serf, hashicorp-go-cleanhttp, hashicorp-go-memdb, hashicorp-go-multierror, hashicorp-go-retryablehttp, hashicorp-go-rootcerts, hashicorp-go-uuid, hashicorp-golang-lru, hashicorp/hcl, lightningcss, lightningcss-darwin-arm64, lightningcss-darwin-x64, lightningcss-freebsd-x64, lightningcss-linux-arm-gnueabi, lightningcss-linux-arm64-gnu, lightningcss-linux-arm64-musl, lightningcss-linux-x64-gnu, lightningcss-linux-x64-musl, lightningcss-win32-x64-msvc, parcel-bundler/lightningcss and r3labs/sse is Copyright © 2015-2022 HashiCorp, Inc.

- jszip is Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>. Licensed under (MIT License OR GNU General Public License v3.0 only).

- nodeca/pako is (C) 2014-2017 Vitaly Puzrin and Andrey Tupitsin. Licensed under (zlib License AND MIT License).

- type-fest is Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)

- Bouncy Castle, logstash-logback-encoder, sergi/go-diff and yaml for Go is Copyright 2016 Gil Tene. Licensed under (MIT License AND Apache License 2.0).

- fatih-color, github.com/invoPOP/yaml, kisielk-gotool and mattrn-go-colorable is Copyright (c) 2009 The Go Authors. All rights reserved.. Licensed under (MIT License AND BSD 3-clause "New" or "Revised" License).

- caniuse-lite is copyright

- dmenic/opener and path-is-inside is Copyright © 2013. Licensed under (MIT License OR Do What The F*ck You Want To Public License).

- DOMPurify is Copyright 2025 Dr.-Ing. Mario Heiderich, Cure53. Licensed under (Apache License 2.0 OR Mozilla Public License 2.0).

- fs-monkey, logrusorgru/aurora, react-faux-dom, robust-predicates, skeeto/optparse-go, streamich/memfs and thingies is Copyright © 2016-2022 The Aurora Authors.. Licensed under The Unlicense.

- dominictarr/rc is Copyright (c) 2011 Dominic Tarr. Licensed under (MIT License OR BSD 2-clause "Simplified" License OR Apache License 2.0).

- harmony-reflect is Copyright (C) 2011-2012 Software Languages Lab, Vrije Universiteit Brussel. Licensed under (Mozilla Public License 1.1 OR Apache License 2.0).

- isaacs/jackspeak, package-json-from-dist, path-scurry and yallist is N/A. Licensed under Blue Oak Model License 1.0.0.

- language-subtag-registry and zeebo/assert is licensed under Creative Commons Zero v1.0 Universal.

- Microsofttslib is Copyright (c) Microsoft Corporation.. Licensed under BSD Zero Clause License.
- node-forge is Copyright 2012 Stefan Siegl <stesie@brokenpipe.de>. Licensed under (BSD 3-clause "New" or "Revised" License OR GNU General Public License v2.0 or later).
- nodeca-argparse is Copyright (C) 2020 argparse.js authors
- AspectJ weaver, Grizzly OSGi HttpService, Gson, JUnit Jupiter (Aggregator), JUnit Platform Suite (Aggregator), JUnit Platform Suite Commons, JUnit Platform Suite Engine, org.junit.jupiter:junit-jupiter-api, org.junit.jupiter:junit-jupiter-engine, org.junit.jupiter:junit-jupiter-params, org.junit.platform:junit-platform-commons, org.junit.platform:junit-platform-engine, org.junit.platform:junit-platform-launcher and org.junit.platform:junit-platform-suite-api is Copyright (c) 2000, 2003 IBM Corporation and others.
- HdrHistogram is Copyright (c) 2012, 2013, 2014, 2015, 2016 Gil Tene
- Angus Activation Registries, JAXB CORE, JAXB Runtime, Jakarta Activation API, TXW2 Runtime, istack common utility code runtime and jakarta.xml.bind:jakarta.xml.bind-api is Copyright (c) 2003, 2024 Oracle and/or its affiliates. All rights reserved.
- Jakarta Annotations API, Java Servlet API, WebSocket client API, WebSocket server API and javax.transaction API is (C) 1995-2013 Jean-loup Gailly and Mark Adler
- Jakarta JSON Processing API and Java API for Processing JSON (JSON-P) is Copyright 2013 jQuery Foundation, Inc. and other contributors
- LatencyUtils is Written by Gil Tene of Azul Systems, and released to the
- SpotBugs Annotations is Copyright (C) 2008, University of Maryland
- Java Native Access (JNA) is Copyright (c) 2007-2008 Timothy Wall, All Rights Reserved
- Jakarta Activation API, javax.annotation API and jaxb-api is Copyright (c) 2005-2018 Oracle and/or its affiliates. All rights reserved.
- Logback is Copyright (C) 2017, QOS.ch. All rights reserved.. Licensed under (GNU Lesser General Public License v2.1 only OR Eclipse Public License 1.0).
- jakarta.persistence-api is (C) 1995-2013 Jean-loup Gailly and Mark Adler
- Javassist is (c) 2014 Stuart Knightley, David Duponchel
- reactive-streams is (C) 1995-2013 Jean-loup Gailly and Mark Adler
- jOOQ is Copyright (C) 2008 The Guava Authors
- JUnit is @author Tibor Digana (tibor17)
- BurntSushi/toml is N/A. Licensed under (MIT License AND BSD 2-clause "Simplified" License AND Creative Commons Attribution 3.0 AND BSD 3-clause "New" or "Revised" License).
- AOP Alliance (Java/J2EE AOP standard) and JSON-java is @author Rod Johnson
- Jakarta Annotations API is (c)>i). Licensed under (GNU General Public License v2.0 w/Classpath exception AND Eclipse Public License 2.0).
- Passay Library is Copyright © 2003-2023 Virginia Tech. All Rights Reserved.. Licensed under (Apache License 2.0 OR GNU Lesser General Public License v3.0 or later).
- UnboundID SCIM2 SDK Common is (C) 1995-2013 Jean-loup Gailly and Mark Adler
- doctrine is @author Yusuke Suzuki <utatane.tea@gmail.com>
- through is Copyright (c) 2011 Dominic Tarr
- @zxing/text-encoding is N/A. Licensed under (Apache License 2.0 OR The Unlicense).