

Open Source Licenses – Verint Interviewing Bot

Revision 1.03
November 2025

Unauthorized use, duplication, or modification of this document in whole or in part without the written consent of Verint Systems Inc. is strictly prohibited. By providing this document, Verint Systems Inc. is not making any representations regarding the correctness or completeness of its contents and reserves the right to alter this document at any time without notice. Features listed in this document are subject to change. Contact your Verint representative for current product features and specifications. All marks referenced herein with the ® or TM symbol are registered trademarks or trademarks of Verint Systems Inc. or its subsidiaries. All rights reserved. All other marks are trademarks of their respective owners.

© 2025 Verint Systems Inc. All rights reserved worldwide.

Table of Contents

Open Source Attribution	1
-------------------------------	---

Open Source Attribution

Certain components of this Software or software contained in this Product (collectively, "Software") may be covered by so-called "free or open source" software licenses ("Open Source Components"), which includes any software licenses approved as open source licenses by the Open Source Initiative or any similar licenses, including without limitation any license that, as a condition of distribution of the Open Source Components licensed, requires that the distributor make the Open Source Components available in source code format. A license in each Open Source Component is provided to you in accordance with the specific license terms specified in their respective license terms.

EXCEPT WITH REGARD TO ANY WARRANTIES OR OTHER RIGHTS AND OBLIGATIONS EXPRESSLY PROVIDED DIRECTLY TO YOU FROM VERINT, ALL OPEN SOURCE COMPONENTS ARE PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

Any third party technology that may be appropriate or necessary for use with the Verint Product is licensed to you only for use with the Verint Product under the terms of the third party license agreement specified in the Documentation, the Software or as provided online at <http://verint.com/thirdpartylicense>. You may not take any action that would separate the third-party technology from the Verint Product. Unless otherwise permitted under the terms of the third-party license agreement, you agree to only use the third-party technology in conjunction with the Verint Product.

The following Open Source Components may be included with this Software:

License Attributions for Interviewing Bot

- @choojs/findup, @jridgewell/gen-mapping, @jridgewell/resolve-uri, @jridgewell/set-array, @jridgewell/source-map, @jridgewell/sourcemap-codec, @jridgewell/trace-mapping, @mapbox/jsonlint-lines-primitives, @plotly/d3-sankey-circular, @plotly/point-cluster, @types/eslint, @types/eslint-scope, @types/estree, @types/geojson, @types/geojson-vt, @types/json-schema, @types/mapbox__point-geometry, @types/mapbox__vector-tile, @types/md5, @types/node, @types/pbf, @types/supercluster, @webassemblyjs/ast, @webassemblyjs/floating-point-hex-parser, @webassemblyjs/helper-api-error, @webassemblyjs/helper-buffer, @webassemblyjs/helper-numbers, @webassemblyjs/helper-wasm-bytecode, @webassemblyjs/helper-wasm-section, @webassemblyjs/ieee754, @webassemblyjs/utf8, @webassemblyjs/wasm-edit, @webassemblyjs/wasm-gen, @webassemblyjs/wasm-opt, @webassemblyjs/wasm-parser, @webassemblyjs/wast-printer, Acorn, BeautifulSoup4, Bootstrap (Twitter), Collectfast, Commander.js, Gozala/events, Unicorn, Handlebars.js, JSON-log-formatter, Merge-Stream, PostCSS, Punycode.js, PyTZ - Python Time Zone Library, Qix-/color-convert, React from Facebook, TinyColor, Turfjs/turf, TypedArray, Underscore.js, Webpack, abs-svg-path, aehlke/tag-it, ajv, ajv-formats, ajv-keywords, almost-equal, animate.css, array-bounds, array-find-index, array-normalize, array-range, array-rearrange, backbone js framework, base64-arraybuffer, big.js, binary-search-bounds, bit-twiddle, bitmap-sdf, bl, blurhash, bootstrap-icons, browserify/resolve, browserslist, buffer-from, canvas-fit, chrisdickinson/raf, color-alpha, color-id, color-name, color-normalize, color-parse, color-rgba, color-space, concat-stream, core-js, core-util-is, country-regex, css-font, css-font-size-keywords, css-font-stretch-keywords, css-font-style-keywords, css-font-weight-keywords, css-global-keywords, css-loader, css-system-font-keywords, csscolorparser, cssesc, debug-js/debug, defined, detect-kerning, detectrtc, django-axes, django-compressor, django-environ, django-phonenumbers-field, django-picklefield, dom-walk, draw-svg-path, dtype, dup, duplexify, element-size, elementary-circuits-directed-graph, emojis-list, end-of-stream, enhanced-resolve, es-module-lexer, es6-iterator, escalade, event-emitter, fast-deep-equal, fast-isnumeric, fast-json-stable-stringify, fast-levenshtein, ffmpeg-normalize, flatten-vertex-data, font-atlas, font-measure, from2, function-bind, get-canvas-context, get-stream, gl-matrix, gl-text, gl-util, global, global-prefix,

glsI-inject-defines, glsI-resolve, glsI-token-assignments, glsI-token-defines, glsI-token-depth, glsI-token-descope, glsI-token-inject-block, glsI-token-properties, glsI-token-scope, glsI-token-string, glsI-token-whitespace-trim, glsI-tokenizer, glsIify, glsIify-bundle, has-flag, has-hover, has-passive-events, hasown, hsluv, hughsk/clamp, humanize Python, iconv-lite, is-browser, is-buffer, is-core-module, is-firefox, is-iexplorer, is-mobile, is-obj, is-plain-obj, is-string-blank, is-svg-path, is_finite, isarray, jQuery, jQuery UI, jest-worker, js-tokens, jshttp/mime-types, json-parse-even-better-errors, json-schema-traverse, json-stringify-pretty-compact, json5, kind-of, loader-runner, lodash-es, lodash.merge, loglevel, loose-envify, mailcheck, map-limit, markedjs, math-log2, micawber, mime-db, min-document, minimalist, mouse-change, mouse-event, mouse-event-offset, mouse-wheel, moviepy, ms.js, murmurhash-js, nanoid, native-promise-only, neo-async, node-falafel, node-process, node-releases, node-source-map-support, node-stack-trace, node-stream-parser, nodeca/probe-image-size, nodejs/string_decoder, normalize-svg-path, number-is-integer, object-assign, parenthesis, parse-rect, parse-svg-path, parse-unit, path-parse, performance-now, pick-by-alias, plotly, plotly.js, point-in-polygon, polybooljs, popper.js, postcss-modules-local-by-default, postcss-selector-parser, postcss-value-parser, process-nextick-args, prop-types, protocol-buffers-schema, pydub, pypi/setuptools, python cffi, python-pem, python-redis-rate-limit, randombytes, react-dom, react-hot-loader, react-is, react-lifecycles-compat, readable-stream, redis-py, regl, regl-error2d, regl-line2d, regl-scatter2d, regl-splom, require-from-string, resolve-protobuf-schema, right-now, safe-buffer, safer-buffer, samcone/chrome-trace-event, scheduler, schema-utils, sdp, shallow-copy, shallowequal, signum, static-eval, stream-shift, string-split-by, strongly-connected-components, style-loader, superscript-text, supports-color, supports-preserve-symlinks-flag, svg-path-bounds, svg-path-sdf, tapable, terser-webpack-plugin, through2, to-float32, to-px, tomas/needle, turndown, turndown-plugin-gfm, twilio-python, typedarray-pool, undici-types, unquote, update-browserslist-db, update-diff, util-deprecate, vanilla-colorful, vt-pbf, watchpack, webgl-context, webpack-sources, webpack/loader-utils, wordwrap, world-calendars and xtend is Copyright (c) Tobias Koppers @sokra. Licensed under MIT License.

- @monfera/d3-sankey, @plotly/d3, @plotly/mapbox-gl, @twilio/voice-errors, @xtuc/ieee754, Click - Python Command Line Utility, Django, NumPy, ReportLab, WeasyPrint, aws-requests-auth, celery, celery/billiard, charenc, crypt, d3-array, d3-collection, d3-dispatch, d3-force, d3-format, d3-geo, d3-geo-projection, d3-hierarchy, d3-path, d3-quadtree, d3-shape, d3-time, d3-time-format, d3-timer, dateparser, ddtrace, django-constance, django-csp, django-haystack, django-localflavor, django-model-utils, django-redis, django-storages, django-timezone-field, fast-uri, hoist-non-react-statics, ieee754, jsonpickle, lxml, lxml-html-clean, mapbox-gl-supported, maplibre-gl, md5, pandas-python, pbf, pypi-xlwt, python-netaddr, python-qrcode, rtcpeerconnection-shim, rw, seaborn, serialize-javascript, source-map, source-map-js, sqlparse, vector-tile and xlrd is copyright: Copyright 2016 Simon Sapin and contributors, see AUTHORS.

- @twilio/voice-sdk, @webassemblyjs/leb128, @xtuc/long, NewRelic, PyMongo, boto3, botocore, cleave.js, elasticsearch-py, google-cloud-speech, psf-requests, python-phonenumbers, weak-map and ziggeo is Copyright 2008 Google Inc.. Licensed under Apache License 2.0.

- caniuse-lite is N/A. Licensed under Creative Commons Attribution 4.0.

- @ckeditor/ckeditor5-adapter-ckfinder, @ckeditor/ckeditor5-alignment, @ckeditor/ckeditor5-autosave, @ckeditor/ckeditor5-build-classic, @ckeditor/ckeditor5-ckbox, @ckeditor/ckeditor5-ckfinder, @ckeditor/ckeditor5-cloud-services, @ckeditor/ckeditor5-code-block, @ckeditor/ckeditor5-easy-image, @ckeditor/ckeditor5-editor-balloon, @ckeditor/ckeditor5-editor-decoupled, @ckeditor/ckeditor5-editor-inline, @ckeditor/ckeditor5-editor-multi-root, @ckeditor/ckeditor5-essentials, @ckeditor/ckeditor5-find-and-replace, @ckeditor/ckeditor5-font, @ckeditor/ckeditor5-highlight, @ckeditor/ckeditor5-horizontal-line, @ckeditor/ckeditor5-html-embed, @ckeditor/ckeditor5-html-support, @ckeditor/ckeditor5-indent, @ckeditor/ckeditor5-language, @ckeditor/ckeditor5-media-embed, @ckeditor/ckeditor5-mention, @ckeditor/ckeditor5-minimap, @ckeditor/ckeditor5-page-break, @ckeditor/ckeditor5-paste-from-office, @ckeditor/ckeditor5-remove-format, @ckeditor/ckeditor5-restricted-editing, @ckeditor/ckeditor5-select-all, @ckeditor/ckeditor5-show-blocks, @ckeditor/ckeditor5-source-editing, @ckeditor/ckeditor5-special-characters, @ckeditor/ckeditor5-style, @ckeditor/ckeditor5-table, @ckeditor/ckeditor5-theme-lark, @ckeditor/ckeditor5-upload, @ckeditor/ckeditor5-watchdog, @ckeditor/ckeditor5-widget, @ckeditor/ckeditor5-word-count, ckeditor5, ckeditor5-autofmt, ckeditor5-basic-styles, ckeditor5-block-quote, ckeditor5-clipboard, ckeditor5-core, ckeditor5-editor-classic, ckeditor5-engine, ckeditor5-enter, ckeditor5-heading, ckeditor5-image, ckeditor5-link, ckeditor5-list, ckeditor5-markdown-gfm, ckeditor5-paragraph, ckeditor5-typing, ckeditor5-ui, ckeditor5-undo, ckeditor5-utils and mysqlclient is Copyright (c) 2018. Licensed under GNU General Public License v2.0 or later.

- @mapbox/geojson-rewind, @mapbox/geojson-types, @maplibre/maplibre-gl-style-spec, d3-color, d3-interpolate, dnspython, earcut, electron-to-chromium, es5-ext, es6-symbol, es6-weak-map, esniff, ext, geojson-vt, glsIify-deps, grid-index, icss-utils, inherits, isaacs/once, isexe, kdbush, medikoo/d, medikoo/next-tick, node-graceful-fs, node-semver, npm ini, picocolors, point-geometry, postcss-modules-extract-imports, postcss-modules-scope, postcss-modules-values, potpack, quickselect, requests-oauthlib, sax-js, supercluster-indexes, svg-arc-to-cubic-bezier, tinyqueue, topojson-client, type, which, whoots-js and wrappy is Copyright (c) 2013-2024, Mariusz Nowak, @medikoo, medikoo.com. Licensed under ISC License.

- django-multi-email-field, nameparser and num2words is Copyright (C) 1991, 1999 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.
- django-otp and mumath is (C) Copyright ... is shown in the HTML footer. Default is True.
- @mapbox/unitbezier, @mixmark-io/domino, Esprima, UglifyJS, escodegen, eslint-scope, esrecurse, estraverse, esutils, glob-to-regexp, terser, tiny-sdf and uri-js is Copyright 2005, 2012 jQuery Foundation, Inc. and other contributors. Licensed under BSD 2-clause "Simplified" License.
- @fontawesome/fontawesome-free is Copyright 2024 Fonticons, Inc.. Licensed under (MIT License AND SIL Open Font License 1.1 AND Creative Commons Attribution 4.0).
- gl-mat4 is Copyright (c) 2013 Brandon Jones, Colin MacKenzie IV. Licensed under zlib License.
- JoshData/python-email-validator is licensed under Creative Commons Zero v1.0 Universal.
- matplotlib is (c) Tavis Bah. Licensed under MATPLOTLIB License 1.3.0 or Later.
- Microsoftslib is Copyright (c) Microsoft Corporation.. Licensed under BSD Zero Clause License.
- PillowPython is © 1995-2011 by Fredrik Lundh and contributors. Licensed under Python Imaging Library Software License.
- pyca/cryptography and python-dateutil is Copyright 2015 The Go Authors. All rights reserved.. Licensed under (Apache License 2.0 OR BSD 3-clause "New" or "Revised" License).
- pycryptodome is (C) Copyright. Licensed under (BSD 2-clause "Simplified" License AND Public Domain).
- suds-community is (c)
- Weka - Machine Learning Software in Java is (c) for a given integer value c.