

Open Source Licenses – Verint Work Assist

Revision 1.03
November 2025

Unauthorized use, duplication, or modification of this document in whole or in part without the written consent of Verint Systems Inc. is strictly prohibited. By providing this document, Verint Systems Inc. is not making any representations regarding the correctness or completeness of its contents and reserves the right to alter this document at any time without notice. Features listed in this document are subject to change. Contact your Verint representative for current product features and specifications. All marks referenced herein with the ® or TM symbol are registered trademarks or trademarks of Verint Systems Inc. or its subsidiaries. All rights reserved. All other marks are trademarks of their respective owners.

© 2025 Verint Systems Inc. All rights reserved worldwide.

Table of Contents

Open Source Attribution	1
-------------------------------	---

Open Source Attribution

Certain components of this Software or software contained in this Product (collectively, "Software") may be covered by so-called "free or open source" software licenses ("Open Source Components"), which includes any software licenses approved as open source licenses by the Open Source Initiative or any similar licenses, including without limitation any license that, as a condition of distribution of the Open Source Components licensed, requires that the distributor make the Open Source Components available in source code format. A license in each Open Source Component is provided to you in accordance with the specific license terms specified in their respective license terms.

EXCEPT WITH REGARD TO ANY WARRANTIES OR OTHER RIGHTS AND OBLIGATIONS EXPRESSLY PROVIDED DIRECTLY TO YOU FROM VERINT, ALL OPEN SOURCE COMPONENTS ARE PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

Any third party technology that may be appropriate or necessary for use with the Verint Product is licensed to you only for use with the Verint Product under the terms of the third party license agreement specified in the Documentation, the Software or as provided online at <http://verint.com/thirdpartylicense>. You may not take any action that would separate the third-party technology from the Verint Product. Unless otherwise permitted under the terms of the third-party license agreement, you agree to only use the third-party technology in conjunction with the Verint Product.

The following Open Source Components may be included with this Software:

License Attributions for Work Assist

- @eslint/config-array, @eslint/config-helpers, @eslint/core, @eslint/object-schema, @eslint/plugin-kit, @humanfs/core, @humanfs/node, @humanwhocodes/config-array, @humanwhocodes/module-importer, @humanwhocodes/retry, Apache Commons BeanUtils, Apache Commons Collections, Apache Commons Lang, Apache Commons Logging, Apache Commons Pool, Apache Kafka, Apache Log4J API, Apache Log4j, Apache Log4j JUL Adapter, Apache Log4j Layout for JSON template, Apache Log4j SLF4J 2.0 Binding, Apache Tomcat, Caffeine cache, Hibernate Validator, HikariCP, JBoss Logging 3, JCIP Annotations under Apache License, JCommander Library, JSpecify annotations, Jackson-Datatype-JSR310, Jackson-module-parameter-names, JetBrains annotations, Kotlin, Netty Project, Netty/Codec/Base, Netty/Codec/Compression, Netty/Codec/Marshalling, Netty/Codec/Protobuf, Netty/Transport/Native/Unix/Common, Nimbus-JOSE-JWT, OkHttp, OkIO, Prometheus Java Simpleclient, Prometheus Java Span Context Supplier - Common, Prometheus Java Span Context Supplier - OpenTelemetry, Prometheus Java Span Context Supplier - OpenTelemetry Agent, Prometheus Metrics Config, Prometheus Metrics Core, Prometheus Metrics Exposition Formats, Prometheus Metrics Exposition Text Formats, Prometheus Metrics Model, Prometheus Metrics Tracer Common, ReactiveX RxJS, SnakeYAML, Spring Boot, Spring Boot Actuator AutoConfigure, Spring Boot Developer Tools, Spring Commons Logging Bridge, Spring Data Commons, Spring Framework, Spring Kafka, TypeScript, aria-query, axios-query, baseline-browser-mapping, client_golang, cluster-key-slot, denque, detect-libc, docker, doctrine, error-prone annotations, eslint-visitor-keys, fast-diff, google-gson, human-signals, jackson-annotations, jackson-core, jackson-databind, jackson-modules-java8, jakartaeevalidation, java-classmate, kotlin-stdlib-common, log4js-node, lz4java, micrometer-commons, micrometer-jakarta9, micrometer-metrics, micrometer-observation, micrometer-registry-prometheus, nodejs-walker, org.jetbrains.kotlin:kotlin-stdlib-jdk7, org.jetbrains.kotlin:kotlin-stdlib-jdk8, prometheus-api-metrics, reactor-core, siimon/prom-client, snappy-java, sdx-correct.js, spring-boot-actuator, spring-data-keyvalue, spring-data-redis, spring-retry, validate-npm-package-license and watchman is Copyright 2012-2024 the original author or authors.. Licensed under Apache License 2.0.
- HdrHistogram is Copyright (c) 2012, 2013, 2014, 2015, 2016 Gil Tene

• Jakarta Annotations API is (C) 1995-2013 Jean-loup Gailly and Mark Adler

• @babel/code-frame, @babel/compat-data, @babel/core, @babel/generator, @babel/helper-compilation-targets, @babel/helper-globals, @babel/helper-module-imports, @babel/helper-module-transforms, @babel/helper-plugin-utils, @babel/helper-string-parser, @babel/helper-validator-identifier, @babel/helper-validator-option, @babel/helpers, @babel/highlight, @babel/parser, @babel/plugin-syntax-async-generators, @babel/plugin-syntax-bigint, @babel/plugin-syntax-class-properties, @babel/plugin-syntax-class-static-block, @babel/plugin-syntax-import-attributes, @babel/plugin-syntax-import-meta, @babel/plugin-syntax-json-strings, @babel/plugin-syntax-jsx, @babel/plugin-syntax-logical-assignment-operators, @babel/plugin-syntax-nullish-coalescing-operator, @babel/plugin-syntax-numeric-separator, @babel/plugin-syntax-object-rest-spread, @babel/plugin-syntax-optional-catch-binding, @babel/plugin-syntax-optional-chaining, @babel/plugin-syntax-private-property-in-object, @babel/plugin-syntax-top-level-await, @babel/plugin-syntax-typescript, @babel/runtime, @babel/template, @babel/types, @bcoe/v8-coverage, @confluentinc/kafka-javascript, @cspell/cspell-bundled-dicts, @cspell/cspell-json-reporter, @cspell/cspell-pipe, @cspell/cspell-service-bus, @cspell/cspell-types, @cspell/dict-ada, @cspell/dict-aws, @cspell/dict-bash, @cspell/dict-companies, @cspell/dict-cpp, @cspell/dict-cryptocurrencies, @cspell/dict-csharp, @cspell/dict-css, @cspell/dict-dart, @cspell/dict-data-science, @cspell/dict-django, @cspell/dict-docker, @cspell/dict-dotnet, @cspell/dict-elixir, @cspell/dict-en-common-misspellings, @cspell/dict-en-gb, @cspell/dict-en_us, @cspell/dict-filetypes, @cspell/dict-fonts, @cspell/dict-fullstack, @cspell/dict-gaming-terms, @cspell/dict-git, @cspell/dict-golang, @cspell/dict-haskell, @cspell/dict-html, @cspell/dict-html-symbol-entities, @cspell/dict-java, @cspell/dict-k8s, @cspell/dict-latex, @cspell/dict-lorem-ipsum, @cspell/dict-lua, @cspell/dict-node, @cspell/dict-npm, @cspell/dict-php, @cspell/dict-powershell, @cspell/dict-public-licenses, @cspell/dict-python, @cspell/dict-r, @cspell/dict-ruby, @cspell/dict-rust, @cspell/dict-scala, @cspell/dict-software-terms, @cspell/dict-sql, @cspell/dict-svelte, @cspell/dict-swift, @cspell/dict-typescript, @cspell/dict-vue, @cspell/dynamic-import, @cspell/strong-weak-map, @csstools/css-parser-algorithms, @csstools/css-tokenizer, @csstools/media-query-list-parser, @csstools/selector-specificity, @emnapi/core, @emnapi/runtime, @emnapi/wasi-threads, @eslint-community/eslint-utils, @eslint-community/regexpp, @eslint/eslintrc, @eslint/js, @faker-js/faker, @godaddy/terminus, @ioredis/commands, @istanbuljs/schema, @jest/console, @jest/core, @jest/diff-sequences, @jest/environment, @jest/expect, @jest/expect-utils, @jest/fake-timers, @jest/get-type, @jest/globals, @jest/pattern, @jest/reporters, @jest/schemas, @jest/snapshot-utils, @jest/source-map, @jest/test-result, @jest/test-sequencer, @jest/transform, @jest/types, @jridgewell/gen-mapping, @jridgewell/remapping, @jridgewell/resolve-uri, @jridgewell/sourcemap-codec, @jridgewell/trace-mapping, @napi-rs/wasm-runtime, @noble/hashes, @nodelib/fs.scandir, @nodelib/fs.stat, @nodelib/fs.walk, @paralleldrive/cuid2, @pkgjs/parseargs, @pkgr/core, @redis/bloom, @redis/client, @redis/graph, @redis/json, @redis/search, @redis/time-series, @sinclair/typebox, @socket.io/component-emitter, @socket.io/redis-adapter, @socket.io/redis-streams-adapter, @storybook/csf, @tybys/wasm-util, @types/accepts, @types/babel__core, @types/babel__generator, @types/babel__template, @types/babel__traverse, @types/body-parser, @types/connect, @types/content-disposition, @types/cookies, @types/cors, @types/estree, @types/express, @types/express-serve-static-core, @types/http-assert, @types/http-errors, @types/istanbul-lib-coverage, @types/istanbul-lib-report, @types/istanbul-reports, @types/jest, @types/json-schema, @types/json5, @types/keygrip, @types/koa, @types/koa-compose, @types/mime, @types/minimist, @types/node, @types/normalize-package-data, @types/prop-types, @types/qs, @types/range-parser, @types/react, @types/react-dom, @types/scheduler, @types/semver, @types/send, @types/serve-static, @types/stack-utils, @types/yargs, @types/yargs-parser, @typescript-eslint/eslint-plugin, @typescript-eslint/scope-manager, @typescript-eslint/type-utils, @typescript-eslint/types, @typescript-eslint/utils, @typescript-eslint/visitor-keys, @unrs/resolver-binding-android-arm-eabi, @unrs/resolver-binding-android-arm64, @unrs/resolver-binding-darwin-arm64, @unrs/resolver-binding-darwin-x64, @unrs/resolver-binding-freebsd-x64, @unrs/resolver-binding-linux-arm-gnueabi, @unrs/resolver-binding-linux-arm-musleabi, @unrs/resolver-binding-linux-arm64-gnu, @unrs/resolver-binding-linux-arm64-musl, @unrs/resolver-binding-linux-ppc64-gnu, @unrs/resolver-binding-linux-riscv64-gnu, @unrs/resolver-binding-linux-riscv64-musl, @unrs/resolver-binding-linux-s390x-gnu, @unrs/resolver-binding-linux-x64-gnu, @unrs/resolver-binding-linux-x64-musl, @unrs/resolver-binding-wasm32-wasi, @unrs/resolver-binding-win32-arm64-msvc, @unrs/resolver-binding-win32-ia32-msvc, @unrs/resolver-binding-win32-x64-msvc, Acorn, Acorn-JSX, BasicAuth, Chalk, Checker Qual, Clone, Commander.js, Decamelize, ESLint, GenSequence, JSHTTP's negotiator, Java-WebSocket, Jest from Facebook, Lettuce, Lodash, Merge-Stream, Node Cookie Parser, PostCSS, Prettier IO, Project Lombok, Punycode.js, Qix-/color-convert, Raynos/for-each, SLF4J API Module, Send for Node.js, Socket.IO Parser, Strip ANSI, event-base, ajv, ajv-formats, ansi-escapes, ansi-regex, ansi-styles, array-buffer-byte-length, array-flatten, array-includes, array-timsort, array-union, array.prototype.findlast, array.prototype.findlastindex, array.prototype.flat, array.prototype.flatMap, array.prototype.toreversed, array.prototype.tosorted, arraybuffer.prototype.slice, arrify, asap, ast-types-flow, astral-regex, asynckit, available-typed-arrays, babel-preset-current-node-syntax, babel-traverse, balanced-match, base64id, binary-extensions, bintrees, body-parser, brace-expansion, browserify/resolve, browserslist, buffer-from, bytes.js, call-bind, call-bind-apply-helpers, call-bound, callsites, camelcase, camelcase-keys, char-regex, chokidar, ci-info, cjs-module-lexer, clear-module, co, collect-v8-coverage, color-name, colorid, combined-stream, comment-json, concurrently, content-disposition, convert-source-map, core-util-is, correlation-id, cosmiconfig, crypto-random-string, cspell, cspell-dictionary, cspell-gitignore, cspell-grammar, cspell-io, cspell-lib, cspell-trie-lib, css-functions-list, css-tree, cssesc, csstype, data-view-buffer,

data-view-byte-length, data-view-byte-offset, date-fns/date-fns, date-format, debug-js/debug, decamelize-keys, dedent, deep-is, deepmerge, define-data-property, define-properties, delay, delayed-stream, delegates, destroy, detect-newline, dir-glob, dot-prop, dunder-proto, eastasianwidth, ee-first, einaros/ws, emitter-component, emittery, emoji-regex, encodeurl, engine.io, engine.io-parser, es-abstract, es-define-property, es-errors, es-get-iterator, es-iterator-helpers, es-object-atoms, es-set-tostringtag, es-shim-undefinables, es-to-primitive, escalade, escape-html, escape-string-regexp, eslint-config-prettier, eslint-import-resolver-node, eslint-plugin-import, eslint-plugin-jest, eslint-plugin-jest-dom, eslint-plugin-jsx-a11y, eslint-plugin-prettier, eslint-plugin-react-hooks, eslint-plugin-storybook, eslint-plugin-testing-library, etag, execa, exit-x, expect, express-correlation-id, expressjs/accepts, expressjs/express, expressjs/morgan, fast-deep-equal, fast-equals, fast-glob, fast-json-stable-stringify, fast-levenshtein, fast-safe-stringify, fastest-levenshtein, file-entry-cache, file-uri-to-path, fill-range, finalhandler, find-up, flat-cache, form-data, formidable, forwarded, fsevents, function-bind, function.prototype.name, functions-have-names, gensync, get-intrinsic, get-package-type, get-proto, get-stdin, get-stream, get-symbol-description, github.com/go-viper/mapstructure, github.com/sagikazarmark/locafero, global-dirs, global-modules, global-prefix, globalthis, globjoin, gopd, graphemer, hard-rejection, has-bigints, has-flag, has-property-descriptors, has-proto, has-symbols, has-tostringtag, hasown, helmetjs/helmet, helmetjs/nocache, html-tags, http-errors, https-proxy-agent, i, iconv-lite, import-fresh, import-lazy, import-local, import-meta-resolve, imurmurhash, indent-string, indexzero/node-pkginfo, internal-slot, ioredis, is-arguments, is-array-buffer, is-arrayish, is-async-function, is-bigint, is-binary-path, is-boolean-object, is-callable, is-core-module, is-data-view, is-date-object, is-extended-glob, is-finalization-registry, is-fullwidth-code-point, is-generator-fn, is-generator-function, is-glob, is-map, is-negative-zero, is-number, is-number-object, is-obj, is-path-inside, is-plain-obj, is-plain-object, is-regex, is-set, is-shared-array-buffer, is-stream, is-string, is-symbol, is-typed-array, is-weakmap, is-weakref, is-weakset, isarray, iterator.prototype, jedis, jest-changed-files, jest-config, jest-diff, jest-each, jest-environment-node, jest-get-type, jest-haste-map, jest-leak-detector, jest-matcher-utils, jest-message-util, jest-pnp-resolver, jest-regex-util, jest-resolve, jest-resolve-dependencies, jest-runner, jest-runtime, jest-snapshot, jest-util, jest-validate, jest-worker, js-tokens, js-yaml, jscs, jshttp/content-type, jshttp/fresh, jshttp/mime-types, jsjest, json-buffer, json-parse-even-better-errors, json-schema-traverse, json5, jsx-ast-utils, jwt-decode, kafkajs, keyv, kind-of, known-css-properties, language-tags, leven, levn, lines-and-columns, ljharr/object.assign, lmittmann/tint, locate-path, lodash.defaults, lodash.get, lodash.isarguments, lodash.merge, lodash.truncate, loose-envify, make-dir, map-obj, math-intrinsics, mathml-tag-names, media-typer, meow, merge-descriptors, merge2, methods, micromatch, micromatch/braces, mime, mime-db, mimic-fn, min-indent, minimalist, minimalist-options, minizlib, moxystudio/node-cross-spawn, ms.js, nan, nanoid, napi-postinstall, natural-compare, natural-compare-lite, node-bindings, node-concat-map, node-cookie-signature, node-cookiejar, node-cors, node-deep-equal, node-error-ex, node-fetch, node-fs-extra, node-ignore, node-int64, node-jsonfile, node-mkdirp, node-mocks-http, node-pool, node-releases, node-shell-quote, node-source-map-support, node_postgres, nodeca/argparse, nodejs Deprecate, nodejs/string_decoder, normalize-path, notepack, npm-run-path, object-assign, object-inspect, object-is, object-keys, object.entries, object.fromentries, object.groupby, object.hasown, object.values, on-finished, on-headers, optionator, p-finally, p-limit, p-locate, p-timeout, p-try, p-wait-for, parent-module, parse-json, path-exists, path-is-absolute, path-key, path-parse, path-to-regexp, path-type, pg-connection-string, pg-pool, pg-protocol, pg-types, pgpass, picomatch, pillarjs/parseurl, pirates, pkg-dir, possible-typed-array-names, postcss-resolve-nested-selector, postcss-safe-parser, postcss-selector-parser, postcss-value-parser, postgres-array, postgres-bytea, postgres-date, postgres-interval, prelude-ls, prettier-linter-helpers, pretty-format, prettymuchbryce/http-status-codes, prop-types, proxy-addr, pstree.remy, pure-rand, queue-microtask, quick-lru, range-parser, raw-body, react-is, read-pkg, read-pkg-up, readable-stream, readdirp, redent, redis, redis-errors, redis-parser, reflect.getprototypeof, regenerator-runtime, regexp.prototype.flags, remy's nodemon, repeat-string, require-directory, require-from-string, requireindex, resolve-cwd, resolve-from, resolve-global, reusify, rfdc, run-parallel, safe-array-concat, safe-buffer, safe-regex-test, safe-stable-stringify, safer-buffer, semver-compare, serve-static, set-function-length, set-function-name, shebang-command, shebang-regex, side-channel, side-channel-list, side-channel-map, side-channel-weakmap, simple-update-notifier, sindresorhus/globals, sindresorhus/globby, sindresorhus/has-own-prop, sindresorhus/onetime, sindresorhus/slash, sindresorhus/supports-color, slice-ansi, socket.io, socket.io-adapter, spawn-command, spdx-expression-parse.js, stable-stringify, stack-utils, standard-as-callback, statuses, stop-iteration-iterator, stoppable, streamroller, string-length, string-width, string.prototype.includes, string.prototype.matchall, string.prototype.trim, string.prototype.trimend, string.prototype.trimstart, strip-bom, strip-final-newline, strip-indent, strip-json-comments, stylelint, stylelint-config-recommended, stylelint-config-standard, superagent, supertest, supports-color, supports-hyperlinks, supports-preserve-symlinks-flag, svg-tags, text-table, to-regexp-range, toidentifier, tr46, tree-kill, trim-newlines, ts-dedent, tsconfig-paths, tsutils, type-check, type-detect, type-is, typed-array-buffer, typed-array-byte-length, typed-array-byte-offset, typed-array-length, typedarray-to-buffer, typicode/husky, uid2, un-ts/synckit, unbox-primitive, undefsafe, undici-types, unique-string, universalify, unpipe, unrs-resolver, update-browserslist-db, util-deprecate, utils-merge, uuid, uuid-validate, vary, vscode-languageserver-node, vscode-uri, webreflection/html-escaper, welch/tdigest, whatwg-url, which-boxed-primitive, which-builtin-type, which-collection, which-typed-array, whitequark/ipaddr.js, word-wrap, wrap-ansi, xdg-basedir, xml-js, xtend, yannickcr/eslint-plugin-react, yargs and yocto-queue is Copyright (c) 2015. Licensed under MIT License.

- JSON-java is licensed under Public Domain.
- LatencyUtils is Written by Gil Tene of Azul Systems, and released to the
- reactive-streams is (C) 1995-2013 Jean-loup Gailly and Mark Adler

- @typescript-eslint/parser, @typescript-eslint/typescript-estree, Esprima, PostgreSQL JDBC Driver (pgjdbc), configstore, damerau-levenshtein, eslint-scope, espree, esrecurse, estraverse, esutils, normalize-package-data, scottmotte/dotenv, uri-js, webidl-conversions and zstd-jni is Copyright (C) 2014 Thiago de Arruda <tpadilha84@gmail.com>. Licensed under BSD 2-clause "Simplified" License.
- RocksDB JNI is Copyright (c) 2011-present, Facebook, Inc. All rights reserved.. Licensed under (Apache License 2.0 OR GNU General Public License v2.0 or later).
- @isaacs/cliui, @istanbuljs/load-nyc-config, @msgpack/msgpack, @ungap/structured-clone, abbrev, anymatch, aproba, are-we-there-yet, chownr, cliui, color-support, console-control-strings, dezalgo, electron-to-chromium, fastq, flatted, foreground-child, fs-minipass, fs.realpath, get-caller-file, glob-parent, has-unicode, hosted-git-info, iarna/gauge, iarna/write-file-atomic, ignore-by-default, inflight, inherits, isaacs/once, isexe, minimatch, minipass, node-glob, node-graceful-fs, node-lru-cache, node-semver, nopt, npm ini, npmlog, pg-int8, picocolors, rimraf, sax-js, set-blocking, setprototypeof, signal-exit, split2, string-width-cjs, strip-ansi-cjs, style-search, tapjs/signal-exit, tar, test-exclude, touch, v8-to-istanbul, which, wide-align, wrap-ansi-cjs, wrappy, y18n, yallist and yargs-parser is Copyright (c) 2016, Contributors
- @humanwhocodes/object-schema, @mapbox/node-pre-gyp, @sinonjs/commons, @sinonjs/fake-timers, babel-plugin-istanbul, esquery, fast-printf, gajus/table, golang.org/x/telemetry, golang.org/x/vuln, http-terminator, istanbul-lib-coverage, istanbul-lib-instrument, istanbul-lib-report, istanbul-lib-source-maps, istanbul-reports, klauspost-compress, makeerror, qs - QS Querystring, roarr, source-map, source-map-js, sprintf.js and tmpl is Copyright (c) Facebook, Inc. and its affiliates.
- javax.annotation API is (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.
- caniuse-lite is copyright or other
- axe-core is Copyright (C) 2014 Mariusz Nowak (www.medikoo.com). Licensed under Mozilla Public License 2.0.
- isaacs/jackspeak, package-json-from-dist and path-scurry is N/A. Licensed under Blue Oak Model License 1.0.0.
- doctrine is @author Yusuke Suzuki <utatane.tea@gmail.com>
- Microsofttslib is Copyright (c) Microsoft Corporation.. Licensed under BSD Zero Clause License.
- nodeca-argparse is Copyright (C) 2020 argparse.js authors
- language-subtag-registry, mdn-data and spdx-license-ids is licensed under Creative Commons Zero v1.0 Universal.
- type-fest is Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (https://sindresorhus.com)
- spdx-exceptions is Copyright © 2010-2015 Linux Foundation and its Contributors. Licensed