

Open Source Licenses – Verint Foundation

Revision 1.05
March 2026

Unauthorized use, duplication, or modification of this document in whole or in part without the written consent of Verint Systems Inc. is strictly prohibited. By providing this document, Verint Systems Inc. is not making any representations regarding the correctness or completeness of its contents and reserves the right to alter this document at any time without notice. Features listed in this document are subject to change. Contact your Verint representative for current product features and specifications. All marks referenced herein with the ® or TM symbol are registered trademarks or trademarks of Verint Systems Inc. or its subsidiaries. All rights reserved. All other marks are trademarks of their respective owners.

© 2026 Verint Systems Inc. All rights reserved worldwide.

Table of Contents

Open Source Attribution	1
-------------------------------	---

Open Source Attribution

Certain components of this Software or software contained in this Product (collectively, "Software") may be covered by so-called "free or open source" software licenses ("Open Source Components"), which includes any software licenses approved as open source licenses by the Open Source Initiative or any similar licenses, including without limitation any license that, as a condition of distribution of the Open Source Components licensed, requires that the distributor make the Open Source Components available in source code format. A license in each Open Source Component is provided to you in accordance with the specific license terms specified in their respective license terms.

EXCEPT WITH REGARD TO ANY WARRANTIES OR OTHER RIGHTS AND OBLIGATIONS EXPRESSLY PROVIDED DIRECTLY TO YOU FROM VERINT, ALL OPEN SOURCE COMPONENTS ARE PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

Any third party technology that may be appropriate or necessary for use with the Verint Product is licensed to you only for use with the Verint Product under the terms of the third party license agreement specified in the Documentation, the Software or as provided online at <http://verint.com/thirdpartylicense>. You may not take any action that would separate the third-party technology from the Verint Product. Unless otherwise permitted under the terms of the third-party license agreement, you agree to only use the third-party technology in conjunction with the Verint Product.

The following Open Source Components may be included with this Software:

License Attributions for Foundation

- Angus Activation Registries, Codemodel Core, Exception Annotation Processor, Generated CSV2 APIs, JAX WS RI Runtime (jaxws Rt), JAX-WS (JSR-224) Reference Implementation Tools, JAX-WS RI HTTP SPI (httpspi-servlet), JAXB CORE, JAXB JXC, JAXB OSGi bundle for GlassFish V3, JAXB Runtime, Jakarta Activation API, Java API for XML Web Services, MIME streaming extension, PFL Basic Tools, PFL TF TOOLS, RNGOM, RelaxNG Datatype, TXW2 Runtime, WS-ReliableMessaging API, XSOM, com.sun.xml.bind:jaxb-impl, com.sun.xml.bind:jaxb-xjc, dtd-parser, glassfish-corba-internal-api, glassfish-corba-omgapi, glassfish-corba-orb, gmbal, gmbal-api-only-source, istack common utility code runtime, istack-commons-tools, jakarta.xml.bind:jakarta.xml.bind-api, jakarta.xml.soap API, jws-api, management-api, pfl-basic, pfl-dynamic, pfl-tf, saaj-impl, stax-ex and streambuffer is (c) 1997, 2023 Oracle and/or its affiliates. All rights reserved.. Licensed under Eclipse Distribution License - v 1.0.
- @humanwhocodes/object-schema, @js-joda/core, @js-joda/locale_en-us, @js-joda/timezone, @protobufs/aspromise, @protobufs/base64, @protobufs/codegen, @protobufs/eventemitter, @protobufs/fetch, @protobufs/float, @protobufs/inquire, @protobufs/path, @protobufs/pool, @protobufs/utf8, ANTLR 4 Tool, ASM, ASM Commons, ASM Tree, ASM Util, Cyclcr, Hamcrest, Jakarta Activation, Janino, Java API for XML Web Services, MSV Core, Maven definition for asm.jar - external part of NetBeans module., NumPy, OWASP Java Encoder Project, ParaNamer Core, PicoContainer, ProtoBuf.js, Protocol Buffer Java Util Package, Protocol Buffer JavaNano API, ReflectASM, SciPy, XStream, abego TreeLayout Core, antlr, asm-analysis, bcrypt-pbkdf, buffer-equal-constant-time, cmdstanpy, colorama, contourpy, coverity-security-library, dom4j: flexible XML framework for Java, duplexer2, duplexer3, esquery, estraverse, fast-uri, filesystem_spec, gajus/table, hoist-non-react-statics, httpx, hyphenate-style-name, idna, ieee754, istanbul, jaxen, jcommon, joblib, jsonpickle, kiwi-c++, kryo, light-my-request, minlog, moq/moq4, org.xmlunit:xmlunit-core, pandas-pyhton, protobuf-java, qs - QS Querystring, re2j, react-transition-group, relaxng-datatype, relaxngDatatype, s3fs, scikit-learn, secure-json-parse, source-map, source-map-js, sprintf.js, stanio, statsmodels, stringtemplate4, threadpoolctl and xsdlib is 2010, Gael Varoquaux. Licensed under BSD 3-clause "New" or "Revised" License.

- "Java Concurrency in Practice" book annotations, @grpc/proto-loader, @humanwhocodes/config-array, @opentelemetry/api, @opentelemetry/api-logs, @opentelemetry/context-async-hooks, @opentelemetry/core, @opentelemetry/exporter-logs-otlp-grpc, @opentelemetry/exporter-logs-otlp-http, @opentelemetry/exporter-logs-otlp-proto, @opentelemetry/exporter-metrics-otlp-grpc, @opentelemetry/exporter-metrics-otlp-http, @opentelemetry/exporter-metrics-otlp-proto, @opentelemetry/exporter-prometheus, @opentelemetry/exporter-trace-otlp-grpc, @opentelemetry/exporter-trace-otlp-http, @opentelemetry/exporter-trace-otlp-proto, @opentelemetry/exporter-zipkin, @opentelemetry/instrumentation, @opentelemetry/instrumentation-fastify, @opentelemetry/instrumentation-http, @opentelemetry/instrumentation-pg, @opentelemetry/otlp-exporter-base, @opentelemetry/otlp-grpc-exporter-base, @opentelemetry/otlp-transformer, @opentelemetry/propagator-b3, @opentelemetry/propagator-jaeger, @opentelemetry/resources, @opentelemetry/sdk-logs, @opentelemetry/sdk-metrics, @opentelemetry/sdk-node, @opentelemetry/sdk-trace-base, @opentelemetry/sdk-trace-node, @opentelemetry/semantic-conventions, @opentelemetry/sql-common, @react-aria/ssr, @swc/helpers, ASM based accessors helper used by json-smart, AWS Event Stream, AWS Glue Schema Registry AVRO Serializer Deserializer, AWS Glue Schema Registry Build Tools, AWS Glue Schema Registry common, AWS Java SDK :: AWS CRT Core, AWS Java SDK :: Annotations, AWS Java SDK :: Arns, AWS Java SDK :: Checksums, AWS Java SDK :: Checksums SPI, AWS Java SDK :: Core :: Protocols :: AWS Cbor Protocol, AWS Java SDK :: Core :: Protocols :: AWS Json Protocol, AWS Java SDK :: Core :: Protocols :: AWS Xml Protocol, AWS Java SDK :: Core :: Protocols :: Json Utils, AWS Java SDK :: Endpoints SPI, AWS Java SDK :: HTTP Auth, AWS Java SDK :: HTTP Auth AWS, AWS Java SDK :: HTTP Auth Event Stream, AWS Java SDK :: HTTP Auth SPI, AWS Java SDK :: HTTP Clients :: URL Connection, AWS Java SDK :: Identity SPI, AWS Java SDK :: Metrics Interface, AWS Java SDK :: Retries, AWS Java SDK :: Retries API, AWS Java SDK :: Services :: AWS Glue, AWS Java SDK :: Services :: Amazon CloudWatch, AWS Java SDK :: Services :: Amazon DynamoDB, AWS Java SDK :: Services :: Amazon EMR, AWS Java SDK :: Services :: Amazon Kinesis, AWS Java SDK :: Services :: Amazon S3, AWS Java SDK :: Services :: Connect, AWS Java SDK :: Services :: SESv2, AWS Java SDK :: Third Party :: Jackson-core, AWS Java SDK :: Utils Lite, AWS SDK for Java, Activation 1.1, Amazon Kinesis Client Library for Java, Annotation 1.0, Apache ActiveMQ, Apache Ant, Apache Avro, Apache Axis 2.0 - ADB Codegen, Apache Axis 2.0 - JAXB-RI Data Binding, Apache Axis 2.0 - JAXWS API, Apache Axis 2.0 - Metadata, Apache Axis 2.0 - SAAJ, Apache Axis 2.0 - SAAJ API, Apache Axis 2.0 - spring, Apache Axis2 - Clustering, Apache Axis2 - Fast Infoset, Apache Axis2 - JAXWS, Apache Axis2 - Kernel, Apache Axis2 - MTOM Policy, Apache Axis2 - Transport - Base, Apache Axis2 - Transport - HTTP, Apache Axis2 - Transport - Local, Apache CXF, Apache Commons BeanUtils, Apache Commons Codec, Apache Commons Collections, Apache Commons Compress, Apache Commons Digester, Apache Commons Discovery, Apache Commons Exec, Apache Commons FileUpload, Apache Commons FileUpload Core, Apache Commons IO, Apache Commons Lang, Apache Commons Logging, Apache Commons Math, Apache Commons Net, Apache Commons Text, Apache Commons Validator, Apache Felix Framework, Apache Geronimo JAX-WS 2.2 API, Apache Groovy, Apache HTTPComponents Core, Apache HttpClient, Apache HttpMime, Apache JAMES mime4j, Apache Kafka, Apache Log4J API, Apache Log4Net, Apache Log4j, Apache Log4j 2 BOM, Apache Log4j Layout for JSON template, Apache Log4j SLF4J 2.0 Binding, Apache Log4j SLF4J Binding, Apache Log4j to SLF4J Adapter, Apache Neethi, Apache POI, Apache POI: OOXML-schemas, Apache Santuario (Java), Apache Taglibs, Apache Tika, Apache Tomcat, Apache Tomcat Naming, Apache Velocity, Apache XML Commons, Apache Xalan (Java), Apache Xerces2 J, Apache Yetus - Audience Annotations, Apache ZooKeeper, Apache ZooKeeper - Jute, AssertJ - Fluent Assertions for Java, Asynchronous Http Client, Asynchronous Http Client Netty Utils, Auto Common Libraries, AutoService, AutoValue Annotations, Awaitility, Axiom API, Axiom DOM, Axiom JAXB Integration, Axis (Java), Axis2 (Java), BeanShell, Byte Buddy, Caffeine cache, Castle Project, CometD :: Java :: Bayeux Common, CometD :: Java :: Client, CometD :: Java :: Client :: Common, CometD :: Java :: Client :: HTTP :: Common, CometD :: Java :: Client :: HTTP :: Jetty, CometD :: Java API :: Client, CometD :: Java API :: Common, Crnk, Cython, EL, Ehcache, Evo Inflector, Failsafe, Fast Infoset, FindBugs jsr305, Google GSON, Google Guice, Google Java Format, Guava InternalFutureFailureAccess and InternalFutures, Guava ListenableFuture only, HTTP functionality for the Reactor Netty library, Handy-URI-Templates, Hibernate Commons Annotations, Hibernate Models, Hibernate ORM, Hibernate Validator, HikariCP, HtmlUnit, HtmlUnit CSS Parser, HtmlUnit Content-Security-Policy Parser, HtmlUnit Core JS, HtmlUnit NekoHtml, HtmlUnit WebSocket Client, HtmlUnit-XPath, HtmlUnit/htmlunit-neko, ILRepack - Open-source alternative to ILMerge, JBoss Logging 3, JBoss Marshalling API, JCIP Annotations under Apache License, JCL 1.2 Implemented Over SLF4J, JCTTools, JCommander Library, JEval, JWT :: API, JWT :: Extensions :: Gson, JWT :: Extensions :: Jackson, JWT :: Impl, JMES Path Query library, JMS 1.1, JSON Web Token support for the JVM, JSON library from Android SDK, JSONassert, JSpecify annotations, Jackson module: Jakarta XML Bind Annotations (jakarta.xml.bind), Jackson-Datatype-JSR310, Jackson-JAXRS-base, Jackson-core, Jackson-dataformat-TOML, Jackson-datatype-Hibernate5, Jackson-module-parameter-names, Jakarta Dependency Injection, Jandex: Core, Java Annotation Indexer, Java Portlet Specification V2.0, JavaMail 1.4, JetBrains annotations, Jettison - Json Stax implementation, Jimfs Parent, Joda Time, JsonNullable Jackson module, Kotlin, KotlinPoet, LZ4 Java Compression, LaunchDarkly SDK for Java, Log4J Commons Logging Bridge, Log4j Implemented Over SLF4J, Logging, Long.js, MapStruct Core, MapStruct Processor, Medium/phantomjs, Memory Cache Service Plugin, Metrics Core, Metrics Core Library, Netty Project, Netty Reactive Streams Implementation, Netty/BOM, Netty/Codec/Base, Netty/Codec/Classes/Quic, Netty/Codec/Compression, Netty/Codec/Http3, Netty/Codec/Marshalling, Netty/Codec/Native/Quic, Netty/Codec/Protobuf, Netty/Codec/Redis, Netty/Codec/SMTP, Netty/Handler/Ssl/Ocsp, Netty/Resolver/DNS/Classes/MacOS, Netty/Resolver/DNS/MacOS, Netty/TomcatNative [BoringSSL - Static], Netty/TomcatNative [OpenSSL - Classes], Netty/Transport/Classes/Epoll, Netty/Transport/Classes/KQueue, Netty/Transport/Classes/io_uring,

Netty/Transport/Native/KQueue, Netty/Transport/Native/Unix/Common, Netty/Transport/Native/io_uring, Nimbus Content Type, Nimbus LangTag, Nimbus-JOSE-JWT, OAuth 2.0 SDK with OpenID Connect extensions, OAuth Core, OAuth Core: Provider, OPS4J Pax Logging - Log4j v2, OkHttp, OpenSAML 2.0, OpenTelemetry, OpenTelemetry Java, OpenTelemetry Java - io.opentelemetry.opentelemetry-sdk-metrics, OpenWS, Palmmedia-ReportGenerator, PathJson, Pitest, Pluto Descriptor Service API, Pluto Descriptor Service Implementation, Pluto Portal Driver, Pluto Portal Driver Implementation Classes, Pluto Portlet Container, Pluto Portlet Tag Library, PrefixMap, Prometheus Java Simpleclient, Prometheus Java Simpleclient Common, Prometheus Java Span Context Supplier - Common, Prometheus Java Span Context Supplier - OpenTelemetry, Prometheus Java Span Context Supplier - OpenTelemetry Agent, Prometheus Metrics Config, Prometheus Metrics Core, Prometheus Metrics Exposition Formats, Prometheus Metrics Exposition Text Formats, Prometheus Metrics Model, Prometheus Metrics Tracer Common, Prometheus Metrics Tracer Initializer, Prometheus Metrics Tracer OpenTelemetry, Prometheus Metrics Tracer OpenTelemetry Agent, Pure-java LZ4 and xxHash, Quartz Enterprise Job Scheduler, REST Assured, ReactiveX RxJS, Reactor Netty, Request - Simple HTTP Client, RestSharp, RxJava, SCIM - Specification - Protocol, SCIM - Specification - Schema, Scala, Servlet 2.5, Shaded Protobuf, SnakeYAML, Spring Aspects, Spring Beans, Spring Boot, Spring Boot Actuator AutoConfigure, Spring Boot Cache Starter, Spring Boot Configuration Processor, Spring Boot Developer Tools, Spring Boot OAuth2/OpenID Connect Client Starter, Spring Boot Reactor Netty Starter, Spring Boot Test, Spring Boot Test Auto-Configure, Spring Cloud Commons, Spring Cloud Context, Spring Cloud Dependencies, Spring Cloud Starter Vault Config, Spring Cloud Vault Configuration Integration, Spring Commons Logging Bridge, Spring Context, Spring Context Support, Spring Core, Spring Data Commons, Spring Data JPA, Spring Data REST - WebMVC, Spring Framework, Spring Framework , Spring HATEOAS, Spring JDBC, Spring Kafka, Spring Kafka Test Support, Spring Plugin Core, Spring REST Docs Core, Spring REST Docs REST Assured, Spring Security, Spring Security Makes Easy, Spring TestContext Framework, Spring Vault Core, Spring WebFlux, SpringFox, StAX, Standard Uri Template, Streaming API for XML (STAX API 1.0), Swift Poet, TagSoup, TestNG, TypeScript, TypeTools, Web Services Metadata 2.0, Webdriver Manager, Wire, Wire Multiplatform Runtime (Experimental), Wire Protocol Buffer Compiler, Wire Protocol Buffer Java Generator, WireMock, Woden - Core, Woodstox, XMLBeans, XMLTooling Java, Xalan Java Serializer, XmlSchema Core, Yet Another UserAgent Analyzer (yauaa), aio-libs/propcache, aiobotocore, aiohttp, aiosignal, aircompressor, annogen, aria-query, async-timeout, aws-sign, axiom-impl, axiom-jakarta-activation, axiom-legacy-attachments, axis2-xmlbeans, b4a, bare-events, boto3, botocore, byte-buddy-agent, caseless, cglib, chromedriver, cli, cluster-key-slot, com.dynatrace.hash4j:hash4j, com.google.api.grpc:proto-google-common-protos, com.google.auto.service:auto-service-annotations, commons-bcel, commons-cli, commons-csv, crc-32, crnk-client, crnk-core, crnk-home, crnk-jpa, crnk-meta, crnk-operations, crnk-security, crnk-ui, crnk-validation, denque, deprecation, detect-libc, docker-java, docker-java-api, docker-java-core, docker-java-transport, docker-java-transport-httpclient5, doctrine, easymockobjenesis, ecdsa-sig-formatter, error-prone annotations, error-prone type annotations, eslint-visitor-keys, events-universal, everit-json-schema, fast-text-encoding, flyway-core, flyway-database-postgresql, forever-agent, frozenlist, geronimo-stax, github-utilities, google-truth, googleguava, googlei18n/libphonenumber, gradle-jacoco, grpc-java, grpc-js, htm, httpcore5, hypersistence-utils-hibernate-63, import-in-the-middle, io-interfaces, io-jackson, io.grpc:grpc-protobuf-lite, io.grpc:grpc-stub, io.katharsis:katharsis-servlet, io.swagger:swagger-annotations, j2ee, j2mod, j2objc - Java to IOS, jackson-annotations, jackson-bom, jackson-core, jackson-databind, jackson-dataformat-binary, jackson-dataformat-csv, jackson-dataformat-xml, jackson-dataformat-yaml, jackson-datatype-joda, jackson-jaxrs-json-provider, jackson-module-jaxb-annotations, jackson-module-kotlin, jackson-module-scala, jackson-modules-java8, jain-sip-api, jakartaeevalidation, jansi-native, java-classmate, java-support, javapoet, javaselenium, javax.inject:javax.inject, jaxen, jest-junit, jexlcommons, jmh-gradle-plugin, jmx_exporter, jose4j, json-path, json-schema-validator, json-simple, json-smart, jsr107, jsr305-and-javax.annotation-api, jtoml, katharsis-client, katharsis-core, katharsis-spring, katharsis-validation, kew, kotlin-reflect, kotlin-script-runtime, kotlin-stdlib-common, kotlinx-datetime, kotlinx-serialization-core, logstash-logback-encoder, lz4java, me.champeau.gradle.jmh.gradle.plugin, micrometer-commons, micrometer-jakarta9, micrometer-metrics, micrometer-observation, micrometer-registry-prometheus, mikeal/oauth-sign, multidict, okio-fakefilesystem, openapi-client, openapi-core, openapi-parser, openapi-processor, opencsv, org-netbeans-libs-commons_net, org.apache.groovy:groovy-json, org.apache.groovy:groovy-xml, org.apiguardian:apiguardian-api, org.jetbrains.kotlin:kotlin-scripting-common, org.jetbrains.kotlin:kotlin-scripting-compiler-embeddable, org.jetbrains.kotlin:kotlin-scripting-compiler-impl-embeddable, org.jetbrains.kotlin:kotlin-scripting-jvm, org.jetbrains.kotlin:kotlin-stdlib-jdk7, org.jetbrains.kotlin:kotlin-stdlib-jdk8, org.opentest4j:opentest4j, org.osgi.annotation, org.osgi:org.osgi.annotation.bundle, org.osgi:org.osgi.annotation.versioning, org.osgi:org.osgi.resource, org.osgi:org.osgi.service.condpermadmin, org.osgi:org.osgi.service.prefs, org.osgi:org.osgi.service.serviceloader, org.osgi:org.osgi.service.url, org.osgi:org.osgi.util.tracker, org.seleniumhq.selenium:selenium-devtools-v104, org.seleniumhq.selenium:selenium-devtools-v105, org.seleniumhq.selenium:selenium-devtools-v106, org.seleniumhq.selenium:selenium-devtools-v85, org.seleniumhq.selenium:selenium-http, org.seleniumhq.selenium:selenium-json, org.xmlunit:xmlunit-core, org.xmlunit:xmlunit-matchers, osgi.core, pitest-command-line, pitest-entry, plexus-utils, powermock-api-mockito2, powermock-api-support, powermock-core, powermock-module-junit4, powermock-module-junit4-common, powermock-reflect, puppeteer, pyarrow, python3-importlib-resources, qrcode-terminal, quartz-all, react-beautiful-dnd, reactor-core, readdir-glob, redisson, reload4j, resolver, rest-assured-common, river, ronmamorelections, scala-collection-compat, scala-java8-compat, scala-logging, selenium-chromium-driver, selenium-edge-driver, shadow, siimon/prom-client, snappy-java, sidx-correct.js, spring-boot-actuator, spring-boot-cache, spring-boot-data-commons, spring-boot-data-jpa, spring-boot-health,

spring-boot-hibernate, spring-boot-http-codec, spring-boot-http-converter, spring-boot-jackson, spring-boot-jarmode-tools, spring-boot-jdbc, spring-boot-jpa, spring-boot-micrometer-metrics, spring-boot-micrometer-observation, spring-boot-netty, spring-boot-persistence, spring-boot-reactor, spring-boot-reactor-netty, spring-boot-security, spring-boot-security-oauth2-client, spring-boot-servlet, spring-boot-sql, spring-boot-starter-jackson, spring-boot-starter-micrometer-metrics, spring-boot-starter-tomcat-runtime, spring-boot-tomcat, spring-boot-transaction, spring-boot-validation, spring-boot-web-server, spring-boot-webflux, spring-boot-webmvc, spring-cloud-starter, spring-data-rest, spring-retry, spring-security-oauth2-client, spring-security-oauth2-core, spring-security-oauth2-jose, spring-security-saml2-service-provider, springdoc-openapi-common, springdoc-openapi-ui, springdoc-openapi-webmvc-core, springfox-bean-validators, springfox-boot-starter, springfox-data-rest, springfox-oas, springfox-spring-webflux, springfox-spring-webmvc, squareokio, swagger-compat-spec-parser, swagger-core, swagger-jaxrs, swagger-models, swagger-parser, swagger-parser-safe-url-resolver, swagger-parser-v2-converter, swagger-ui, tcurdt's jdependency, text-decoder, tiger-java-agent, tunnel-agent, validate-npm-package-license, web-vitals, websocket-driver-node, websocket-extensions-node, xUnit.net, xUnit.net [Abstractions], xUnit.net [Visual Studio/TFS Build Runner], xUnit.net: Runners, xml-path, xr-redis-cache-service-starter, xunit.analyzers, yarl, zip4j and zkclient is (C) object)); }. Licensed under Apache License 2.0.

- AspectJ weaver, Bouncy Castle, Commands, Core File Systems, Core Resource Management, Core Runtime, Eclipse Compiler for Java(TM), Eclipse Content Mechanism, Eclipse Java Development Tools (JDT), Eclipse Jobs Mechanism, Expression Language, Glassfish Grizzly Package, Grizzly OSGi HttpService, JUnit 5 (Bill of Materials), JUnit Jupiter (Aggregator), JaCoCo, Javax Persistence API 2.0, OSGi System Bundle, Text, grizzly-framework, grizzly-http, grizzly-http-server, jakartaee/rest, org.eclipse.equinox.app, org.eclipse.equinox.common, org.eclipse.equinox.preferences, org.eclipse.equinox.registry, org.junit.jupiter:junit-jupiter-api, org.junit.jupiter:junit-jupiter-engine, org.junit.jupiter:junit-jupiter-params, org.junit.platform:junit-platform-commons, org.junit.platform:junit-platform-engine and org.junit.platform:junit-platform-launcher is Copyright (c) 2010, 2020 Oracle and/or its affiliates. All rights reserved.. Licensed under Eclipse Public License 2.0.

- HdrHistogram is Copyright (c) 2013, 2022, Oracle and/or its affiliates. All rights reserved.. Licensed under (BSD 2-clause "Simplified" License OR Creative Commons Zero v1.0 Universal OR Public Domain).

- JSONStream, j4rs and through is Copyright (c) 2021 The fast_float authors. Apache 2.0 License.. Licensed under (MIT License OR Apache License 2.0).

- Aopalliance Version 1.0 Repackaged As A Module, GlassFish High Availability APIs and SPI, HK2 API module, HK2 Implementation Utilities, Jakarta Annotations API, Jakarta Expression Language 3.0 API, Jakarta Expression Language 3.0 Implementation, Java Servlet API, OSGi resource locator bundle, ServiceLocator Default Implementation, WebSocket client API, javax.inject:1 as OSGi bundle, javax.transaction API, javax.ws.rs-api and jms is Copyright 2013 jQuery Foundation, Inc. and other contributors. Licensed under (GNU General Public License v2.0 w/Classpath exception OR Eclipse Public License 2.0).

- Aopalliance Version 1.0 Repackaged As A Module, HK2 API module, HK2 Implementation Utilities, Jakarta Annotations API, ServiceLocator Default Implementation, Tyrus Client, Tyrus Container SPI, Tyrus Core, Tyrus Standalone Client and jakarta.jakartaee-api is Copyright (c) 2005, 2023 Oracle and/or its affiliates. All rights reserved.. Licensed under (GNU General Public License v2.0 w/Classpath exception AND Eclipse Public License 2.0).

- jakarta.persistence-api is (c) 2009-2016 Stuart Knightley <stuart. Licensed under (GNU General Public License v2.0 w/Classpath exception OR Eclipse Distribution License - v 1.0 OR Eclipse Public License 2.0).

- EclipseLink, EclipseLink ANTLR, EclipseLink ASM, EclipseLink DBWS, EclipseLink SDO, Java Persistence and jakarta.persistence-api is N/A. Licensed under (Eclipse Distribution License - v 1.0 AND Eclipse Public License 2.0).

- @adobe/css-tools, @apidevtools/json-schema-ref-parser, @auth0/auth0-auth-js, @auth0/auth0-react, @auth0/auth0-spa-js, @azure/msal-browser, @azure/msal-common, @azure/msal-react, @babel/code-frame, @babel/compat-data, @babel/core, @babel/generator, @babel/helper-annotate-as-pure, @babel/helper-compilation-targets, @babel/helper-create-class-features-plugin, @babel/helper-create-regexp-features-plugin, @babel/helper-define-polyfill-provider, @babel/helper-globals, @babel/helper-member-expression-to-functions, @babel/helper-module-imports, @babel/helper-module-transforms, @babel/helper-optimise-call-expression, @babel/helper-plugin-utils, @babel/helper-remap-async-to-generator, @babel/helper-replace-supers, @babel/helper-skip-transparent-expression-wrappers, @babel/helper-string-parser, @babel/helper-validator-identifier, @babel/helper-validator-option, @babel/helper-wrap-function, @babel/helpers, @babel/highlight, @babel/parser, @babel/plugin-bugfix-firefox-class-in-computed-class-key, @babel/plugin-bugfix-safari-class-field-initializer-scope, @babel/plugin-bugfix-safari-id-structuring-collision-in-function-expression, @babel/plugin-bugfix-v8-spread-parameters-in-optional-chaining, @babel/plugin-bugfix-v8-static-class-fields-redefine-readonly, @babel/plugin-proposal-private-property-in-object, @babel/plugin-syntax-import-assertions, @babel/plugin-syntax-import-attributes, @babel/plugin-syntax-jsx, @babel/plugin-syntax-typescript, @babel/plugin-syntax-unicode-sets-regex, @babel/plugin-transform-arrow-functions,

@babel/plugin-transform-async-generator-functions, @babel/plugin-transform-async-to-generator,
@babel/plugin-transform-block-scoped-functions, @babel/plugin-transform-block-scoping,
@babel/plugin-transform-class-properties, @babel/plugin-transform-class-static-block, @babel/plugin-transform-classes,
@babel/plugin-transform-computed-properties, @babel/plugin-transform-destructuring, @babel/plugin-transform-dotall-regex,
@babel/plugin-transform-duplicate-keys, @babel/plugin-transform-duplicate-named-capturing-groups-regex,
@babel/plugin-transform-dynamic-import, @babel/plugin-transform-exponentiation-operator,
@babel/plugin-transform-export-namespace-from, @babel/plugin-transform-for-of, @babel/plugin-transform-function-name,
@babel/plugin-transform-json-strings, @babel/plugin-transform-literals, @babel/plugin-transform-logical-assignment-operators,
@babel/plugin-transform-member-expression-literals, @babel/plugin-transform-modules-amd,
@babel/plugin-transform-modules-commonjs, @babel/plugin-transform-modules-systemjs,
@babel/plugin-transform-modules-umd, @babel/plugin-transform-named-capturing-groups-regex,
@babel/plugin-transform-new-target, @babel/plugin-transform-nullish-coalescing-operator,
@babel/plugin-transform-numeric-separator, @babel/plugin-transform-object-rest-spread,
@babel/plugin-transform-object-super, @babel/plugin-transform-optional-catch-binding,
@babel/plugin-transform-optional-chaining, @babel/plugin-transform-parameters, @babel/plugin-transform-private-methods,
@babel/plugin-transform-private-property-in-object, @babel/plugin-transform-property-literals,
@babel/plugin-transform-regenerator, @babel/plugin-transform-regexp-modifiers, @babel/plugin-transform-reserved-words,
@babel/plugin-transform-shorthand-properties, @babel/plugin-transform-spread, @babel/plugin-transform-sticky-regex,
@babel/plugin-transform-template-literals, @babel/plugin-transform-typeof-symbol, @babel/plugin-transform-typescript,
@babel/plugin-transform-unicode-escapes, @babel/plugin-transform-unicode-property-regex,
@babel/plugin-transform-unicode-regex, @babel/plugin-transform-unicode-sets-regex, @babel/preset-env,
@babel/preset-modules, @babel/preset-typescript, @babel/runtime, @babel/template, @babel/types, @date-fns/tz,
@date-io/core, @date-io/date-fns, @date-io/luxon, @dnd-kit/accessibility, @dnd-kit/core, @dnd-kit/modifiers,
@dnd-kit/sortable, @dnd-kit/utilities, @emotion/babel-plugin, @emotion/cache, @emotion/css, @emotion/hash,
@emotion/is-prop-valid, @emotion/memoize, @emotion/react, @emotion/serialize, @emotion/sheet, @emotion/styled,
@emotion/unitless, @emotion/use-insertion-effect-with-fallbacks, @emotion/utils, @emotion/weak-memoize, @eslint/eslintrc,
@fast-csv/format, @fast-csv/parse, @fastify/accept-negotiator, @fastify/ajv-compiler, @fastify/basic-auth, @fastify/busboy,
@fastify/cookie, @fastify/cors, @fastify/deepmerge, @fastify/error, @fastify/fast-json-stringify-compiler, @fastify/flash,
@fastify/formbody, @fastify/forwarded, @fastify/helmet, @fastify/merge-json-schemas, @fastify/multipart, @fastify/passport,
@fastify/proxy-addr, @fastify/secure-session, @fastify/send, @fastify/sensible, @fastify/static, @fastify/swagger,
@fastify/swagger-ui, @fastify/under-pressure, @fingerprints/fingerprints, @floating-ui/core, @floating-ui/dom,
@floating-ui/react-dom, @floating-ui/utils, @fontsource/roboto, @gar/promisify, @hookform/resolvers,
@hugeicons/core-free-icons, @hugeicons/react, @ioredis/commands, @jest/diff-sequences, @jest/expect-utils,
@jest/get-type, @jest/pattern, @jest/schemas, @jest/types, @jridgewell/gen-mapping, @jridgewell/remapping,
@jridgewell/resolve-uri, @jridgewell/sourcemap-codec, @jridgewell/trace-mapping, @js-sdsl/ordered-map, @jsdevtools/ono,
@keyv/serialize, @lukeed/ms, @material-ui/core, @material-ui/lab, @material-ui/pickers, @material-ui/styles,
@material-ui/system, @material-ui/types, @material-ui/utils, @mui/base, @mui/core-downloads-tracker, @mui/icons-material,
@mui/material, @mui/private-theming, @mui/styled-engine, @mui/system, @mui/types, @mui/utils, @mui/x-charts,
@mui/x-data-grid, @mui/x-data-grid-premium, @mui/x-date-pickers, @mui/x-internal-exceljs-fork, @mui/x-internal-gestures,
@mui/x-internals, @mui/x-tree-view, @mui/x-virtualizer, @node-saml/node-saml, @node-saml/passport-saml,
@npmcli/move-file, @parcel/watcher, @parcel/watcher-android-arm64, @parcel/watcher-darwin-arm64,
@parcel/watcher-darwin-x64, @parcel/watcher-freebsd-x64, @parcel/watcher-linux-arm-glibc,
@parcel/watcher-linux-arm-musl, @parcel/watcher-linux-arm64-glibc, @parcel/watcher-linux-arm64-musl,
@parcel/watcher-linux-x64-glibc, @parcel/watcher-linux-x64-musl, @parcel/watcher-win32-arm64,
@parcel/watcher-win32-ia32, @parcel/watcher-win32-x64, @pinojs/redact, @pkgjs/parseargs, @popperjs/core,
@react-spring/animated, @react-spring/core, @react-spring/rafz, @react-spring/shared, @react-spring/types,
@react-spring/web, @redis/client, @remix-run/router, @restart/hooks, @restart/ui, @silevis/reactgrid, @sinclair/typebox,
@standard-schema/utils, @tanstack/query-core, @tanstack/react-query, @testim/chrome-version, @testing-library/dom,
@testing-library/jest-dom, @testing-library/react, @testing-library/react-hooks, @testing-library/user-event,
@tootallnate/quickjs-emscripten, @types/aria-query, @types/body-parser, @types/connect, @types/d3-array,
@types/d3-color, @types/d3-delaunay, @types/d3-format, @types/d3-interpolate, @types/d3-path, @types/d3-scale,
@types/d3-shape, @types/d3-time, @types/d3-time-format, @types/d3-timer, @types/debug, @types/express,
@types/express-serve-static-core, @types/history, @types/hoist-non-react-statics, @types/http-errors,
@types/istanbul-lib-coverage, @types/istanbul-lib-report, @types/istanbul-reports, @types/jest, @types/json-schema,
@types/json5, @types/lodash, @types/luxon, @types/mime, @types/minimatch, @types/ms, @types/node,
@types/parse-json, @types/passport, @types/passport-strategy, @types/pendo-io-browser, @types/pg, @types/pg-pool,
@types/prop-types, @types/qs, @types/range-parser, @types/react, @types/react-beautiful-dnd, @types/react-dom,
@types/react-redux, @types/react-router, @types/react-transition-group, @types/scheduler, @types/send,
@types/serve-static, @types/shimmer, @types/stack-utils, @types/styled-jsx, @types/stylis, @types/testing-library__jest-dom,
@types/trusted-types, @types/uuid, @types/warning, @types/xml-encryption, @types/xml2js, @types/yargs,
@types/yargs-parser, @types/yauzl, @uidotdev/usehooks, @xmldom/is-dom-node, Acorn, Acorn-JSX, Async, BasicAuth,

Bluebird JS, Bootstrap (Twitter), Bouncy Castle, Buffer, Chalk, Checker Qual, ClassGraph, Clone, Commander.js, ConnorAtherton/loaders.css, Cucumber CiEnvironment, Cucumber HTML Formatter, Cucumber JUnit XML Formatter, Cucumber Json Formatter, Cucumber Messages, Cucumber Query, Cucumber Tag Expressions, Cucumber-HTML, Cucumber-JVM Plugin, Cucumber-JVM: Core, Cucumber-JVM: Docstring, Cucumber-JVM: Gherkin, Cucumber-JVM: Gherkin Messages, Cucumber-JVM: JUnit, Cucumber-JVM: Java, Cucumber-JVM: PicoContainer, Cucumber-JVM: Spring, DataTable, ESLint, Easy Random Core, Easy Rules Support module, Easy Rules core module, Gherkin, Gozala/events, Handlebars.js, Inquirer.js, JAXB isorelax library, JOpt Simple, JSHTTP's negotiator, JUL to SLF4J bridge, Jest from Facebook, Jose, Json.NET, Lodash, MS SQL Server JDBC Driver, Messages Json, Microsoft Azure Java JSON Library, Microsoft JDBC Driver for SQL Server, Microsoft.Bcl.AsyncInterfaces, Microsoft/dotnet, Mockito_, Node Cookie Parser, PCollections, PapaParse, Passport Strategy, Passport.js, PostCSS, Prettier IO, Pretty Formatter, Project Lombok, Punycode.js, PyTZ - Python Time Zone Library, Pyparsing, Python six, Qix-/color-convert, RamdaJs, Raynos/for-each, React Bootstrap, React from Facebook, Redux JS, SLF4J API Module, SLF4J LOG4J-12 Binding, SLF4J Reload4j Binding, SLF4J Simple Binding, SQLAlchemy, Send for Node.js, Shifty, Simple Logging Facade for Java (SLF4J), StringTemplate, Strip ANSI, Styled Components, System.Buffers, System.IO.Pipelines, System.Memory, System.Numerics.Vectors, System.Runtime.CompilerServices.Unsafe, System.Text.Encoding.Web, System.Text.Json, System.Threading.Tasks.Extensions, System.ValueTuple, TeamCity Formatter, TestNG XML Formatter, TypedArray, Usage Formatter, XPATH, abort-controller, abortcontroller-polyfill, abstract-logging, acorn-import-attributes, agent-base, agentkeepalive, aggregate-error, aioiterools, ajv, ajv-formats, ansi-colors, ansi-escapes, ansi-regex, ansi-styles, ansicolors, archiver-utils, argparse4j, array-buffer-byte-length, array-differ, array-includes, array-union, array.prototype.flat, array.prototype.reduce, arraybuffer.prototype.slice, arrify, asap, assert-options, ast-types, astral-regex, async-function, async-limiter, async-retry, asynckit, atomic-sleep, atomically, autobind-decorator, available-typed-arrays, avvio, aws4, axios, babel-plugin-macros, babel-plugin-polyfill-corejs2, babel-plugin-polyfill-corejs3, babel-plugin-polyfill-regenerator, babel-traverse, backgrid, balanced-match, base64-js, bezier-easing, bignumber.js, binary-extensions, bintrees, blakeembrey/pluralize, body, brace-expansion, brotli, browser-tabs-lock, browserify/resolve, browserslist, buffer-crc32, buffer-from, builtins, bytes.js, cacheable, call-bind, call-bind-apply-helpers, call-bound, callsites, calvinmetcalf/lie, camelcase, camelize, chokidar, chromium-binary, ci-info, cjs-module-lexer, classnames, clean-stack, cli-columns, cli-cursor, cli-table3, close-with-grace, clsx, code-point-at, color-name, colorette, colors.js, columnify, combined-stream, commonjs-assert, compare-versions, compress-commons, concat-stream, conf, connect-livereload, content-disposition, continuable-cache, convert-source-map, core-js, core-util-is, cosmicconfig, crc32-stream, cross-fetch, css-box-model, css-to-react-native, css-vendor, css.escape, cssinjs, csstype, cucumber-expressions, cyclist, data-uri-to-buffer, data-view-buffer, data-view-byte-length, data-view-byte-offset, date-fns-tz, date-fns/date-fns, dayjs, debounce-fn, debug-js/debug, debuglog, decompress-response, deep-is, deep-object-diff, defaults, define-data-property, define-properties, degenerator, delayed-stream, delegates, delvedor/find-my-way, dequal, destroy, detect-file, detect-node-es, dom-accessibility-api, dom-helpers, dom-serializer, dot-prop, dpop, dunder-proto, duplexer, duplexify, dylang/node-xml, eastasianwidth, ecc-jsbn, ee-first, einaros/ws, emoji-regex, encodeurl, encoding, end-of-stream, enquirer, env-paths, err-code, error, es-abstract, es-array-method-boxes-properly, es-cookie, es-define-property, es-errors, es-get-iterator, es-object-atoms, es-set-tostringtag, es-shim-uncopables, es-shims/String.prototype.padEnd, es-to-primitive, es6-promise, es6-promiseify, es7-shim, esbuild-plugin-react-virtualized, escalade, escape-html, escape-string-regexp, eslint-config-standard, eslint-import-resolver-node, eslint-plugin-es, eslint-plugin-import, eslint-plugin-node, eslint-plugin-standard, eslint-utils, etag, event-target-shim, eventemitter2, expand-tilde, expect, expressjs/accepts, expressjs/morgan, extend, extsprintf, fast-copy, fast-csv, fast-decode-uri-component, fast-deep-equal, fast-fifo, fast-json-stable-stringify, fast-json-stringify, fast-levenshtein, fast-querystring, fast-safe-stringify, fastest-levenshtein, fastify, fastify-metrics, fastify-plugin, fd-slicer, felixge/node-retry, figures, file-entry-cache, file-sync-cmp, fill-range, finalhandler, find-root, find-up, fined, flagged-respawn, flat-cache, floatdrop/pinkie, flush-write-stream, focus-lock, focus-trap, follow-redirects, fonttools/fonttools, for-in, for-own, form-data, forwarded, forwarded-parse, from2, fsevents, function-bind, function.prototype.name, functional-red-black-tree, functions-have-names, generator-function, genfun, gensync, get-intrinsic, get-proto, get-stream, get-symbol-description, get-uri, getobject, getpass, global-modules, global-prefix, globalthis, googleads-rs, gopd, grunt-beep, grunt-cli, grunt-contrib-clean, grunt-contrib-concat, grunt-contrib-connect, grunt-contrib-copy, grunt-contrib-jasmine, grunt-contrib-uglify, grunt-contrib-watch, grunt-eslint, grunt-known-options, grunt-legacy-log, grunt-legacy-log-utils, grunt-legacy-util, grunt-open, grunt-sass, grunt-template-jasmine-istanbul, gruntjs, gzip-size, har-validator, has, has-ansi, has-bigints, has-flag, has-property-descriptors, has-proto, has-symbol-support-x, has-symbols, has-to-string-tag-x, has-tostringtag, hash.js, hasha, hasown, helmetjs/helmet, help-me, highcharts-react-official-fix, holidays, homedir-polyfill, hookified, html-parse-stringify, htmlparser2, http-errors, http-parser-js, https-browserify, https-proxy-agent, humanize-ms, hypersistence-tsid, i18next, i18next-browser-languagedetector, i18next-fs-backend, i18next-http-backend, iconv-lite, iferr, immediate, immutable-js, import-fresh, imurmurhash, indent-string, inline-style-parser, internal-slot, interpret, invariant, ioredis, ip-regex, ipaddress, is-absolute, is-arguments, is-array-buffer, is-arrayish, is-async-function, is-bigint, is-boolean-object, is-callable, is-core-module, is-data-view, is-date-object, is-docker, is-extglob, is-finalizationregistry, is-fullwidth-code-point, is-generator-function, is-glob, is-in-browser, is-lambda, is-map, is-negative-zero, is-number, is-number-object, is-plain-obj, is-plain-object, is-regex, is-relative, is-retry-allowed, is-set, is-shared-array-buffer, is-stream, is-string, is-symbol, is-typed-array, is-unc-path, is-url, is-weakmap, is-weakref, is-weakset, is-windows, is-wsl, is2, isarray, isobject, isstream, istarkov/rifm, isurl, java-jwt, jest-diff, jest-get-type, jest-matcher-utils, jest-message-util, jest-regex-util, jest-util, jmespath.py, jodit, jodit-react, jonschlinkert/array-each, jonschlinkert/array-slice, joycon, js-tokens, js-yaml, jsbn, jscsc, jshttp/fresh, jshttp/mime-types, json-buffer,

json-parse-better-errors, json-parse-even-better-errors, json-schema-ref-resolver, json-schema-resolver, json-schema-traverse, json5, jsonparse, jsonwebtoken, jsoup, jsprim, jss, just-diff, just-diff-apply, jwa, jwks-rsa, kafkajs, kelektiv/node-cron, keyanzhang/identity-obj-proxy, keyv, keyv-redis, kimmobrunfeldt/progressbar.js, kind-of, klaw, korean-lunar-calendar, lazystream, levn, liftup, lightgbm, lines-and-columns, livereload-js, ljarb/is-object, ljarb/object.assign, load-grunt-tasks, load-json-file, locate-path, lodash._reinterpolate, lodash.camelcase, lodash.chunk, lodash.debounce, lodash.defaults, lodash.escaperegexp, lodash.groupby, lodash.includes, lodash.isarguments, lodash.isboolean, lodash.isequal, lodash.isfinite, lodash.isfunction, lodash.isinteger, lodash.isnil, lodash.isnumber, lodash.isplainobject, lodash.isstring, lodash.isundefined, lodash.merge, lodash.once, lodash.template, lodash.templatesettings, lodash.truncate, lodash.uniq, loglevel, loose-envify, lowercase-keys, luxon, lz-string, mafintosh/pump, make-iterator, map-cache, math-intrinsics, mathiasbynens/regenerate, maxmin, mbknor-jackson-jsonSchema, media-typer, memoize-one, micromatch, micromatch/braces, mime, mime-db, mimic-fn, mimic-response, min-indent, minimalist, minipass-fetch, minipass-json-stream, minizlib, mnemonist, mockito-inline, mockito-junit-jupiter, module-details-from-path, moment/moment, moxystudio/node-cross-spawn, ms.js, msal4j, mui/mui-x, multimatch, nanoid, natural-compare, neo-async, netmask, nice-try, node-addon-api, node-ansistyles, node-archiver, node-archy, node-assert-plus, node-chardet, node-concat-map, node-config-ts, node-cookie-signature, node-dashdash, node-dateformat, node-deep-equal, node-error-ex, node-external-editor, node-fetch, node-fetch-npm, node-findup-sync, node-fs-extra, node-globule, node-gyp, node-gyp-build, node-hooker, node-http-proxy-agent, node-http-signature, node-http2, node-ignore, node-int64, node-jsonfile, node-jws, node-machine-id, node-mkdirp, node-pool, node-process, node-progress, node-promise-retry, node-releases, node-request-progress, node-tmp, node-url, node-xml2js, node_postgres, nodeca-argparse, nodejs Deprecate, nodejs-asn1, nodejs-exit, nodejs/string_decoder, normalize-path, number-is-nan, oauth4webapi, object-assign, object-inspect, object-is, object-keys, object.defaults, object.entries, object.getownpropertydescriptors, object.map, object.pick, object.values, obliterator, on-exit-leak-free, on-finished, on-headers, open-api-monorepo, openapi-typescript-codegen, opencover, openid-client-request, opn, optionator, org.brotli:dec, os-homedir, os-tmpdir, own-keys, p-cancelable, p-finally, p-limit, p-locate, p-map, p-timeout, p-try, pac-proxy-agent, pac-resolver, pacote, parallel-transform, parent-module, parse-filepath, parse-json, parse-passwd, passport-http-header-strategy, path-exists, path-is-absolute, path-key, path-parse, path-root, path-root-regex, path-type, pbandk-protos, pend, performance-now, pg-cloudflare, pg-connection-string, pg-cursor, pg-minify, pg-pool, pg-promise, pg-protocol, pg-query-stream, pg-types, pgpass, picomatch, pify, pillarjs/parseurl, pinkie-promise, pino, pino-abstract-transport, pino-std-serializers, pinojs/pino-pretty, pkg-up, pmdarima, popper.js, portscanner, possible-typed-array-names, postcss-value-parser, postgres-array, postgres-bytea, postgres-date, postgres-interval, prelude-ls, prepend-http, pretty-bytes, pretty-format, process-nexttick-args, process-warning, promise-polyfill, prop-types, prop-types-extra, prophet, protoduck, proxy-agent, proxy-from-env, psl, pumpify, pydantic, pyodbc, python-attrs, quick-format-unescaped, raf-sched, range-parser, raw-body, react-chat-elements-addlink, react-clientside-effect, react-datepicker, react-dom, react-draggable, react-error-boundary, react-fast-compare, react-focus-lock, react-hook-form, react-i18next, react-icons, react-intersection-observer, react-is, react-lifecycles-compat, react-onclickoutside, react-popover, react-property, react-router-dom, react-spinkit, react-toastify, react-virtualized, react-window, reactredux, reacttraining/react-router, read-pkg, read-pkg-up, readable-stream, readdirp, real-require, rechoir, redent, redis-errors, redis-parser, reflect.getprototypeof, regenerate-unicode-properties, regenerator-transform, regexp.prototype.flags, regexp, regexpu-core, regjsgen, remarkablemark/html-dom-parser, remarkablemark/html-react-parser, require-directory, require-from-string, require-in-the-middle, reselect, resize-observer-polyfill, resolve-dir, resolve-from, resolve-pkg, restore-cursor, ret.js, reusify, rfdc, run-async, safe-array-concat, safe-buffer, safe-json-parse, safe-push-apply, safe-regex-test, safe-regex2, safe-stable-stringify, safer-buffer, sass, scheduler, senchalabs / connect, serve-index, serve-static, set-cookie-parser, set-function-length, set-function-name, set-proto, setImmediate, shallowequal, shama/gaze, shebang-command, shebang-regex, side-channel, side-channel-list, side-channel-map, side-channel-weakmap, sindresorhus-open, sindresorhus/globals, sindresorhus/onetime, sindresorhus/slash, sindresorhus/supports-color, slice-ansi, slow-redact, smart-buffer, socks, socks-proxy-agent, sodium-native, sonic-boom, spdx-expression-parse.js, spex, sqlescapy, sqljdbc42, sshpk, stable-stringify, stack-utils, standard-as-callback, statuses, stop-iteration-iterator, stream-browserify, stream-each, stream-shift, streamx, string-at, string-width, string.prototype.padstart, string.prototype.trim, string.prototype.trimend, string.prototype.trimleft, string.prototype.trimright, string.prototype.trimstart, strip-bom, strip-indent, strip-json-comments, stubborn-fs, stubborn-utils, style-to-js, style-to-object, stylis, supports-color, supports-preserve-symlinks-flag, tabbable, tar-stream, tcp-port-used, text-table, thread-stream, throttleit, through2, timeago.js, timed-out, timers-browserify, timezones-list, tiny-invariant, tiny-lr, tiny-relative-date, tiny-warning, to-fast-properties, to-regex-range, toad-cache, toidentifier, tr46, tsconfig-paths, twilio, type-check, type-is, typed-array-buffer, typed-array-byte-length, typed-array-byte-offset, typed-array-length, typedarray-to-buffer, typeguard, ultron, unbox-primitive, unc-path-regex, uncontrollable, underscore.string, undici-types, unfetch, unicode-canonical-property-names-ecmascript, unicode-match-property-ecmascript, unicode-match-property-value-ecmascript, unicode-property-aliases-ecmascript, universalify, unpipe, unzipper, update-browserslist-db, url-parse-lax, url-to-options, urlib3, use-callback-ef, use-memo-one, use-sidecar, use-sync-external-store, util, util-deprecate, utils-merge, uuid, v8-compile-cache, v8flags, validator.js, vary, verror, visionmedia/batch, void-elements, wanelo/pause, warning, wcwidth, Welch/Tdigest, whatwg-url, when-exit, which-boxed-primitive, which-builtin-type, which-collection, which-typed-array, whitequark/ipaddr.js, word-wrap, wordwrap, wrap-ansi, write, xUnit.net [Visual Studio/TFS Build Runner], xml-crypto, xml-encryption, xmlbuilder-js, xmlchars, xmldom, xtend, yargs, zip-stream and zod is Copyright (c) 2016 Aleksandr Komlev. Licensed under MIT License.

- LatencyUtils is Written by Gil Tene of Azul Systems, and released to the. Licensed under (BSD 2-clause "Simplified" License OR Creative Commons Zero v1.0 Universal).
- Logback, c3p0:JDBC DataSources/Resource Pools and mchange-commons-java is Copyright (C) 1991, 1999 Free Software Foundation, Inc.. Licensed under (GNU Lesser General Public License v2.1 or later OR Eclipse Public License 1.0).
- logstash-logback-encoder, xUnit.net, xUnit.net [Assertion Library], xUnit.net [Core Library], xUnit.net [Extensibility: Core], xUnit.net [Extensibility: Execution] and xUnit.net [Runner: Console] is Copyright 2021 LMAX Ltd.. Licensed under (MIT License AND Apache License 2.0).
- DomHandler, Esprima, Jodd BeanUtil, Jodd Core, Jodd Util, PostgreSQL JDBC Driver (pgjdbc), UglifyJS, cidr-regex, commonmark-java core, domelementtype, domutils, escodegen, eslint-scope, esprez, esrecurse, estraverse, esutils, extract-zip, is-cidr, json-schema-typed, mississippi, node-entities, normalize-package-data, npm-install-checks, npm-user-validate, othiy23/shimmer, pydata-patsy, read, regjsparser, scottmotte/dotenv, stax2-api, uri-js, webidl-conversions, websocket-stream, wrapt and zstd-jni is copyright (c) 2019 IETF Trust. Licensed under BSD 2-clause "Simplified" License.
- Jython, aiohappyeyeballs, nodeca-argparse and python-typing-extensions is N/A. Licensed under Python Software Foundation License 2.0.
- matplotlib is (c) (2). Licensed under MATPLOTLIB License 1.3.0 or Later.
- Cucumber-JVM Repackaged Dependencies and Packaging is Copyright (c) Donald Stufft and individual contributors. All rights reserved.. Licensed under (Apache License 2.0 AND BSD 3-clause "New" or "Revised" License).
- PillowPython is © 1995-2011 by Fredrik Lundh and contributors. Licensed under Python Imaging Library Software License.
- python-dateutil is (C) Copyright ..." is shown in the HTML footer. Default is True.. Licensed under (Apache License 2.0 OR BSD 3-clause "New" or "Revised" License).
- tqdm is (c) Noam Yorav-Raphael, original author. [PR #96]: <https://github.com/tqdm/tqdm/pull/96>. Licensed under (MIT License AND Mozilla Public License 2.0).
- Jetty: Java based HTTP/1.x, HTTP/2, Servlet, WebSocket Server, biz.aQute.junit and bnd Annotations Library is Copyright OpenJS Foundation and other contributors, <https://openjdf.org/>. Licensed under (Apache License 2.0 OR Eclipse Public License 2.0).
- H2 Database Engine is Copyright 2004-2023 H2 Group.. Licensed under (Mozilla Public License 2.0 OR Eclipse Public License 1.0).
- Javassist is (c) 2009-2016 Stuart Knightley <stuart. Licensed under (Mozilla Public License 1.1 OR GNU Lesser General Public License v2.1 or later OR Apache License 2.0).
- AOP Alliance (Java/J2EE AOP standard), Backport JSR 166, JSON-java, concurrent and xmlpull is N/A. Licensed under Public Domain.
- reactive-streams-jvm is (c) 2009-2016 Stuart Knightley <stuart. Licensed under MIT No Attribution.
- Expression Language 2.2 Implementation, JAXB CORE, Jakarta Activation API, Jakarta Mail, Java Servlet API, JavaMail API smtp provider, JavaServer Pages (TM) TagLib Implementation, TXW2 Runtime, WebSocket API, istack common utility code runtime, javax.annotation API, javax.ws.rs-api, jaxb-api, jaxws-api, jboss-transaction-api_1.2_spec and saaj-api is (c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective. Licensed under (GNU General Public License v2.0 w/Classpath exception OR Common Development and Distribution License 1.1).
- @mui/x-data-grid-pro, @mui/x-license, ICU4J, highcharts, mssql-jdbc_auth and ojdbc is (c)&0xff;. Licensed under Basic Proprietary Commercial License.
- Passay Library, btf and cryptacular is Copyright (c) 2014, Francis Galiegue (fgaliegue@gmail.com). Licensed under (Apache License 2.0 OR GNU Lesser General Public License v3.0 or later).
- ICU4J is © 2022 and later: Unicode, Inc. and others.. Licensed under Unicode License v3.
- JSON Schema Validator, jackson-coreutils, jackson-coreutils-equivalence, json-patch, json-schema-core, msg-simple and uri-template is Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>. Licensed under (Apache License 2.0 AND GNU Lesser General Public License v3.0 or later).
- Java Native Access (JNA) is Copyright 2014 Martin Steiger. Licensed under (GNU Lesser General Public License v2.1 or later OR Apache License 2.0).

- JUnit, JaCoCo and ui-highcharts is Copyright (c) 2009, 2015 Mountainminds GmbH. Licensed under Eclipse Public License 1.0.
- Logback is Copyright (C) 1999-2015, QOS.ch. All rights reserved.. Licensed under (GNU Lesser General Public License v2.1 only OR Eclipse Public License 1.0).
- Logback is Copyright JS Foundation and other contributors, <https://js.foundation/>. Licensed under (GNU Lesser General Public License v2.1 or later OR Eclipse Public License 2.0).
- Mozilla Rhino, aXe Selenium Integration and resident-service is Copyright 2018-2020 Raffaello Giuliotti. Licensed under Mozilla Public License 2.0.
- JobRunr BOM, JobRunr Spring Boot Native and jobrunr/jobrunr is (c) 2018-2024 ApexCharts. Licensed under (GNU Lesser General Public License v3.0 or later AND Basic Proprietary Commercial License).
- RocksDB JNI is Copyright (c) 2011-present, Facebook, Inc. All rights reserved.. Licensed under (Apache License 2.0 AND GNU General Public License v2.0 or later).
- DbUnit, FindBugs Annotations, Hibernate Commons Annotations, Hibernate Entity Manager, Hibernate ORM, Java8-specific Hibernate O/RM functionality, SpotBugs Annotations, jTDS, jacob, jcifs, jxls-core and jxls-reader is Copyright (c) 2005 Brian Goetz. Licensed under GNU Lesser General Public License v2.1 or later.
- Angus Mail, Jakarta Mail, JavaMail API (no providers), JavaMail API jar and JavaMail API smtp provider is (c) 1997, 2023 Oracle and/or its affiliates. All rights reserved.. Licensed under (GNU General Public License v2.0 w/Classpath exception AND Eclipse Distribution License - v 1.0 AND Eclipse Public License 2.0).
- Castor is Copyright 1999-2003 (C) Intalio, Inc. All Rights Reserved.. Licensed under (Apache License 2.0 OR Castor License).
- com.sun.xml.bind:jaxb-xjc and jersey-bundle is N/A. Licensed under (Common Development and Distribution License 1.1 AND Sun GPL With Classpath Exception v2.0).
- Core :: Compression :: Common, Core :: Compression :: Gzip Support, EE9 :: Jetty :: Nested, Jetty :: ALPN Client, Jetty :: Bom, Jetty :: Slf4j Implementation and Jetty Core :: Sessions is Copyright (C) <year> <name of author>. Licensed under (Apache License 2.0 AND Eclipse Public License 2.0).
- Java Servlet API, ejb-api, javaee/hk2, jax-rpc and saaj-api.IBM is (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof. 1.4. Executable means the Covered Software in any form other than Source Code.. Licensed under Common Development and Distribution License 1.1.
- Calimero rtx Adapter, Error Prone shaded javac, JMH Core, JMH Generators: Annotation Processors and OpenJDK Nashorn is Copyright (C) 1989, 1991 Free Software Foundation, Inc.,. Licensed under GNU General Public License v2.0 w/Classpath exception.
- EclipseLink Core, EclipseLink JPA and jakarta.persistence-api is (c) 2009-2016 Stuart Knightley <stuart>. Licensed under (Eclipse Distribution License - v 1.0 OR Eclipse Public License 2.0).
- Javassist is Copyright (c) 2015, 2023, Oracle and/or its affiliates. All rights reserved.. Licensed under (Mozilla Public License 1.1 OR GNU Lesser General Public License v2.1 only OR Apache License 2.0).
- Expression Language API, HK2 API module, HK2 Implementation Utilities, JAX-WS RI Eclpselink SDO Plugin, JAX-WS RI Fast Infoset Support (rt-fi), JAXB Runtime, JMS API, Jakarta Activation, Jakarta JSON Processing API, Java API for Processing JSON (JSON-P), Java Servlet API, JavaServer Pages(TM) API, Jersey, MIME streaming extension, ServiceLocator Default Implementation, com.sun.xml.bind:jaxb-impl, istack-commons-tools, javax.ejb API, javax.interceptor API, javax.transaction API, javax.xml.rpc API, javax.xml.soap API, jersey-json, jersey-servlet, stax-ex, txw2 and xsom is Copyright (c) 2012-2013 Oracle and/or its affiliates. All rights reserved.. Licensed under (Common Development and Distribution License 1.1 OR Sun GPL With Classpath Exception v2.0).
- Hibernate JPA 2.1 API and javax.persistence-api is Copyright (c) 2008 - 2013 Oracle Corporation. All rights reserved.. Licensed under (Eclipse Distribution License - v 1.0 AND Eclipse Public License 1.0).
- JAVAX RMI API, JMole Kernel and jacob is Copyright (c) 1996, 2003, Oracle and/or its affiliates. All rights reserved.. Licensed under GNU Lesser General Public License v3.0 or later.
- JDOM is Copyright © 2021 Jason Hunter, Brett McLaughlin. All Rights Reserved.</small></p> </body>. Licensed under Jdom License.
- Oracle Coherence is (C) entry.getValue(); if (collection.isDestroyed() || collection.isReleased()). Licensed under Oracle WebLogic License.

- reactive-streams-jvm and spdx-license-ids is Copyright (c) 2015, 2018, Oracle and/or its affiliates. All rights reserved.. Licensed under Creative Commons Zero v1.0 Universal.
- Java Architecture For XML Binding, Payara Distribution and el-api is Copyright 2003 Sun Microsystems, Inc. All rights reserved.. Licensed under (GNU General Public License v2.0 w/Classpath exception AND Common Development and Distribution License 1.1).
- JSR-250 Common Annotations for the Java™ Platform, Jakarta Activation, Java EE Transaction API, Java Transaction API, Type arithmetic library for Java5 and jsr311-api is Copyright 2006 Sun Microsystems, Inc. All rights reserved.. Licensed under Common Development and Distribution License 1.0.
- org.springframework.context, pymssql and swtgraphics2d is Copyright 2002-2005 the original author or authors.. Licensed under GNU Lesser General Public License v2.1 only.
- Jersey is (c) 2009-2016 Stuart Knightley <stuart. Licensed under (GNU General Public License v2.0 w/Classpath exception AND Apache License 2.0 AND Public Domain AND Eclipse Public License 2.0).
- Jersey, Jersey Inject HK2, jersey-container-grizzly2-http, jersey-container-servlet, jersey-container-servlet-core, jersey-core-server and jersey-ext-entity-filtering is (c) 2000-2011 INRIA, France Telecom. All rights reserved.. Licensed under (GNU General Public License v2.0 w/Classpath exception AND MIT License AND BSD 2-clause "Simplified" License AND Eclipse Distribution License - v 1.0 AND Apache License 2.0 AND BSD 3-clause "New" or "Revised" License AND Public Domain AND Eclipse Public License 2.0 AND W3C Software Notice and License (2002-12-31)).
- jersey-media-json-jackson is (c) 2009-2016 Stuart Knightley <stuart. Licensed under (GNU General Public License v2.0 w/Classpath exception AND Apache License 2.0 AND Eclipse Public License 2.0).
- highcharts is (c) 2009-2021 Highsoft AS. Licensed under (Creative Commons Attribution Non Commercial 3.0 OR Basic Proprietary Commercial License).
- Microsoftslib is Copyright (c) Microsoft Corporation.. Licensed under BSD Zero Clause License.
- @isaacs/cliui, @npmcli/arborist, @npmcli/ci-detect, @npmcli/config, @npmcli/disparity-colors, @npmcli/fs, @npmcli/git, @npmcli/installed-package-contents, @npmcli/map-workspaces, @npmcli/metavuln-calculator, @npmcli/name-from-folder, @npmcli/node-gyp, @npmcli/package-json, @npmcli/promise-spawn, @npmcli/run-script, abbrev, aproba, are-we-there-yet, bin-links, cacache, chownr, cli-width, cliui, cmd-shim, color-support, common-ancestor-path, console-control-strings, copy-concurrently, css-color-keywords, d3-array, d3-color, d3-delaunay, d3-format, d3-interpolate, d3-path, d3-scale, d3-shape, d3-time, d3-time-format, d3-timer, delaunator, dezalgo, electron-to-chromium, eslint-config-semistandard, eslint-plugin-promise, fastq, figgy-pudding, flatqueue, flatted, foreground-child, fs-minipass, fs-write-stream-atomic, fs.realpath, get-caller-file, glob-parent, har-schema, has-unicode, hosted-git-info, iarna/gauge, ignore-walk, infer-owner, inherits, init-package-json, internmap, is-number-like, isaacs/once, isexe, json-stringify-nice, json-stringify-safe, json-to-ts, libnpmaccess, libnpmdiff, libnpmexec, libnpmfund, libnpmhook, libnpmlog, libnpmorg, libnpmpack, libnpmpublish, libnpmsearch, libnpmteam, libnpmversion, make-fetch-happen, minimalistic-assert, minimatch, minipass, minipass-collect, minipass-flush, minipass-pipeline, minipass-sized, mkdirp-infer-owner, move-concurrently, mute-stream, node-glob, node-graceful-fs, node-lru-cache, node-semver, nopt, npm ini, npm-audit-report, npm-bundled, npm-normalize-package-bin, npm-package-arg, npm-packlist, npm-pick-manifest, npm-profile, npm-registry-fetch, npmlog, osenv, pacote, parse-conflict-json, pg-int8, picocolors, proc-log, promise-all-reject-late, promise-call-limit, promise-inflight, promzard, read-cmd-shim, read-package-json, read-package-json-fast, readdir-scoped-modules, rimraf, run-queue, saxes, set-blocking, setprototypeof, split2, ssri, string-width-cjs, stringify-package, strip-ansi-cjs, tapsjs/signal-exit, treeverse, unique-filename, unique-slug, validate-npm-package-name, walk-up-path, which, wide-align, wrap-ansi-cjs, wrappy, write-file-atomic, y18n, yallist, yaml and yargs-parser is N/A. Licensed under ISC License.
- Apache Commons Discovery, Apache Commons Pool, Apache Regexp, Apache XML Commons, Avalon Framework, Jakarta ORO, commons-dbc and logkit is copyright-documents-19990405. Licensed under Apache License 1.1.
- CommonJ API is Copyright BEA Systems, Inc. and International Business Machines Corp 2003-2004. All rights reserved.. Licensed under BEA and IBM License.
- dom4j: flexible XML framework for Java is Copyright 2001-2005 (C) MetaStuff, Ltd. All Rights Reserved.. Licensed under dom4j License (BSD 2.0 +).
- Fast Infoset is copyright (c) 1999, International Business Machines, Inc.. Licensed under (Eclipse Distribution License - v 1.0 AND Apache License 2.0).
- jnr-posix is Copyright (C) 2008 JRuby Community. Licensed under (GNU Lesser General Public License v2.1 or later OR GNU General Public License v2.0 or later OR Eclipse Public License 2.0).
- Mozilla Rhino is N/A. Licensed under (Mozilla Public License 1.1 OR GNU General Public License v2.0 or later).

- ronmamorelections and truncate-utf8-bytes is @author Sergio Pola *. Licensed under Do What The F*ck You Want To Public License.
- ronmamorelections is @author Sergio Pola *. Licensed under (BSD 2-clause "Simplified" License OR Do What The F*ck You Want To Public License).
- DOMPurify is N/A. Licensed under (Apache License 2.0 OR Mozilla Public License 2.0).
- Isplt-sys is Copyright (c) 2022 jotheopro. Licensed under GNU Lesser General Public License v3.0 only.
- javax.ejb API is Copyright © 1996-2013, Oracle and/or its affiliates. All Rights Reserved. Use is subject to license terms. </small></p> </body>. Licensed under (Sun GPL With Classpath Exception v2.0 AND Eclipse Public License 2.0).
- MXParser is Copyright (c) 2003 Extreme. Licensed under Indiana University Extreme! Lab Software License.
- WixToolset.Dtf.CustomAction and WixToolset.Dtf.WindowsInstaller is Copyright (c) .NET Foundation and contributors. All rights reserved.. Licensed under Microsoft Reciprocal License.
- c3p0:JDBC DataSources/Resource Pools is Copyright (C) 1991, 1999 Free Software Foundation, Inc.. Licensed under (GNU Lesser General Public License v2.1 or later AND Eclipse Public License 1.0).
- jacorb_g is licensed under GNU Lesser General Public License v2.0.
- Jakarta Activation is N/A. Licensed under (Sun GPL With Classpath Exception v2.0 OR Common Development and Distribution License 1.0).
- jsr173_api is licensed under BEA Systems JSR-94 Java Rules Engine API License.
- saxpath is licensed under Saxpath License.
- StAX is licensed under (GNU General Public License v3.0 only OR Common Development and Distribution License 1.0).
- isaacs/jackspeak, minimatch, minipass, node-glob, node-lru-cache, package-json-from-dist, path-scurry and sax-js is N/A. Licensed under Blue Oak Model License 1.0.0.
- jszip is Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>. Licensed under (MIT License OR GNU General Public License v3.0 only).
- nodeca/pako is Copyright (. Licensed under (zlib License AND MIT License).
- sanitize-filename is Copyright (C) 2004 Sam Hocevar. Licensed under (ISC License OR Do What The F*ck You Want To Public License).
- type-fest is Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com). Licensed under (MIT License OR Creative Commons Zero v1.0 Universal).
- domenic/opener, uri-path and utf8-byte-length is Copyright (C) 2004 Sam Hocevar <sam@hocevar.net>. Licensed under (MIT License OR Do What The F*ck You Want To Public License).
- Java Message Service is Copyright 1997-2002 Sun Microsystems, Inc. All Rights Reserved.. Licensed under Sun Java Message Service 1.1 License.
- Logback Access Module is Copyright (C) 1999-2015, QOS.ch. All rights reserved.. Licensed under (GNU Lesser General Public License v2.1 only AND Eclipse Public License 1.0).
- caniuse-lite is N/A. Licensed under Creative Commons Attribution 4.0.
- harmony-reflect is Copyright (C) 2011-2012 * the Initial Developer. All Rights Reserved.. Licensed under (Mozilla Public License 1.1 OR Apache License 2.0).
- @mui/x-charts-vendor is Copyright 2018-2021 Observable, Inc.. Licensed under (MIT License AND ISC License).
- Javassist is Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.. Licensed under Mozilla Public License 1.1.
- saaj-impl is Copyright (c) 1997-2011 Oracle and/or its affiliates. All rights reserved.. Licensed under (Common Development and Distribution License 1.1 OR GNU General Public License v2.0 or later).
- amdefine is Copyright (c) 2011-2016, The Dojo Foundation. Licensed under (MIT License OR BSD 3-clause "New" or "Revised" License).
- antlr is licensed under Kiopov BSD License.

- doctrine is @author Yusuke Suzuki <utatane.tea@gmail.com>. Licensed under (BSD 2-clause "Simplified" License AND Apache License 2.0).
- json-schema is copyright in and to the Original Work and the patent rights granted herein. Licensed under (BSD 3-clause "New" or "Revised" License OR Academic Free License v2.1).
- robust-predicates and tweetnacl-js is copyright for the contribution to the public domain.. Licensed under The Unlicense.
- spdx-exceptions is Copyright © 2010-2015 Linux Foundation and its Contributors. Licensed. Licensed under Creative Commons Attribution 3.0.