

CES Open Source Licenses - Verint WFM Version 15.2

Document Revision 1.00
March 2021



[Verint.com](https://www.verint.com)



[Twitter.com/verint](https://twitter.com/verint)



[Facebook.com/verint](https://facebook.com/verint)



[Blog.verint.com](https://blog.verint.com)

VERINT.

Table of Contents

Open Source Attribution	1
-------------------------------	---

Unauthorized use, duplication, or modification of this document in whole or in part without the written consent of Verint Systems Inc. is strictly prohibited. By providing this document, Verint Systems Inc. is not making any representations regarding the correctness or completeness of its contents and reserves the right to alter this document at any time without notice. Features listed in this document are subject to change. Contact your Verint representative for current product features and specifications. All marks referenced herein with the ® or TM symbol are registered trademarks or trademarks of Verint Systems Inc. or its subsidiaries. All rights reserved. All other marks are trademarks of their respective owners. ©2021 Verint Systems Inc. All rights reserved worldwide.



Open Source Attribution

Certain components of this Software or software contained in this Product (collectively, "Software") may be covered by so-called "free or open source" software licenses ("Open Source Components"), which includes any software licenses approved as open source licenses by the Open Source Initiative or any similar licenses, including without limitation any license that, as a condition of distribution of the Open Source Components licensed, requires that the distributor make the Open Source Components available in source code format. A license in each Open Source Component is provided to you in accordance with the specific license terms specified in their respective license terms. EXCEPT WITH REGARD TO ANY WARRANTIES OR OTHER RIGHTS AND OBLIGATIONS EXPRESSLY PROVIDED DIRECTLY TO YOU FROM VERINT, ALL OPEN SOURCE COMPONENTS ARE PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

Any third-party technology that may be appropriate or necessary for use with the Verint Product is licensed to you only for use with the Verint Product under the terms of the third-party license agreement specified in the Documentation, the Software or as provided online at <http://verint.com/thirdpartylicense>. You may not take any action that would separate the third-party technology from the Verint Product. Unless otherwise permitted under the terms of the third-party license agreement, you agree to only use the third-party technology in conjunction with the Verint Product.

The following Open Source Components may be included with this Software, with ownership in those components as indicated below:

ejb-api is "Copyright (c) 1997-2018 Oracle and/or its affiliates. All rights reserved. Licensed under The CDDL 1.1 license, which can be obtained at <https://spdx.org/licenses/CDDL-1.1.html>.

- *This library is used by Spring Framework.*

javax.ws.rs-api:2.0.1 - Java API for RESTful Web Services is copyright © 2014 Oracle Corporation. Licensed under COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1, which can be obtained at <https://javaee.github.io/glassfish/LICENSE> and The GNU General Public License (GPL) Version 2, June 1991, which can be obtained at <https://javaee.github.io/glassfish/LICENSE>

- *This library is used for REST Services*

JSR311 API is copyright © 2009 Sun Microsystems. Licensed under Common Development and Distribution License 1.1, which can be obtained at <https://github.com/javaee/jsr311/blob/master/LICENSE>

- *This library is used for REST Services*

Java APIs for XML based RPC is copyright © 2013 GlassFish Community. Licensed under COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1, which can be obtained at <https://javaee.github.io/glassfish/LICENSE> and The GNU General Public License (GPL) Version 2, June 1991, which can be obtained at <https://javaee.github.io/glassfish/LICENSE>

- *This library is used for REST Services*

infradna library Copyright (c) 2016 Auth0, Inc.

All Rights Reserved. Licensed under the MIT License (MIT) which can be obtained at <https://raw.githubusercontent.com/auth0/jwks-rsa-java/master/LICENSE>

Querydsl licensed under the Apache License, Version 2.0. All Rights Reserved. Which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0.txt>

- *This library is used for ORM connectivity between api and DB*

The Java Data Objects (JDO) API is Copyright (c) 2012 by Apache Software Foundation. Licensed under the Apache License, Version 2.0, which may be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

The Java Data Objects (JDO) API is a standard interface-based Java model abstraction of persistence, developed as Java Specification Request 243 under the auspices of the Java Community Process.

JavaEE API is copyright © 2013 Oracle Corporation. Licensed under COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1, which can be obtained at <https://javaee.github.io/glassfish/LICENSE> and The GNU General Public License (GPL) Version 2, June 1991, which can be obtained at <https://javaee.github.io/glassfish/LICENSE>

JCommon is copyright © 2005 Object Refinery Limited. Licensed under GNU Lesser General Public Licence (LGPL), which can be obtained at <http://www.gnu.org/licenses/lgpl-3.0.html>

JCommon is a free general purpose Java class library that is used in several projects at www.jfree.org, including JFreeChart and JFreeReport.

JFreeChart is copyright © 2005 Object Refinery Limited. Licensed under GNU Lesser General Public Licence (LGPL), which can be obtained at <http://www.gnu.org/licenses/lgpl-3.0.html>

JFreeChart is a class library, written in Java, for generating charts. Utilising the Java2D APIs, it currently supports bar charts, pie charts, line charts, XY-plots and time series plots.

Logkit is Copyright (C) 2005 by The Apache Software Foundation. All rights reserved. Licensed under the Apache License Apache License 1.1, which can be obtained at <https://www.apache.org/licenses/LICENSE-1.1>

- *This is used for log collection*

Zip4j is copyright © 2005 Srikanth Reddy Lingala. Licensed under Apache License 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *This is a util for zip files*

Neko HTML is copyright © 2013 Andy Clark, Marc Guillemot. Licensed under Apache 2.0 license, which can be obtained at <https://apache.org/licenses/LICENSE-2.0.txt>

An HTML parser and tag balancer.

OGNL Object Graph Navigation Library is copyright © 2006 OGNL Technology. Licensed under BSD License, which can be obtained at <http://www.opensource.org/licenses/bsd-license.php>

Apache Commons Compress is copyright © 2018 The Apache Software Foundation. Licensed under Apache License, Version 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0.txt>

Compression Utility, zip for example

Apache POI is copyright © 2014 The Apache Software Foundation. Licensed under Apache License, Version 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0.txt>

Java API to Access Microsoft Format Files

Eclipse hk2 Copyright (c) All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult <https://github.com/eclipse-ee4j/glassfish-hk2>. Licensed under Eclipse Public License v 2.0, which can be obtained at <http://www.eclipse.org/legal/epl-2.0>.

Jarchivelib - Copyright 2013 Thomas Rausch, Licensed under the Apache license, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0.html>

A simple library that facades org.apache.commons.compress, to provide an easy-to-use API for archiving and compressing into and out of File objects.

Xmlle-apis-ext - The Apache Software Foundation. All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>
XML Commons External Components XML APIs Extensions provides an Apache-hosted set of DOM, SAX, and JAXP interfaces for use in other xml-based projects.

Webbit - All rights reserved. Licensed under the BSD 2-Clause "Simplified" License, which can be obtained at <https://github.com/codeborne/ghostdriver/blob/master/LICENSE.BSD>

A Java event based WebSocket and HTTP server

Quartz - The Apache Software Foundation. All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

Quartz is an Enterprise Job Scheduler

Saxpath - The Apache Software Foundation. All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

Simple API for XPath

Tclib -

All rights reserved. Licensed under the BSD 2-Clause "Simplified" License, which can be obtained at <https://github.com/codeborne/ghostdriver/blob/master/LICENSE.BSD>

Tcllib is a collection of utility modules for Tcl

jersey-media-jaxb 2.3.2

jersey-hk2 2.32

jersey-server 2.32

jersey-common 2.32

jersey-client 2.32

Eclipse Jersey Copyright (c) All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult <https://github.com/eclipse-ee4j/jersey>. Licensed under Eclipse Public License v 2.0, which can be obtained at <http://www.eclipse.org/legal/epl-2.0>.

Hk2-utils - Eclipse hk2 Copyright (c) All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult <https://github.com/eclipse-ee4j/glassfish-hk2>. Licensed under Eclipse Public License v 2.0, which can be obtained at <http://www.eclipse.org/legal/epl-2.0>.

osgi-resource-locator 1.03 - Eclipse hk2 Copyright (c) All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult <https://github.com/eclipse-ee4j/glassfish-hk2>. Licensed under Eclipse Public License v 2.0, which can be obtained at <http://www.eclipse.org/legal/epl-2.0>.

Expression Language 3.0 is Copyright (c) 2013 by GlassFish Community. Licensed under the CDDL 1.1 which can be obtained at <https://mvnrepository.com/artifact/javax.el/javax.el-api/3.0.1-b06>

- *This library provides the API for the Unified Expression Language shared by the JSP 2.1 and JSF 1.2 technologies*

<https://mvnrepository.com/artifact/javax.el/javax.el-api/3.0.1-b06> and

inject is Copyright (c) 2013 by the atinject project. Licensed under the Apache License, Version 2.0, which may be obtained at

- *The atinject project features a unified pipeline which can deliver static content, run business logic and store data in a distributed fashion.*

JMS (Java Message Service) is Copyright (c) 2005 by Oracle. Licensed under the CDDL v1.1 based on <https://javaee.github.io/jms-spec/> and <https://github.com/javaee/jms-spec>. *The Java Message Service (JMS) API is a messaging standard that allows application components based on the Java 2 Platform, Enterprise Edition (J2EE) to create, send, receive, and read messages. It enables distributed communication that is loosely coupled, reliable, and asynchronous.*

mail-api is Copyright (c) 2013 by Oracle. Licensed under the CDDL v1.1 which can be obtained at <https://mvnrepository.com/artifact/javax.mail/javax.mail-api/1.6.2> and

- *The JavaMail API provides a platform-independent and protocol-independent framework to build mail and messaging applications.*

persistence-api is Copyright (c) 2017. Licensed under the Eclipse Public License v 1.0, which can be obtained at <https://www.eclipse.org/legal/epl-v10.html>

- *The Java Persistence API is the Java API for the management of persistence and object/relational mapping in Java EE and Java SE environments.*

Servlet-api is Copyright (c) 2013. Licensed under the CDDL 1.1

- *Java Servlet is the foundation web specification in the Java Enterprise Platform. Developers can build web applications using the Servlet API to interact with the request/response workflow. This project provides information on the continued development of the Java Servlet specification.*

transaction-api is Copyright (c) 2013 by GlassFish Community. Licensed under the CDDL 1.1

jta is Copyright (c) 2008 by Oracle. Licensed under the CDDL 1.1 license The Java™ Transaction API (JTA) allows applications to perform distributed transactions, provides standard Java interfaces between a transaction manager and the parties involved in a distributed transaction system: the application, application server, and resource manager.

validation-api is Copyright (c) 2017 Jakarta Bean Validation. Licensed under The Apache License 2.0, which can be obtained at <https://beanvalidation.org/licensing/>

- *This library is a specification which allows constraints on object models via annotations, write extensible custom constraints, provides APIs to validate objects and to validate parameters and return values.*

jaxb-api is Copyright (c) 2018 Oracle . Licensed under the CDDL v1.1 <https://www.gnu.org/licenses>

- *The Java™ Architecture for XML Binding (JAXB) provides an API and tools that automate the mapping between XML documents and Java objects.*

stax-api is Copyright (c) 2008 BEA Systems. Licensed under the CDDL 1.

- *StAX is a standard XML processing API that allows you to stream XML data from and to your application.*

Jaxen is Copyright (c) 2005 Codehaus. Licensed under The Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0.html>

- *Jaxen is an open source XPath library written in Java. It is adaptable to many different object models, including DOM, XOM, dom4j, and JDOM. It is also possible to write adapters that treat non-XML trees such as compiled Java byte code or Java beans as XML, thus enabling you to query these trees with XPath too.*

JDOM is Copyright (c) 2005 JDOM.org. Licensed under The Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0.html>

- *JDOM is an open-source Java-based document object model for XML that was designed specifically for the Java platform so that it can take advantage of its language features.. JDOM integrates with Document Object Model (DOM) and Simple API for XML (SAX), supports XPath and XSLT. It uses external parsers to build documents. JDOM was developed by Jason Hunter and Brett McLaughlin starting in March 2000. It has been part of the Java Community Process as JSR 102, though that effort has since been abandoned.*

Joda-Time is Copyright (c) 2017 by Joda.org. Licensed under The Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0.html>

- *Joda-Time provides a quality replacement for the Java date and time classes.*

Apache Log4j is Copyright (c) 2012 by Apache Software Foundation. Licensed under The Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0.html>

- *This is a logging library for Java for outputting information at runtime.*

byte-buddy is Copyright (c) 2020 by Byte Buddy. Licensed under The Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0.html>

- *Byte Buddy is a code generation and manipulation library for creating and modifying Java classes during the runtime of a Java application and without the help of a compiler.*

jna-platform (Java Native Access project) is Copyright (c) 2014 by Timothy Wall. Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0.html>

- *JNA provides Java programs easy access to native shared libraries without writing anything but Java code - no JNI or native code is required.*

jcip-annotations (Java Concurrency In Practice) is Copyright (c) 2005 by Brian Goetz and Tim Peierls. Licensed under Creative Commons Public Domain License, which can be obtained at <http://creativecommons.org/licenses/by/2.5>

- *Class, field, and method level annotations for describing thread-safety policies*

typetools is Copyright (c) 2019 by Jonathan Halterman and friends. Licensed under Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0.html>

- *A simple, zero-dependency library for working with types*

accessors-smart is Copyright (c) 2017 by Chemouni Uriel. Licensed under Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0.html>

- *JSON processing*

json-smart is Copyright (c) 2017 by Chemouni Uriel. Licensed under Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0.html>

- *JSON processing*

jopt-simple is Copyright (c) 2016 by Paul Holser. Licensed under MIT License, which can be obtained at <https://opensource.org/licenses/MIT>

- *A Java library for parsing command line options*

cssparser is Copyright (c) 2016 by Alan Krueger, David Schweinsberg, and Ronald Brill. Licensed under Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0.html>

- *Parses CSS files*

BeanShell is Copyright (c) 2016 by Patrick Niemeyer. Licensed under Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *?*

activemq-all is Copyright (c) 2016 by The Apache Software Foundation. Licensed under Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *Message Queue*

activemq-broker is Copyright (c) 2016 by The Apache Software Foundation. Licensed under Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *Message Queue*

activemq-client is Copyright (c) 2016 by The Apache Software Foundation. Licensed under Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *Message Queue*

activemq-openwire-legacy is Copyright (c) 2016 by The Apache Software Foundation. Licensed under Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *Message Queue*

ant-apache-xalan2 is Copyright (c) 2010 by The Apache Software Foundation. Licensed under Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *contains Xalan2-specific features*

commons-collections4 is Copyright (c) 2019 by The Apache Software Foundation. Licensed under Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *The Apache Commons Collections package contains types that extend and augment the Java Collections Framework*

commons-csv is copyright © 2020 The Apache Software Foundation. All rights reserved. License under the Apache License Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *Commons CSV reads and writes files in variations of the Comma Separated Value (CSV) format.*

commons-exec is copyright © 2014 The Apache Software Foundation. All rights reserved. License under the Apache License Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *Apache Commons Exec is a library to reliably execute external processes from within the JVM*

commons-lang3 is copyright © 2011-2020 The Apache Software Foundation. All rights reserved. License under the Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *A Java package provides highly reusable static utility methods, chiefly concerned with adding value to the java.lang classes.*

geronimo-j2ee-management_1.1_spec is copyright © 2018 The Apache Software Foundation. All rights reserved. License under the Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *Apache Geronimo is an open source server runtime that integrates the best open source projects to create Java/OSGi server runtimes that meet the needs of enterprise developers and system administrators. Its most popular distribution is a fully certified Java EE 6 application server runtime.*

geronimo -jms_1.1_spec is copyright © 2008 The Apache Software Foundation. All rights reserved. License under the Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *A message service (API) provided by Apache Geronimo an open source set of projects providing libraries for the implementations of the Java EE and Jakarta EE specifications. The implementations are also focus on providing OSGi bundle metadatas.*

httpclient is copyright © 2005-2021 The Apache Software Foundation. All rights reserved. License under the Apache License, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *Http Client is a HTTP/1.1 compliant HTTP agent implementation based on HttpCore. It also provides reusable components for client-side authentication, HTTP state management, and HTTP connection management. HttpComponents Client is a successor of and replacement for Commons HttpClient 3.x*

httpcore is copyright © 2019 The Apache Software Foundation. All rights reserved. License under the Apache License Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *HttpCore is a set of low level HTTP transport components that can be used to build custom client and server side HTTP services with a minimal footprint. HttpCore supports two I/O models: blocking I/O model based on the classic Java I/O and non-blocking, event driven I/O model based on Java NIO.*

httpmime is copyright © 2019 The Apache Software Foundation. All rights reserved. License under the Apache License Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *MIME coded entities*

log4j-api is copyright © 1999-2019 The Apache Software Foundation. All rights reserved. License under the Apache License Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *The Apache Log4j API provides the interface that applications should code to and provides the adapter components required for implementers to create a logging implementation. Version 2.12.0 introduces support for accessing Docker container information via a Lookup and for accessing and updating the Log4j configuration through Spring Cloud Configuration.*

sling is copyright © 2013 The Apache Software Foundation. All rights reserved. License under the Apache License Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *The Apache Sling javax.activation bundle contributes an OSGi-compatible activation bundle.*

Annotations-api is copyright © 2019 The Apache Software Foundation. All rights reserved. License under the Apache License Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *Annotations Package*

tomcat-jdbc is copyright © 2019 The Apache Software Foundation. All rights reserved. License under the Apache License Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *Tomcat JDBC Pool Package*

tomcat-juli is copyright © 2019 The Apache Software Foundation. All rights reserved. License under the Apache License Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *Tomcat Core Logging Package*

Tomcat-embed-core is Copyright © 2018 The Apache Software Foundation. Licensed under the Apache License Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *"The Apache Tomcat® software is an open source implementation of the Java Servlet, JavaServer Pages, Java Expression Language and Java WebSocket technologies."*

Tomcat-embed-el is Copyright © 2018 The Apache Software Foundation. Licensed under the Apache License Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *Core Tomcat implementation*

Tomcat-embed-websocket is Copyright © 2018 The Apache Software Foundation. Licensed under the Apache License Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *Tomcat support for WebSocket*

Apache Velocity is Copyright © 2010 The Apache Software Foundation. Licensed under the Apache License Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *Velocity is a template engine used for creating HTML pages, source code generation, automatic emails, XML transformation. <http://velocity.apache.org/engine/devel/overview.html>*

Xmlschema-core is Copyright © 2015 The Apache Software Foundation. Licensed under the Apache License Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *XMLSchema is a lightweight Java object model that can be used to manipulate and generate XML schema representations. You can use it to read XML Schema (xsd) files into memory and analyze or modify them, or to create entirely new schemas from scratch.*

Evo-inflector is Copyright © 2016 Atteo.org. Licensed under the Apache License Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *Evo Inflector implements English pluralization algorithm.*

Bsh is Copyright © 2006 Beanshell.org. Licensed under the Apache License Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *BeanShell is a small, free, embeddable Java source interpreter with object scripting language features, written in Java. BeanShell dynamically executes standard Java syntax and extends it with common scripting conveniences such as loose types, commands, and method closures like those in Perl and JavaScript.*

Bcprov-jdk15on is Copyright © 2014 Bouncy Castle.org. Licensed under the Bouncy Castle License, which can be obtained at <http://www.bouncycastle.org/licence.html>

- *BeanShell is a small, free, embeddable Java source interpreter with object scripting language features, written in Java. BeanShell dynamically executes standard Java syntax and extends it with common scripting conveniences such as loose types, commands, and method closures like those in Perl and JavaScript.*

TagSoup is Copyright © 2005 ccil.org. Licensed under the Apache License Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *HTML Parser*

Groovy is Copyright © 2017 Codehaus. Licensed under the Apache License Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *Apache Groovy is a powerful, optionally typed and dynamic language, with static-typing and static compilation capabilities, for the Java platform aimed at improving developer productivity thanks to a concise, familiar and easy to learn syntax. It integrates smoothly with any Java program, and immediately delivers to your application powerful features, including scripting capabilities, Domain-Specific Language authoring, runtime and compile-time meta-programming and functional programming.*

jackson-core-asl is Copyright © 2019 Codehaus. Licensed under the Apache License, Version 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *This jackson-core library contains core low-level incremental ("streaming") parser and generator abstractions used by Jackson Data Processor.*

jackson-jaxrs is Copyright © 2019 Codehaus. Licensed under the Apache License, Version 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *The jackson-jaxrs-providers library is a multi-module project that contains Jackson-based JAX-RS providers for following data formats.*

Jackson-mapper-asl is Copyright © 2011 The Apache Software Foundation. Licensed under the Apache License Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *Data Mapper for Jackson is a high-performance data binding package built on Jackson JSON processor"*

Jackson-xc is Copyright © 2011 Codehaus. Licensed under the Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *Extensions that provide interoperability support for Jackson JSON processor's data binding functionality.*

janino is Copyright © 2015. License under the New BSD License which can be obtained at <https://spdx.org/licenses/BSD-3-Clause.html>

Janino is a super-small, super-fast Java compiler. Commons-compiler 2.7.8 is a package declares interfaces for the implementation of an IExpressionEvaluator, an IScriptEvaluator, an IClassBodyEvaluator and an ISimpleCompiler.

Jettison is Copyright © 2019 Codehaus. All rights reserved. License under the Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *Jettison is a Java library for converting XML to JSON and vice-versa with the help of StAX*

Plexus-utils is Copyright © 2018 The Apache Software Foundation. All rights reserved. Licensed under the Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0.txt>

- *A collection of various utility classes to ease working with strings, files, command lines, XML and more.*

Dom4j is Copyright © 2018 MetaStuff, Ltd. and DOM4J contributors. All Rights Reserved. License can be obtained at <https://github.com/dom4j/dom4j/blob/master/LICENSE>

- *flexible XML framework for Java*

Jetty-io is Copyright © 2016 Eclipse Foundation. All rights reserved. Licensed under the Apache Software License version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0.txt>

- *IO Utility classes for Jetty*

Jetty-util is Copyright © 2016 Eclipse Foundation. All rights reserved. Licensed under the Apache Software License version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0.txt>

- *Utility classes for Jetty*

Websocket-api is Copyright © 2016 Eclipse Foundation. All rights reserved. Licensed under the Apache Software License version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0.txt>

- *Jetty Websocket API*

Websocket-Client is Copyright © 2016 Eclipse Foundation. All rights reserved. Licensed under the Apache Software License version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0.txt>

- *Jetty Websocket Client*

Websocket-common is Copyright © 2016 Eclipse Foundation. All rights reserved. Licensed under the Apache Software License version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0.txt>

- *Jetty Websocket*

HawtBuf is Copyright © 2014 The Apache Software Foundation. Licensed under the Apache License Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

This library implements a simple interface for working with byte arrays

Jaxb-runtime is Copyright (c) 2017 Oracle. Licensed under COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1, which can be obtained at <https://javaee.github.io/glassfish/LICENSE>

The XML Binding (JAXB) RI modularization implementation

TXW2 Runtime is Copyright (c) 2018 by Oracle. Licensed under COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1, which can be obtained at <https://javaee.github.io/glassfish/LICENSE>

- *TXW is a library that allows you to write XML documents.*

EI-impl (Expression Language Implementation) is Copyright (c) 2011 by Oracle. Licensed under COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

- *Expression Language Implementation*

Hibernate-core is Copyright (c) 2020 by Hibernate.org. Licensed under GNU LESSER GENERAL PUBLIC LICENSE, Version 2.1, which can be obtained at <https://hibernate.org/community/license/>

- *ORM (Data access)*

Hibernate-EntityManager is Copyright (c) 2020 by Hibernate.org. Licensed under GNU LESSER GENERAL PUBLIC LICENSE, Version 2.1, which can be obtained at <https://hibernate.org/community/license/>

- *ORM (Data access)*

Hibernate-Java8 is Copyright (c) 2020 by Hibernate.org. Licensed under GNU LESSER GENERAL PUBLIC LICENSE, Version 2.1, which can be obtained at <https://hibernate.org/community/license/>

- *ORM (Data access)*

Hibernate-Validator is Copyright (c) 2017 by Hibernate.org. Licensed under Apache License, Version 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *ORM (Data access)*

Hibernate-Commons-Annotations is Copyright (c) 2015 by Hibernate.org. Licensed under GNU LESSER GENERAL PUBLIC LICENSE, Version 2.1, which can be obtained at <https://hibernate.org/community/license/>

- *ORM (Data access)*

Hibernate-jpa-2.1-api is Copyright (c) 2013 by Hibernate.org. Licensed under Eclipse Distribution License - v 1.0, which can be obtained at <https://www.eclipse.org/org/documents/edl-v10.php>

- *Data persistency implementation*

Javassist is copyright © 1999-2020 by Shigeru Chiba. All rights reserved. Licensed under the Apache license, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0.txt>

- *Library for editing bytecodes in Java*

Jandex is copyright © 2015 by JBoss. All Rights Reserved. Licensed under the Apache license, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0.txt>

- *Java Annotations Indexer*

Jboss-Logging is copyright © 2015 by JBoss. All Rights Reserved. Licensed under the Apache license, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0.txt>

- *JBoss logging framework*

jboss-transaction-api_1.2_spec is copyright © 2018 by JBoss. All Rights Reserved. Licensed under the CDDL license, which can be obtained at <http://repository.jboss.org/licenses/cddl.txt>

- *The Java Transaction 1.2 API classes*

JDOM is copyright © 2000-2012 by Jason Hunter & Brett McLaughlin. All rights reserved. Licensed under the Apache License, which can be obtained at <https://raw.githubusercontent.com/hunterhacker/jdom/master/LICENSE.txt>

- *JDOM is, quite simply, a Java representation of an XML document. JDOM provides a way to represent that document for easy and efficient reading, manipulation, and writing.*

JRuby is copyright © 2007-2018 by The JRuby project. All rights reserved. Licensed under the Eclipse Public License v2, which can be obtained at <https://www.eclipse.org/legal/epl-2.0/>

- *JRuby is an implementation of the Ruby language using the JVM.*

json is copyright © 2002 by JSON.org. All rights reserved. Licensed under the JSON license, which can be obtained at <https://github.com/stleary/JSON-java/blob/master/LICENSE>

- *The JSON-Java package is a reference implementation that demonstrates how to parse JSON documents into Java objects and how to generate new JSON documents from the Java classes.*

jsoup is copyright © 2009 - 2021 by Jonathan Hedley. All rights reserved. Licensed under the MIT license, which can be obtained at <https://jsoup.org/license>

- *jsoup is a Java library for working with real-world HTML*

stax-ex is copyright © 2018 by Oracle. All rights reserved. Licensed under the CDDL 1.1 license, which can be obtained at <https://javaee.github.io/metro-stax-ex/LICENSE>

- *Extensions to complement JSR-173 StAX API*

MapStruct-jdk8 is copyright © 2017 by MapStruct Authors. All rights reserved. Licensed under the Apache License, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>.

- *Annotation processor for generating type-safe bean mappers in JDK8+*

MapStruct-processor is copyright © 2017 by MapStruct Authors. All rights reserved. Licensed under the Apache License, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>.

- *Annotation processor for generating type-safe bean mappers*

MapStruct-core is copyright © 2016 MapStruct Authors. All rights reserved. Licensed under the Apache License, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>.

- *Annotation processor for generating type-safe bean mappers*

Node JS is copyright (c) 2016 by Node.js contributors. All Rights Reserved. Licensed under the MIT License, which can be obtained at <https://github.com/nodejs/node/blob/master/LICENSE>

- *JavaScript runtime engine*

Node JS Win-X64 is copyright (c) 2016 by Node.js contributors. All Rights Reserved. Licensed under the MIT License, which can be obtained at <https://github.com/nodejs/node/blob/master/LICENSE>

- *JavaScript runtime engine*

Jetty-util is copyright (c) 2008 by Mort Bay Consulting. All Rights Reserved. Licensed under the Apache License, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>.

- *Utility classes for Jetty server*

Jetty is copyright (c) 2008 by Mort Bay Consulting. All Rights Reserved. Licensed under the Apache License, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>.

- *Core Jetty server*

Servlet-api-2.5 API 6.1.14 is copyright (c) 2008 by Mort Bay Consulting. All Rights Reserved. Licensed under the Apache License, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>.

- *Servlet API for Jetty server*

Rhino is copyright (c) 2012 by Mozilla Foundation. All Rights Reserved. Licensed under the Mozilla Public License 2.0, which can be obtained at <https://github.com/mozilla/rhino/blob/master/LICENSE.txt>

- *Rhino is an implementation of JavaScript in Java.*

Objenesis is copyright © 2003-2013 by Objenesis Team and all contributors. All rights reserved. Licensed under the MIT license, which can be obtained at <http://objenesis.org/license.html>

- *Java library that instantiates object of a particular class*

ASM-Analysis is copyright (c) 2000-2011 by INRIA, France Telecom. All rights reserved. Licensed under the 3-Clause BSD License, which can be obtained at <https://asm.ow2.io/license.html>

- *ASM is an all purpose Java bytecode manipulation and analysis framework.*

ASM-Commons is copyright (c) 2000-2011 by INRIA, France Telecom. All rights reserved. Licensed under the 3-Clause BSD License, which can be obtained at <https://asm.ow2.io/license.html>

- *ASM is an all purpose Java bytecode manipulation and analysis framework.*

ASM-Debug-All is copyright (c) 2000-2011 by INRIA, France Telecom. All rights reserved. Licensed under the 3-Clause BSD License, which can be obtained at <https://asm.ow2.io/license.html>

- *ASM is an all purpose Java bytecode manipulation and analysis framework.*

ASM-Tree is copyright (c) 2000-2011 by INRIA, France Telecom. All rights reserved. Licensed under the 3-Clause BSD License, which can be obtained at <https://asm.ow2.io/license.html>

- *ASM is an all purpose Java bytecode manipulation and analysis framework.*

ASM-Util is copyright (c) 2000-2011 by INRIA, France Telecom. All rights reserved. Licensed under the 3-Clause BSD License, which can be obtained at <https://asm.ow2.io/license.html>

- *ASM is an all purpose Java bytecode manipulation and analysis framework.*

ASM is copyright (c) 2000-2011 by INRIA, France Telecom. All rights reserved. Licensed under the 3-Clause BSD License, which can be obtained at <https://asm.ow2.io/license.html>

- *ASM is an all purpose Java bytecode manipulation and analysis framework.*

Passay is copyright © 2003-2021 by Virginia Tech. All rights reserved. Licensed under the Apache License, which can be obtained at <https://github.com/vt-middleware/passay/blob/master/LICENSE-apache2>

- *Provides password policy enforcement for Java*

Picocontainer is copyright © 2014 by Picocontainer. All Rights Reserved. Licensed under the BSD License, which can be obtained at <https://opensource.org/licenses/bsd-license.php>

- *Used for dependency injection*

lombok is copyright © 2009-2021 by The Project Lombok Authors. All rights reserved. Licensed under The MIT License, which can be obtained at <https://opensource.org/licenses/mit-license.php>

- *Project Lombok is a Java library that can be used to reduce the amount of boilerplate Java code that is commonly written for Java classes*

RAML-Parser is copyright © 2003 by MuleSoft, Inc. All rights reserved. Licensed under the Apache License, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *Java implementation of a RAML parser for versions 1.0 and 0.8*

Yagi is copyright © 2003 by MuleSoft, Inc. All rights reserved. Licensed under the Apache License, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *Grammar framework for yaml files*

Reflections is copyright © 2004 by Sam Hocevar. All Rights Reserved. Licensed under the WTFPL license, which can be obtained at <https://github.com/ronmamo/reflections/blob/master/COPYING.txt>

- *Reflections scans your classpath, indexes the metadata, allows you to query it on runtime*

spring-boot-starter-security is copyright © 2014 year Licensed under The Apache License, Version 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *Streaming/Tree API for processing XML*

spring-data-jpa is copyright © 2011 the original author or authors. All rights reserved. Licensed under The Apache License 2.0, which can be obtained at <https://docs.spring.io/spring-data/jpa/snapshot-site/license.html>

- *Provides tools to implement a JPA based data access layer.*

spring-data-rest-core is copyright © 2012 the original author or authors. All rights reserved. Licensed under The Apache License 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *Provides tools to implement REST endpoints*

spring-data-rest-webmvc is copyright © 2012 the original author or authors. All rights reserved. Licensed under The Apache License 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *Provides tools to implement REST endpoints in a Spring MVC application*

spring-hateoas is copyright © 2017 the original author or authors. All rights reserved. Licensed under The Apache License 2.0, which can be obtained at <https://github.com/spring-projects/spring-hateoas/blob/master/LICENSE>

- *Provides tools to implement APIs that follow the HATEOAS principle*

spring-plugin-core is copyright © 2015 the original author or authors. All rights reserved. Licensed under The Apache License 2.0, which can be obtained at <https://github.com/spring-projects/spring-plugin/blob/master/LICENSE.txt>

- *Provides a core set of functionality that plugin implementations can extend*

spring-plugin-metadata is copyright © 2012 the original author or authors. All rights reserved. Licensed under The Apache License 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *An extension package for metadata based plugins*

spring-restdocs-core is copyright © 2015 the original author or authors. All rights reserved. Licensed under The Apache License 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0.html>

- *Documents RESTful services*

spring-restdocs-mockmvc is copyright © 2015 the original author or authors. All rights reserved. Licensed under The Apache License 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0.html>

- *Provides an API to call REST endpoints and inspect and assert their response*

spring-restdocs-restassured is copyright © 2016 the original author or authors. All rights reserved. Licensed under The Apache License 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0.html>

- *Allows the developer to write tests using REST Assured*

spring-security-config is copyright © 2009 the original author or authors. All rights reserved. Licensed under The Apache License 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0.html>

- *Configuration classes for Spring Security*

spring-security-core is copyright © 2009 the original author or authors. All rights reserved. Licensed under The Apache License 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0.html>

- *Core module of an authentication and access-control framework*

spring-security-web is copyright © 2009 the original author or authors. All rights reserved. Licensed under The Apache License 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0.html>

- *Adds Web support to Spring Security*

SAC is copyright © 2002 World Wide Web Consortium. All rights reserved. Licensed under The W3c Software License, which can be obtained at <https://docs.bmc.com/docs/TMTM/81/the-simple-api-for-css-sac-678394861.html>

- *An interface for CSS parsing*

snakeyaml is copyright © 2014 Andrey Somov. All rights reserved. Licensed under The Apache License 2.0, which can be obtained at <https://bitbucket.org/asomov/snakeyaml/src/master/LICENSE.txt>

- *YAML parser*

velocity-tools is copyright © 2004 The Apache Velocity Project. All rights reserved. Licensed under The Apache License 2.0, which can be obtained at <https://velocity.apache.org/tools/devel/maven-velocity-tools-plugin/license.html>

- *A collection of tools that use the Velocity template engine*

serializer is copyright © 2006 The Apache Software Foundation. All rights reserved. Licensed under The Apache License 2.0, which can be obtained at <http://xml.apache.org/xalan-j/>

- *Serializer to write out XML, HTML etc. as a stream of characters*

xalan is copyright © 2006 The Apache Software Foundation. All rights reserved. Licensed under The Apache License 2.0, which can be obtained at <http://xml.apache.org/xalan-j/>

- *Transforms XML documents into other formats*

xerces is copyright © 2005 The Apache Software Foundation. All rights reserved. Licensed under The Apache License 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *XML Parsers*

xercesImpl is copyright © 2005 The Apache Software Foundation. All rights reserved. Licensed under The Apache License 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *XML Parsers*

xmlParserAPIs is copyright © 2005 The Apache Software Foundation. All rights reserved. Licensed under The Apache License 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *XML Parsers*

xml-apis is copyright © 2005 The Apache Software Foundation. All rights reserved. Licensed under The Apache License 1.1, which can be obtained at <https://www.apache.org/licenses/LICENSE-1.1>

- *XML Parsers*

xom is copyright © 2002, 2004 Elliotte Rusty Harold. All rights reserved. Licensed under The LGPL 2.1 License, which can be obtained at <http://www.xom.nu/license.xhtml>

- *Streaming/Tree API for processing XML*

jsonassert is copyright © 2012 skyscreamer. Licensed under The Apache License 2.0, which can be obtained at <http://www.apache.org/licenses/>

- *JSONassert converts your string into a JSON object and compares the logical structure and data with the actual JSON*

jcl-over-slf4j is copyright © 2008 MIT. Licensed under The MIT License, which can be obtained at <http://www.slf4j.org/license.html>

- *Our JCL over SLF4J implementation will allow you to migrate to SLF4J gradually, especially if some of the libraries your software depends on continue to use JCL for the foreseeable future*

jul-to-slf4j is copyright © 2008 MIT Licensed under The MIT License, which can be obtained at <http://www.slf4j.org/license.html>

- *This is to install on the root logger an instance of SLF4JBridgeHandler as the sole JUL handler in the system.*

log4j-over-slf4j is copyright © 2006 MIT Licensed under The MIT License, which can be obtained at <http://www.slf4j.org/license.html>

- *It will route the Log4j API calls to SLF4J to the binding we choose.*

slf4j-api is copyright © 2006 MIT Licensed under The MIT License, which can be obtained at <http://www.slf4j.org/license.html>

- *Simple Logging Facade for Java (SLF4J) provides a Java logging API by means of a simple facade pattern. The underlying logging backend is determined at runtime by adding the desired binding to the classpath*

spring-aop is copyright © 2005 The Apache Software Foundation.. Licensed under The Apache License, Version 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *Spring AOP module provides interceptors to intercept an application. For example, when a method is executed, you can add extra functionality before or after the method execution*

spring-asm is copyright © 2009 The Apache Software Foundation. Licensed under The Apache License, Version 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *Spring's repackaging of ASM (with Spring-specific patches; for internal use only). This repackaging technique avoids any potential conflicts with dependencies on ASM at the application level or from third-party libraries and frameworks. As this repackaging happens at the class file level, sources and javadocs are not available here.*

spring-aspects is copyright © 2006 The Apache Software Foundation. Licensed under The Apache License, Version 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *A modularization of a concern that cuts across multiple classes. Transaction management is a good example of a crosscutting concern in J2EE applications. In Spring AOP, aspects are implemented using regular classes regular classes annotated with the @Aspect annotation*

spring-beans is copyright © 2005 The Apache Software Foundation. Licensed under The Apache License, Version 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *Spring Bean is the object whose life-cycle managed by the Spring IoC.*

spring-context is copyright © 2006 The Apache Software Foundation. Licensed under The Apache License, Version 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *Spring contexts are also called Spring IoC containers, which are responsible for instantiating, configuring, and assembling beans by reading configuration metadata from XML, Java annotations, and/or Java code in the configuration files*

spring-core is copyright © 2005 The Apache Software Foundation. Licensed under The Apache License, Version 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *The spring-core and spring-beans modules provide the fundamental parts of the framework, including the IoC and Dependency Injection features.*

spring-expression is copyright © 2009 The Apache Software Foundation. Licensed under The Apache License, Version 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *The Spring Expression Language (SpEL for short) is a powerful expression language that supports querying and manipulating an object graph at runtime. The language syntax is similar to Unified EL but offers additional features, most notably method invocation and basic string templating functionality.*

spring-jcl is copyright © 2017 The Apache Software Foundation. Licensed under The Apache License, Version 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *Jakarta Commons Logging API (JCL) is the only mandatory external dependency for Spring! spring-core defines a dependency on commons-logging. JCL is a thin logging framework that serves as an abstraction for other logging APIs. JCL interface looks similar to Log4*

spring-jdbc is copyright © 2005 The Apache Software Foundation. Licensed under The Apache License, Version 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *Spring JdbcTemplate is a powerful mechanism to connect to the database and execute SQL queries. It internally uses JDBC api, but eliminates a lot of problems of JDBC API.*

spring-jms is copyright © 2006 The Apache Software Foundation. Licensed under The Apache License, Version 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *JMS (Java Message Service) is a Java Message Oriented Middleware used to send messages between clients and works by sending messages to a message queue which are then taken when possible to execute a transaction.*

spring-messaging is copyright © 2013 The Apache Software Foundation. Licensed under The Apache License, Version 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *The Spring Framework provides extensive support for integrating with messaging systems, from simplified use of the JMS API using JmsTemplate to a complete infrastructure to receive messages asynchronously.*

spring-orm is copyright © 2005 The Apache Software Foundation. Licensed under The Apache License, Version 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *Spring-ORM is an umbrella module that covers many persistence technologies, namely JPA, JDO, Hibernate and iBatis*

spring-tx is copyright © 2007 The Apache Software Foundation. Licensed under The Apache License, Version 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *Used for spring transactions*

spring-web is copyright © 2005 The Apache Software Foundation. Licensed under The Apache License, Version 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *The spring-web module provides basic web-oriented integration features such as multipart file upload functionality and the initialization of the IoC container using Servlet listeners and a web-oriented application context. It also contains an HTTP client and the web-related parts of Spring's remoting support.*

spring-webmvc is copyright © 2005 The Apache Software Foundation. Licensed under The Apache License, Version 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *The spring-webmvc module (also known as the Web-Servlet module) contains Spring's model-view-controller (MVC) and REST Web Services implementation for web applications.*

spring-boot-autoconfigure is copyright © 2014 The Apache Software Foundation. Licensed under The Apache License, Version 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *Spring Boot auto-configuration attempts to automatically configure your Spring application based on the jar dependencies that you have added*

spring-boot-starter-activemq is copyright © 2016 Licensed under The Apache License, Version 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *Starter for JMS messaging using Apache ActiveMQ.*

spring-boot-starter-aop is copyright © 2014 The Apache Software Foundation. Licensed under The Apache License, Version 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *Starter for aspect-oriented programming with Spring AOP and AspectJ*

spring-boot-starter-data-jpa is copyright © 2014 The Apache Software Foundation. Licensed under The Apache License, Version 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *Starter for using Spring Data JPA with Hibernate*

spring-boot-starter-data-rest is copyright © 2014 The Apache Software Foundation. Licensed under The Apache License, Version 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *Starter for exposing Spring Data repositories over REST using Spring Data REST*

spring-boot-starter-hateoas is copyright © 2015 The Apache Software Foundation. Licensed under The Apache License, Version 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *Starter for building hypermedia-based RESTful web application with Spring MVC and Spring HATEOAS*

spring-boot-starter-jdbc is copyright © 2014 The Apache Software Foundation. Licensed under The Apache License, Version 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *Starter for using JDBC with the HikariCP connection pool*

spring-boot-starter-logging is copyright © 2014 The Apache Software Foundation. Licensed under The Apache License, Version 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *Starter for logging using Logback. Default logging starter*

spring-boot-starter-security is copyright © 2014 The Apache Software Foundation. Licensed under The Apache License, Version 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *Starter for using Spring Security*

spring-boot-starter-tomcat is copyright © 2014 The Apache Software Foundation. Licensed under The Apache License, Version 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *Tomcat as the embedded servlet container. Default servlet container starter used by spring-boot-starter-web*

spring-boot-starter-validation is copyright © 2015 The Apache Software Foundation. Licensed under The Apache License, Version 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *For using Java Bean Validation with Hibernate Validator*

spring-boot-starter-web is copyright © 2014 The Apache Software Foundation. Licensed under The Apache License, Version 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *For building web, including RESTful, applications using Spring MVC. Uses Tomcat as the default embedded container*

spring-boot-starter is copyright © 2014 The Apache Software Foundation. Licensed under The Apache License, Version 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *Core starter, including auto-configuration support, logging and YAML*

spring-boot is copyright © 2014 The Apache Software Foundation. Licensed under The Apache License, Version 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

- *Used for creating stand-alone, production-grade Spring based Applications*

spring-data-commons is copyright © 2013 The Apache Software Foundation. Licensed under The Apache License, Version 2.0, which can be obtained at <https://www.apache.org/licenses/LICENSE-2.0>

Spring Data Commons. Interfaces and code shared between the various datastore specific implementations.

Nimbus Language Tags Copyright © 2001-2016 Connect2id Ltd. All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *Java implementation of "Tags for Identifying Languages", RFC-5646.*

Nimbus JOSE + JWT Copyright © 2012-2020 Connect2id Ltd. All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *Java library for Javascript Object Signing and Encryption (JOSE) and JSON Web Tokens (JWT)*

Nimbus OAuth 2.0 SDK with OpenID Connect extensions Copyright © 2012-2021 Connect2id Ltd and contributors. All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *Comprehensive Java library for developing OAuth 2.0 and OpenID Connect clients and servers*

istack-commons-runtime Copyright © 1997-2018 Oracle and/or its affiliates. Licensed under the Common Development and Distribution License("CDDL") v 1.1

- *The shared parts of JAXP, JAXB, SAAJ, and JAX-WS projects are included in this Istack Common Utility code library to reduce the footprint of end products using them.*

Jersey-client Copyright © 2010-2011 Oracle and/or its affiliates. All Rights Reserved. Licensed under the Common Development and Distribution License("CDDL") v 1.1

- *The Jersey client API is a high level Java technology API that helps writing clients for any HTTP-based RESTful web service.*

Jersey-core Copyright © 1997-2007 Oracle and/or its affiliates. Licensed under the Common Development and Distribution License("CDDL") v 1.1 *The Jersey Core library helps build RESTful services based on annotation.*

Jersey-JSON Copyright © 2010-2012 Oracle and/or its affiliates. All Rights Reserved. Licensed under the Common Development and Distribution License("CDDL") v 1.1

- *These are the JSON libraries that are part of the Jersey suite.*

Jaxb-impl Copyright © 2013-2017 Oracle and/or its affiliates. All Rights Reserved. Licensed under the Common Development and Distribution License("CDDL") v 1.1

- *Old JAXB Runtime module contains sources required for runtime processing.*

Jaxb-osgi Copyright © 2013-2017 Oracle and/or its affiliates. All Rights Reserved. Licensed under the Common Development and Distribution License("CDDL") v 1.1

- *JAXB OSGI is the Java framework for developing and deploying modular software programs and libraries.*

FastInfoset Copyright © 2012-2013 Oracle and/or its affiliates. All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *Open Source implementation of the Fast Infoset Standard for Binary XML*

Android-json Copyright © 2010 The Android Open Source Project. All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *JSON (JavaScript Object Notation) is a lightweight data-interchange format. This is the org.json compatible Android implementation extracted from the Android SDK*

Commons-BeansUtils Copyright © 2000-2019 The Apache Software Foundation. All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *Apache Commons BeanUtils is a Java-based utility to provide component based architecture*

Commons-Codec Copyright © 2002-2014 The Apache Software Foundation. All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *Apache Commons Codec (TM) software provides implementations of common encoders and decoders such as Base64, Hex, Phonetic and URLs.*

Commons-Collections Copyright © 2001-2015 The Apache Software Foundation. All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *Apache Commons Collections builds upon the JDK classes by providing new interfaces, implementations and utilities, especially to help manage collections.*

Commons-Configuration Copyright © 2001-2020 The Apache Software Foundation. All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *Apache Commons Configuration software library provides a generic configuration interface which enables a Java application to read configuration data from a variety of sources.*

Commons-DbUtils Copyright © 2002-2017 The Apache Software Foundation. All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *Apache Commons DbUtils library is a small set of classes designed to make working with JDBC (java api for connecting to the database) easier*

Commons-Digester Copyright © 2001-2013 The Apache Software Foundation. All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *Apache Commons Digester component is designed to provide a common implementation for reading XML configuration files to provide initialization of various Java objects within the system*

Commons-IO Copyright © 2001-2008 The Apache Software Foundation. All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *Apache Commons IO is a library of utilities to assist with developing IO functionality.*

Commons-Lang Copyright © 2001-2011 The Apache Software Foundation. All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *Apache Commons Lang provides a host of helper utilities for the java, like String manipulation methods, basic numerical methods, object reflection, concurrency, creation and serialization and System properties.*

Commons-Logging Copyright © 2001-2014 The Apache Software Foundation. All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *Apache Commons Logging is a Java-based logging utility and a programming model for logging and for other toolkits.*

Commons-Validator Copyright © 2002-2020 The Apache Software Foundation. All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *The Commons Validator is a basic validation framework that lets the developer define validation rules for a JavaBean in an xml file.*

crnk-project/crnk-framework is licensed under Apache License, Version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *Crnk is an implementation of the JSON API specification and recommendations in Java to facilitate building RESTful applications. Libraries in use: crnk-client, crnk-core, crnk-home, crnk-jpa, crnk-meta, crnk-operations, crnk-security, crnk-servlet, crnk-setup-servlet, crnk-setup-spring-boot1, crnk-setup-spring, crnk-spring, crnk-ui, crnk-validation*

JsonWebToken Copyright © 2014 jsonwebtoken.io. All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *JJWT is a library for creating and verifying JSON Web Tokens (JWTs) on the JVM and Android. Libraries in use: jjwt-api, jjwt-impl, jjwt-jackson*

Netty Copyright © 2011 The Netty Project. All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- *Netty is a NIO client server framework which enables quick and easy development of network applications such as protocol servers and clients.*

Jakarta.activation-api Copyright © 1997, 2018 Oracle and/or its affiliates. All Rights Reserved. Licensed under Eclipse Distribution License v. 1.0, which can be obtained at <http://www.eclipse.org/org/documents/edl-v10.php>

- *Jakarta Activation is used by Jakarta Mail and Jakarta XML Web Services for data content handling.*

Jakarta.ws.rs-api Copyright © 2011, 2019 Oracle and/or its affiliates. All Rights Reserved. Licensed under Eclipse Distribution License v. 2.0, which can be obtained at <http://www.eclipse.org/legal/epl-2.0>

- *Jakarta RESTful Web Services, is a Jakarta EE API specification that provides support in creating web services according to the Representational State Transfer architectural pattern.*

jakarta.xml.bind-api Copyright © 2005, 2018 Oracle and/or its affiliates. All Rights Reserved. Licensed under Eclipse Distribution License v. 1.0, which can be obtained at <http://www.eclipse.org/org/documents/edl-v10.php>

- *The Jakarta XML Binding provides an API and tools that automate the mapping between XML documents and Java objects.*

Activation Copyright ©1997-2005 Sun Microsystems, Inc. All Rights Reserved. Licensed under Common Development and Distribution License, which can be obtained at <https://oss.oracle.com/licenses/CDDL>

- *JavaBeans Activation Framework (JAF) is a standard extension to the Java platform that lets you take advantage of standard services to: determine the type of an arbitrary piece of data; encapsulate access*

to it; discover the operations available on it; and instantiate the appropriate bean to perform the operation(s).

Activation-api Copyright © 1997-2017 Oracle and/or its affiliates. All Rights Reserved. Licensed under the Common Development and Distribution License("CDDL") v 1.1

- *The JavaBeans(TM) Activation Framework API is used by the JavaMail(TM) API to manage MIME data.*

Java Script

abbrev-js is copyright © Isaac Z. Schlueter and Contributors. All rights reserved. Licensed under The ISC License, which can be obtained at <https://github.com/isaacs/abbrev-js/blob/master/LICENSE>

- Returns all shortest abbreviations of a given list of strings

ansi-styles is copyright © 2017 Sindre Sorhus. All rights reserved. Licensed under The MIT License, which can be obtained at <https://github.com/chalk/ansi-styles/blob/master/license>

- ANSI escape codes for styling strings in the terminal

array-find-index is copyright © 2015 Sindre Sorhus. All rights reserved. Licensed under The MIT License, which can be obtained at <https://github.com/sindresorhus/array-find-index/blob/master/license>

- Tool to find index of a value in an array

ASAP is copyright © 2009 Kris Kowal & Contributors. All rights reserved. Licensed under The MIT License, which can be obtained at <https://github.com/krisowal/asap/blob/master/LICENSE.md>

- ASAP executes a given task as soon as possible

balanced-match is copyright © 2013 Julian Gruber. All rights reserved. Licensed under The MIT License, which can be obtained at <https://github.com/juliangruber/balanced-match/blob/master/LICENSE.md>

- Returns information on first matching pair of given character

brace-expansion is copyright © 2013 Julian Gruber. All rights reserved. Licensed under The MIT License, which can be obtained at <https://github.com/juliangruber/brace-expansion/blob/master/LICENSE>

- Expands a string with comma separated values in braces into separate strings

Chalk is copyright © 2014 Sindre Sorhus. All rights reserved. Licensed under The MIT License, which can be obtained at <https://github.com/chalk/chalk/blob/master/license>

- Styles terminal strings

color-convert is copyright © 2011-2016 Heather Arthur. All rights reserved. Licensed under The MIT License, which can be obtained at <https://github.com/Qix-/color-convert/blob/master/LICENSE>

- Converts between all color definition standards

color-name is copyright © 2015 Dmitry Ivanov. All rights reserved. Licensed under The MIT License, which can be obtained at <https://github.com/colorjs/color-name/blob/master/LICENSE>

- Provides a JSON object to use a shorthand reference to common colors

node-concat-map is copyright © 2014 James Halliday. All rights reserved. Licensed under The MIT License, which can be obtained at <https://github.com/substack/node-concat-map/blob/master/LICENSE>

- Returns an array of concatenated elements by calling given function against a given array

debug is copyright © 2014 TJ Holowaychuk. All rights reserved. Licensed under The MIT License, which can be obtained at <https://github.com/visionmedia/debug/blob/master/LICENSE>

- Provides a decorated version of console.error

node-debuglog is copyright © 2013 Joyent, Inc and other Node contributors. All rights reserved. Licensed under The MIT License, which can be obtained at <https://github.com/sam-github/node-debuglog/blob/master/LICENSE>

- Prints logs to console with process ID

Dezalgo is copyright © 2015 Isaac Z. Schlueter and Contributors. All rights reserved. Licensed under The ISC License, which can be obtained at <https://github.com/npm/dezalgo/blob/master/LICENSE>

- Executes a function asynchronously in a future tick

escape-string-regexp is copyright © 2014 Sindre Sorhus. All rights reserved. Licensed under The MIT License, which can be obtained at <https://github.com/sindresorhus/escape-string-regexp/blob/main/license>

- Escapes Regex characters in a string

fs.realpath is copyright © 2016 Isaac Z. Schlueter and Contributors. All rights reserved. Licensed under The ISC License with portions under the MIT License, as detailed at <https://github.com/isaacs/fs.realpath/blob/master/LICENSE>

- Converts a relative filepath to an absolute filepath

function-bind is copyright © 2013 Raynos. All rights reserved. Licensed under The MIT License, which can be obtained at <https://github.com/Raynos/function-bind>

- Adds the Javascript bind function for old versions of tools that don't support it

node-glob is copyright © 2012 Isaac Z. Schlueter and Contributors. All rights reserved. Licensed under The ISC License, which can be obtained at <https://github.com/isaacs/node-glob/blob/master/LICENSE>

- Returns filelist from a string with wildcards

node-graceful-fs is copyright © 2011 Isaac Z. Schlueter. All rights reserved. Licensed under The ISC License, which can be obtained at <https://github.com/isaacs/node-graceful-fs/blob/master/LICENSE>

- Provides various file system operations

has-flag is copyright © 2015 Sindre Sorhus. All rights reserved. Licensed under The MIT License, which can be obtained at <https://github.com/sindresorhus/has-flag/blob/main/license>

- Checks if application was passed a given flag

has is copyright © 2013 Thiago de Arruda. All rights reserved. Licensed under The MIT License, which can be obtained at <https://github.com/tarruda/has/blob/master/LICENSE-MIT>

- Shortcut to determine if object has a specified property

hosted-git-info is copyright © 2015 Rebecca Turner. All rights reserved. Licensed under The ISC License, which can be obtained at <https://github.com/npm/hosted-git-info/blob/latest/LICENSE>

- Provides github host information from a given URL

inflight is copyright © 2014 Isaac Z. Schlueter. All rights reserved. Licensed under The ISC License, which can be obtained at <https://github.com/npm/inflight/blob/master/LICENSE>

- Adds callbacks to requests in flight to avoid async duplication

inherits is copyright © 2011 Isaac Z. Schlueter. All rights reserved. Licensed under The ISC License, which can be obtained at <https://github.com/isaacs/inherits/blob/master/LICENSE>

- Browser friendly inheritance

is-core-module is copyright © 2014 Dave Justice. All rights reserved. Licensed under The MIT License, which can be obtained at <https://github.com/inspect-js/is-core-module/blob/main/LICENSE>

- Checks if a given module is a core node.js module

json-parse-even-better-errors is copyright © 2017 Kat Marchán. All rights reserved. Licensed under The MIT License, which can be obtained at <https://github.com/npm/json-parse-even-better-errors/blob/latest/LICENSE.md>

- A version of JSON.parse but with more useful error reports

license-checker is copyright © 2012 Yahoo Inc. All rights reserved. Licensed under The BSD-3-Clause License, which can be obtained at <https://github.com/davglass/license-checker/blob/master/LICENSE>

- Prints all the license info for a module and its dependencies

minimatch is copyright © 2011 Isaac Z. Schlueter. All rights reserved. Licensed under The ISC License, which can be obtained at <https://github.com/isaacs/minimatch/blob/master/LICENSE>

- Checks if one given string (with wildcards) is in another given string

minimist is copyright © 2013 James Halliday. All rights reserved. Licensed under The MIT License, which can be obtained at <https://github.com/substack/minimist/commits/master/LICENSE>

- Parses the arguments passed to the application

node-mkdirp is copyright © 2011 James Halliday. All rights reserved. Licensed under The MIT License, which can be obtained at <https://github.com/substack/node-mkdirp/blob/master/LICENSE>

- Provides a recursive version of mkdir

ms is copyright © 2020 Vercel, Inc. All rights reserved. Licensed under The MIT License, which can be obtained at <https://github.com/vercel/ms/blob/master/license.md>

- Convert various time formats to milliseconds

nopt is copyright © 2011 Isaac Z. Schlueter. All rights reserved. Licensed under The ISC License, which can be obtained at <https://github.com/npm/nopt/blob/master/LICENSE>

- Parses the arguments passed to the application

normalize-package-data is copyright © 2013 Meryn Stol. All rights reserved. Licensed under The BSD License, which can be obtained at <https://github.com/npm/normalize-package-data/blob/master/LICENSE>

- Normalizes the information about package dependencies

npm-normalize-package-bin is copyright © 2019 npm, Inc. All rights reserved. Licensed under The ISC License, which can be obtained at <https://github.com/npm/npm-normalize-package-bin/blob/master/LICENSE>

- Normalizes a given package.json bin object

once is copyright © 2012 Isaac Z. Schlueter. All rights reserved. Licensed under The ISC License, which can be obtained at <https://github.com/isaacs/once/blob/master/LICENSE>

- Provides a way of calling a function so that it is only ever called once

os-homedir is copyright © 2015 Sindre Sorhus. All rights reserved. Licensed under The MIT License, which can be obtained at <https://github.com/sindresorhus/os-homedir/blob/main/license>

- Returns the users home directory

os-tmpdir is copyright © 2015 Sindre Sorhus. All rights reserved. Licensed under The MIT License, which can be obtained at <https://github.com/sindresorhus/os-tmpdir/blob/main/license>

- Returns the users tmp directory

osenv is copyright © 2012 Isaac Z. Schlueter. All rights reserved. Licensed under The ISC License, which can be obtained at <https://github.com/npm/osenv/blob/master/LICENSE>

- Provides access to various environment settings of the OS

path-is-absolute is copyright © 2015 Sindre Sorhus. All rights reserved. Licensed under The MIT License, which can be obtained at <https://github.com/sindresorhus/path-is-absolute/blob/main/license>

- Provides a function to test if a path is absolute in Node.js 0.12

path-parse is copyright © 2018 Javier Blanco. All rights reserved. Licensed under The MIT License, which can be obtained at <https://github.com/jbgutierrez/path-parse/blob/master/LICENSE>

- Parses a given path string and returns an object with information about the path

read-installed is copyright © 2012 Isaac Z. Schlueter. All rights reserved. Licensed under The ISC License, which can be obtained at <https://github.com/npm/read-installed/blob/master/LICENSE>

- Reads all the installed packages in a folder and returns a tree structure with all the data

read-package-json is copyright © 2012 Isaac Z. Schlueter. All rights reserved. Licensed under The ISC License, which can be obtained at <https://github.com/npm/read-package-json/blob/latest/LICENSE>

- Returns an object with validated data from a given package.json file

readdir-scoped-modules is copyright © 2014 Isaac Z. Schlueter and Contributors. All rights reserved. Licensed under The ISC License, which can be obtained at <https://github.com/npm/readdir-scoped-modules/blob/master/LICENSE>

- Reads the contents of a given directory, handling scoped module directories as a single entry

resolve is copyright © 2012 James Halliday. All rights reserved. Licensed under The MIT License, which can be obtained at <https://github.com/browserify/resolve/blob/master/LICENSE>

- Resolves the path of a required module on behalf of a file asynchronously and synchronously

node-semver is copyright © 2011 Isaac Z. Schlueter. All rights reserved. Licensed under The ISC License, which can be obtained at <https://github.com/npm/node-semver/blob/master/LICENSE>

- Provides semantic versioning tools (such as a normalizer and validator)

slide-flow-control is copyright © 2011 Isaac Z. Schlueter. All rights reserved. Licensed under The ISC License, which can be obtained at <https://github.com/npm/slide-flow-control/blob/master/LICENSE>

- A flow control library that fits in a slideshow

spdx-compare.js is copyright © 2015 Kyle E. Mitchell. All rights reserved. Licensed under The MIT License, which can be obtained at <https://github.com/jslicense/spdx-compare.js/blob/master/LICENSE.md>

- Compare SPDX license expressions

spdx-correct is copyright © 2015 Kyle E. Mitchell. All rights reserved. Licensed under The Apache License 2.0, which can be obtained at <https://github.com/jslicense/spdx-correct.js/blob/master/LICENSE>

- Corrects invalid SPDX license identifiers

spdx-exceptions.json is copyright © 2010 Linux Foundation and its Contributors. All rights reserved. Licensed under The Creative Commons Attribution License 3.0 Unported, which can be obtained at <https://github.com/jslicense/spdx-exceptions.json>

- Provides a list of standard license exceptions

spdx-expression-parse is copyright © 2015 Kyle E. Mitchell, C. Scott Ananian, Shinnosuke Watanabe, & Antoine Motet . All rights reserved. Licensed under The MIT License, which can be obtained at <https://github.com/jslicense/spdx-expression-parse.js/blob/master/LICENSE>

- Parses SPDX license expressions

spdx-license-ids is public domain. Licensed under The Creative Commons Zero v.1.0 Universal License, which can be obtained at <https://creativecommons.org/publicdomain/zero/1.0/deed>

- Provides a list of SPDX license identifiers

spdx-ranges is copyright © 2015 Kyle E. Mitchell. All rights reserved. Licensed under The MIT License, which can be obtained at <https://github.com/jslicense/spdx-ranges.js/blob/master/LICENSE.md>

- Provides a list of SPDX standard license ranges

spdx-satisfies.js is copyright © 2018 Kyle E. Mitchell & Contributors. All rights reserved. Licensed under The MIT License, which can be obtained at <https://github.com/jslicense/spdx-satisfies.js/blob/master/LICENSE>

- Provides a function to assert if a given SPDX expression satisfies licensing criteria

supports-color is copyright © 2014 Sindre Sorhus. All rights reserved. Licensed under The MIT License, which can be obtained at <https://github.com/chalk/supports-color/blob/main/license>

- Detects whether a terminal supports color

treeify is copyright © 2016 Luke Plaster. All rights reserved. Licensed under The MIT License, which can be obtained at <https://github.com/notatestuser/treeify/blob/master/LICENSE>

- Converts a JS object into an indented tree for printing to console

util-extend is copyright © 2016 Joyent, Inc and other Node contributors. All rights reserved. Licensed under The MIT License, which can be obtained at <https://github.com/isaacs/util-extend/blob/master/LICENSE>

- An implementation of Nodes internal object extension function

validate-npm-package-license is copyright © 2015 Kyle E. Mitchell. All rights reserved. Licensed under The Apache License 2.0, which can be obtained at <https://github.com/kemitchell/validate-npm-package-license.js/blob/master/LICENSE>

- Validates a given npm package license string

wrappy is copyright © 2014 Isaac Z. Schlueter. All rights reserved. Licensed under The ISC License, which can be obtained at <https://github.com/npm/wrappy/blob/master/LICENSE>

- A utility to wrap callback functions

tableify is Copyright (c) 2014 Yaniv Kessler. Licensed under The MIT license, which can be obtained at <https://opensource.org/licenses/MIT> From any JavaScript object, HTML tables create.

ajv is Copyright (c) 2015-2017 Evgeny Poberezkin. Licensed under The MIT license, which can be obtained at <https://github.com/ajv-validator/ajv/blob/master/LICENSE>

- JSON schema validator for Node.js and browser.

node-asn1 is Copyright (c) 2011 Mark Cavage, All rights reserved. Licensed under The MIT license, which can be obtained at <https://github.com/joyent/node-asn1/blob/master/LICENSE>

- node-asn1 is a library for encoding and decoding ASN.1 datatypes in pure JS. Currently BER encoding is supported; at some point I'll likely have to do DER.

node-assert-plus is Copyright (c) 2018, Joyent, Inc. and assert-plus authors. Licensed under The MIT license, which can be obtained at <https://github.com/joyent/node-assert-plus/blob/master/LICENSE>

- a thin wrapper over the Node built-in assert module

async is Copyright (c) 2010-2018 Caolan McMahon. Licensed under The MIT license, which can be obtained at <https://github.com/caolan/async/blob/master/LICENSE>

- Async is a utility module which provides straight-forward, powerful functions for working with asynchronous JavaScript

asynckit is Copyright (c) 2016 Alex Indigo. Licensed under The MIT license, which can be obtained at <https://github.com/alexindigo/asynckit/blob/master/LICENSE>

- Minimal async jobs utility library, with streams support.

aws-sign is Copyright (c) 2013 Mikeal Rogers. Licensed under the Apache License 2.0, which can be obtained at <https://github.com/request/aws-sign/blob/master/LICENSE> AWS signing. Originally pulled from LearnBoost/knox, maintained as vendor in request, now a standalone module

aws4 is Copyright (c) 2013 Michael Hart. Licensed under The MIT license, which can be obtained at <https://github.com/mhart/aws4/blob/master/LICENSE>

- utility to sign vanilla Node.js http(s) request options using Amazon's AWS Signature Version 4.

node-bcrypt-pbkdf is Copyright 1997 Niels Provos, Copyright (c) 2013 Ted Unangst, Copyright 2016, Joyent Inc. Licensed under the OpenBSD license, which can be obtained at <https://github.com/joyent/node-bcrypt-pbkdf/blob/master/LICENSE>

- encryption utilities

caseless is Copyright (c) 2013 Mikeal Rogers. Licensed under the Apache License 2.0, which can be obtained at <https://github.com/request/caseless/blob/master/LICENSE>

- wrap an object to set and get property with caseless semantics but also preserve caseing

node-combined-stream is Copyright (c) 2011 Debuggable Limited. Licensed under The MIT license, which can be obtained at <https://github.com/felixge/node-combined-stream/blob/master/License>

- A stream that emits multiple other streams one after another.

core-util-is is Copyright Node.js contributors. All rights reserved. Licensed under The MIT license, which can be obtained at <https://github.com/isaacs/core-util-is/blob/master/LICENSE>

- The util.is* functions introduced in Node v0.12

node-dashdash is Copyright (c) 2013 Trent Mick. All rights reserved, Copyright (c) 2013 Joyent Inc. All rights reserved. Licensed under The MIT license, which can be obtained at <https://github.com/trentm/node-dashdash/blob/master/LICENSE.txt>

- A light, featureful and explicit option parsing library for node.js.

node-deep-extend is Copyright (c) 2013-2018, Viacheslav Lotsmanov. Licensed under The MIT license, which can be obtained at <https://github.com/unclechu/node-deep-extend/blob/master/LICENSE>

- Recursive object extending

node-delayed-stream is Copyright (c) 2011 Debuggable Limited. Licensed under The MIT license, which can be obtained at <https://github.com/felixge/node-delayed-stream/blob/master/License>

- Buffers events from a stream until you are ready to handle them.

ecc-jsbn is Copyright (c) 2014 Jeremie Miller. Licensed under The MIT license, which can be obtained at <https://github.com/aduh95/ecc-jsbn/blob/master/LICENSE>

- javascript big number

eol is Copyright 2016 Ryan Van Etten. Licensed under The MIT license, which can be obtained at <https://github.com/ryanve/eol/blob/master/LICENSE>

- Newline character converter for JavaScript

node-extend is Copyright (c) 2014 Stefan Thomas. Licensed under The MIT license, which can be obtained at <https://github.com/justmoon/node-extend/blob/main/LICENSE>

- node-extend is a port of the classic extend() method from jQuery.

node-extsprintf is Copyright (c) 2012, Joyent, Inc. All rights reserved. Licensed under The MIT license, which can be obtained at <https://github.com/joyent/node-extsprintf/blob/master/LICENSE>

- Stripped down version of s[n]printf(3c)

fast-deep-equal is Copyright (c) 2017 Evgeny Poberezkin. Licensed under The MIT license, which can be obtained at <https://github.com/epoberezkin/fast-deep-equal/blob/master/LICENSE>

- The fastest deep equal with ES6 Map, Set and Typed arrays support.

fast-json-stable-stringify is Copyright (c) 2017 Evgeny Poberezkin, Copyright (c) 2013 James Halliday. Licensed under The MIT license, which can be obtained at <https://github.com/epoberezkin/fast-json-stable-stringify/blob/master/LICENSE>

- Deterministic JSON.stringify()

forever-agent is Copyright (c) 2013 Mikeal Rogers. Licensed under the Apache License 2.0, which can be obtained at <https://github.com/request/forever-agent/blob/master/LICENSE>

- HTTP Agent that keeps socket connections alive between keep-alive requests

form-data is Copyright (c) 2012 Felix Geisendörfer (felix@debuggable.com) and contributors. Licensed under The MIT license, which can be obtained at <https://github.com/form-data/form-data/blob/master/License>

- A library to create readable "multipart/form-data" streams

node-getpass is Copyright Joyent, Inc. All rights reserved. Licensed under The MIT license, which can be obtained at <https://github.com/arekinath/node-getpass/blob/master/LICENSE>

- Get a password from the terminal

har-schema is Copyright (c) 2015, Ahmad Nassri. Licensed under the ISC license, which can be obtained at <https://github.com/ahmadnassri/har-schema/blob/master/LICENSE>

- JSON Schema for HTTP Archive

node-har-validator is Copyright (c) 2015, Ahmad Nassri. Licensed under the MIT license, which can be obtained at <https://github.com/ahmadnassri/node-har-validator/blob/master/LICENSE>

- HTTP Archive (HAR) validator using JSON Schema.

node-http-signature is Copyright Joyent, Inc. All rights reserved. Licensed under the MIT license, which can be obtained at <https://github.com/joyent/node-http-signature/blob/master/LICENSE>

- node-http-signature is a node.js library that has client and server components for Joyent's HTTP Signature Scheme

ini is Copyright (c) Isaac Z. Schlueter and Contributors. Licensed under the ISC license, which can be obtained at <https://github.com/npm/ini/blob/master/LICENSE>

- An ini format parser and serializer for node.

is-typedarray is Copyright Hugh Kennedy. Licensed under the MIT license, which can be obtained at <https://github.com/hughsk/is-typedarray/blob/master/LICENSE.md>

- Detect whether or not an object is a Typed Array

isstream is Copyright (c) 2015 Rod Vagg. Licensed under the MIT license, which can be obtained at <https://github.com/rvagg/isstream/blob/master/LICENSE.md>

- Test if an object is a Stream

jsbn is Copyright (c) 2003-2005 Tom Wu. License can be obtained at <https://github.com/andyperlitch/jsbn/blob/master/LICENSE>

- javascript big number

json-schema-traverse is Copyright (c) 2017 Evgeny Poberezkin. Licensed under the MIT license, which can be obtained at <https://github.com/epoberezkin/json-schema-traverse/blob/master/LICENSE>

- Traverse JSON Schema passing each schema object to callback

json-schema is Copyright (c) 2005-2015, The Dojo Foundation

All rights reserved. Licensed under either the terms of the BSD 3-Clause "New" License or the AFL version 2.1 license, which can be obtained at <https://github.com/kriszyp/json-schema/blob/master/LICENSE>

- JSON Schema specification and implementation

json-stringify-safe is Copyright (c) Isaac Z. Schlueter and Contributors. Licensed under the ISC license, which can be obtained at <https://github.com/moll/json-stringify-safe/blob/master/LICENSE>

- Like JSON.stringify, but doesn't throw on circular references

node-sprimg is Copyright (c) 2012, Joyent, Inc. All rights reserved. Licensed under the MIT license, which can be obtained at <https://github.com/joyent/node-sprimg/blob/master/LICENSE>

- This module provides miscellaneous facilities for working with strings, numbers, dates, and objects and arrays of these basic types

node-sprimg is Copyright (c) 2012, Joyent, Inc. All rights reserved. Licensed under the MIT license, which can be obtained at <https://github.com/joyent/node-sprimg/blob/master/LICENSE>

- This module provides miscellaneous facilities for working with strings, numbers, dates, and objects and arrays of these basic types

node-lru-cache is Copyright (c) Isaac Z. Schlueter and Contributors. Licensed under the ISC license, which can be obtained at <https://github.com/isaacs/node-lru-cache/blob/master/LICENSE>

- A cache object that deletes the least-recently-used items.

mime-db is Copyright (c) 2014 Jonathan Ong me@jungleberry.com. Licensed under the MIT license, which can be obtained at <https://github.com/jshttp/mime-db/blob/master/LICENSE>

- This is a database of all mime types. It consists of a single, public JSON file and does not include any logic, allowing it to remain as un-opinionated as possible with an API.

mime-types is Copyright (c) 2014 Jonathan Ong, Copyright (c) 2015 Douglas Christopher Wilson. Licensed under the MIT license, which can be obtained at <https://github.com/jshttp/mime-types/blob/master/LICENSE>

- The ultimate javascript content-type utility

minimist is Copyright (c) 2013 James Halliday. Licensed under The MIT license, which can be obtained at <https://github.com/substack/minimist/blob/master/LICENSE>

- parse argument options

ms is Copyright (c) 2020 Vercel, Inc. Licensed under the MIT license, which can be obtained at <https://github.com/vercel/ms/blob/master/license.md>

- convert various time formats to milliseconds

oauth-sign is Licensed under the Apache License 2.0, which can be obtained at <https://github.com/request/oauth-sign/blob/master/LICENSE>

- OAuth 1 signing

psl is Copyright (c) 2017 Lupo Montero. Licensed under the MIT license, which can be obtained at <https://github.com/lupomontero/psl/blob/master/LICENSE>

- psl is a JavaScript domain name parser

punycode is Copyright Mathias Bynens. Licensed under the MIT license, which can be obtained at <https://github.com/bestiejs/punycode.js/blob/master/LICENSE-MIT.txt>

- Punycode.js is a robust Punycode converter

qs is Copyright (c) 2014, Nathan LaFreniere and other contributors All rights reserved. Licensed under under the terms of the BSD 3-Clause "New" License, which can be obtained at <https://github.com/ljharb/qs/blob/master/LICENSE.md>

- A querystring parsing and stringifying library

rc is Copyright (c) 2011 Dominic Tarr. Licensed under the Apache License 2.0, which can be obtained at <https://github.com/dominictarr/rc/blob/master/LICENSE.APACHE2>

- The non-configurable configuration loader

request is Licensed under the Apache License 2.0, which can be obtained at <https://github.com/request/request/blob/master/LICENSE>

- Simplified HTTP client

safe-buffer is Copyright (c) Feross Aboukhadijeh. Licensed under the MIT license, which can be obtained at <https://github.com/feross/safe-buffer/blob/master/LICENSE>

- The goal of this package is to provide a safe replacement for the node.js Buffer

safer-buffer is Copyright (c) 2018 Nikita Skovoroda. Licensed under the MIT license, which can be obtained at <https://github.com/ChALkeR/safer-buffer/blob/master/LICENSE>

- Modern Buffer API polyfill without footguns

node-semver is Copyright (c) Isaac Z. Schlueter and Contributors. Licensed under the ISC license, which can be obtained at <https://github.com/npm/node-semver/blob/master/LICENSE>

- The semantic versioner for npm

node-sshpk is Copyright Joyent, Inc. All rights reserved. Licensed under the MIT license, which can be obtained at <https://github.com/joyent/node-sshpk/blob/master/LICENSE>

- Parse, convert, fingerprint and use SSH keys (both public and private) in pure node

strip-json-comments is Copyright (c) Sindre Sorhus. Licensed under the MIT license, which can be obtained at <https://github.com/sindresorhus/strip-json-comments/blob/main/license>

- Strip comments from JSON

stubborn is Licensed under the ISC license, which can be obtained at <https://github.com/rfht/libstubborn/blob/master/LICENSE>

- A retry engine

text-table is Copyright (c) 2013 James Halliday. Licensed under The MIT license, which can be obtained at <https://github.com/substack/text-table/blob/master/LICENSE>

- generate borderless text table strings

tough-cookie Copyright (c) 2015, Salesforce.com, Inc. All rights reserved. License can be obtained at <https://github.com/salesforce/tough-cookie/blob/master/LICENSE>

- RFC6265 Cookies and CookieJar for Node.js

tunnel-agent is Licensed under the Apache License 2.0, which can be obtained at <https://github.com/request/tunnel-agent/blob/master/LICENSE>

- proxy tunneling agent

tweetnacl-js is free and unencumbered software released into the public domain. License can be obtained at <https://github.com/dchest/tweetnacl-js/blob/master/LICENSE>

- Port of TweetNaCl / NaCl to JavaScript for modern browsers and Node.js. Public domain.

uri-js is Copyright 2011 Gary Court. All rights reserved. License can be obtained at <https://github.com/garycourt/uri-js/blob/master/LICENSE>

- URI.js is an RFC 3986 compliant, scheme extendable URI parsing/validating/resolving library for all JavaScript environments

uuid is Copyright (c) 2010-2020 Robert Kieffer and other contributors. Licensed under The MIT license, which can be obtained at <https://github.com/uuidjs/uuid/blob/master/LICENSE.md>

- For the creation of RFC4122 UUIDs

node-verror is Copyright (c) 2016, Joyent, Inc. All rights reserved. Licensed under The MIT license, which can be obtained at <https://github.com/joyent/node-verror/blob/master/LICENSE>

- this module provides several classes in support of Joyent's Best Practices for Error Handling in Node.js.

node-visit-values is Copyright (c) 2014 Yaniv Kessler. Licensed under The MIT license, which can be obtained at <https://github.com/kessler/node-visit-values/blob/master/LICENSE>

- Visit all values in an object, depth first order

yallist is Copyright (c) Isaac Z. Schlueter and Contributors. Licensed under the ISC license, which can be obtained at <https://github.com/isaacs/yallist/blob/master/LICENSE>

- Linked List handling

antlr is Copyright (c) 2012 Terence Parr and Sam Harwell. Licensed under The BSD license, which can be obtained at <http://www.antlr.org/license.html>

- It provides a framework for constructing java code using grammatical descriptions containing Java

aopalliance Copyright © 2009-08-12 AOP Alliance. All Rights Reserved. Licensed under the MIT License (MIT) which can be obtained at <http://aopalliance.sourceforge.net>

- aopalliance is spring library and used in testing Framework for intercepting the method. Some places of application it replace EJB to regular java object

cglib-nodep is Copyright (c) 2004. Licensed under The Apache Software Foundation. All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- Code Generation Library using testing, data access frameworks to generate dynamic proxy objects and intercept field access.

logback is Copyright (C) 1999-2015, QOS.ch. All rights reserved. Licensed under the Eclipse Public License - v 1.0, which can be obtained at <http://www.eclipse.org/legal/epl-v10.html>

- Logback is used for logging frameworks in the WFO application

jwt-rsa is Copyright (c) 2016 Auth0, Inc. All Rights Reserved. Licensed under the MIT License (MIT) which can be obtained at <https://raw.githubusercontent.com/auth0/jwks-rsa-java/master/LICENSE>

- Validating and parsing Auth token for Json API

jcommander is Copyright (c) 2004 Cedric Beust, The Apache Software Foundation. All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <https://github.com/cbeust/jcommander/blob/master/license.txt>

- This library is used for parse command line parameters for build and service

phantomjsdriver is Copyright (c) 2012-2014, Ivan De Marino <http://ivandemarino.me> All rights reserved. Licensed under the BSD 2-Clause "Simplified" License, which can be obtained at <https://github.com/codeborne/ghostdriver/blob/master/LICENSE.BSD>

- PhantomJSDriver is used for binding WebDriver for Maven repository and Selenium which is the testing framework

coverity-escapers is Copyright (c) 2012-2016, Coverity, Inc. All Rights Reserved. Licensed under License section at <https://github.com/coverity/coverity-security-library>

- validating application from XSS security vulnerability

handy-uri-templates is Copyright 2011-2016 Ryan J. McDonough, All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- Validation and error handling

restdocs-raml (c) 2017 ePages GmbH All Rights Reserved. Licensed under the MIT License (MIT) which can be obtained at <https://github.com/ePages-de/restdocs-raml/blob/master/LICENSE>

- This API is generating Spring REST Docs using

FasterXML/classmate is Copyright (c) 2004 FasterXML LLC. LAll Rights Reserved. The Apache Software Foundation. All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <https://github.com/FasterXML/java-classmate/blob/master/LICENSE>

- FasterXML library used to process JSON input from api to map to java object and viceversa

FasterXML/jackson-annotations is Copyright (c) 2004 FasterXML LLC. The Apache Software Foundation. All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <https://github.com/FasterXML/jackson-annotations/blob/master/LICENSE>

- FasterXML library used to process JSON input from api to map to java object and viceversa

FasterXML/jackson-core is Copyright (c) 2004 FasterXML LLC. The Apache Software Foundation. All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <https://github.com/FasterXML/jackson-core/blob/master/LICENSE>

- FasterXML library used to process JSON input from api to map to java object and viceversa

FasterXML/jackson-databind is Copyright (c) 2004 FasterXML LLC. The Apache Software Foundation. All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <https://github.com/FasterXML/jackson-databind/blob/master/LICENSE>

- FasterXML library used to process JSON input from api to map to java object and viceversa

FasterXML/jackson-jaxrs-providers/jaxrs-base is Copyright (c) 2004 FasterXML LLC. The Apache Software Foundation. All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <https://github.com/FasterXML/jackson-jaxrs-providers/blob/master/LICENSE>

- FasterXML library used to process JSON input from api to map to java object and viceversa

FasterXML/jackson-jaxrs-providers/jaxrs-json-provider is Copyright (c) 2004 FasterXML LLC. The Apache Software Foundation. All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <https://github.com/FasterXML/jackson-jaxrs-providers/blob/master/LICENSE>

- FasterXML library used to process JSON input from api to map to java object and viceversa

FasterXML/jackson-modules-base/jaxb-annotations is Copyright (c) 2004 FasterXML LLC. The Apache Software Foundation. All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <https://github.com/FasterXML/jackson-modules-base/blob/master/LICENSE>

- FasterXML library used to process JSON input from api to map to java object and viceversa

json-schema Copyright (c) 2004 everit-org. The Apache Software Foundation. All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <https://github.com/everit-org/json-schema/blob/master/LICENSE>

- Json-schema is used for validating the Json data

fge:btf Copyright (c) 2007 All Rights Reserved. Licensed under Apache License, Version 2.0

- Internal use of making class Mutable and immutable

fge:jackson-coreutils Copyright (c) 2007 All Rights Reserved. Licensed under Apache License, Version 2.0

- Internal use to convert Decimal

fge:msg-simple Copyright (c) 2007 All Rights Reserved. Licensed under Apache License, Version 2.0

- used internally to access resource bundle

fge:uri-template is Copyright (c) 2007 All Rights Reserved. Licensed under Apache License, Version 2.0

- Used internally to substitute URI, without having to encode your values first

json-schema-core is Copyright (c) 2007 All Rights Reserved. Licensed under Apache License, Version 2.0

- Used internally to generate a JSON Schema from a POJO

json-schema-validator is Copyright (c) 2007 All Rights Reserved. Licensed under Apache License, Version 2.0

- Used internally to validate a JSON Schema

jcip-annotations is Copyright © 2004 All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <https://github.com/stephenc/jcip-annotations/blob/master/LICENSE.txt>

- Used for annotation

Findbugs is Copyright © 2004 All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2>

- Used for annotation

gson is copyright (c) Copyright 2008 Google Inc. All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <https://github.com/google/gson/blob/master/LICENSE20>

- Converting Java Objects into their JSON representation in audit trail and viceversa

error_prone_annotations is Copyright © 2008 Google Inc. All rights reserved. Licensed under Apache License, Version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0.txt>

- Error Prone is used for static analysis of Javacode to catches common programming mistakes at compile-time.

Failureaccess is Copyright © 2004. All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- Used library to get multimap and multiset functionality in java code

google/guava is Copyright 2008 Google Inc. All rights reserved. Licensed under Apache License, Version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0.txt>

- Used library to get multimap and multiset, immutable collections, a graph library, and utilities for concurrency, I/O, hashing, caching, primitives, strings

Guice Copyright © 2004. All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- Add typesafe feature in java code

google/j2objc-annotations Copyright 2008 Google Inc. All rights reserved. Licensed under Apache License, Version 2.0, which can be obtained at <https://github.com/google/j2objc/blob/master/LICENSE>

Re2j Copyright (c) 2009 The Go Authors Russ Cox's RE2 in Go, All Rights Reserved. Licensed under <http://golang.org/LICENSE> is as follows. <https://github.com/google/re2/blob/master/LICENSE>

- Advance Regular expression capability in the application

googlecode/catch-exception is Copyright 2008 Google Inc. All rights reserved. Licensed under Apache License, Version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

Juniversalchardet Copyright ©1995 MOZILLA. All Rights Reserved. Licensed under the Mozilla Public License version 1.1 , which is available at <https://github.com/albfernandez/juniversalchardet/blob/master/LICENSE>

- encoding detector library of Mozilla

libphonenumber Copyright © 2004 libphonenumber. All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- Used for parsing, formatting, validating international phone numbers

owasp-java-html-sanitizer is Copyright 2008 Google Inc. All rights reserved. Licensed under Apache License, Version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0.txt>

- Java helper code for protecting against XSS.

Icu4j is Copyright © 1991-2020 Unicode, Inc. All rights reserved. Licensed under the ICU license and various third-party software licenses, which are detailed at <https://github.com/unicode-org/icu/blob/master/icu4c/LICENSE>

jsonpath is Copyright © 2001-2016 jsonpath, All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- reading JSON documents thru API

rest-assured-common is Copyright © 2001-2016 Connect2id Ltd, All Rights Reserved. Licensed under Apache License, Version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- Testing and validation of REST services in Java

rest-assured is Copyright © 2001-2016 . All Rights Reserved. Licensed under the Apache License, Version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- Testing and validation of REST services in Java

xml-path is Copyright © 2001-2016 . All Rights Reserved. Licensed under the Apache License, Version 2.0, which can be obtained at <http://www.apache.org/licenses/LICENSE-2.0>

- XML parsing capabilities of XMLParser

Adal4j is Copyright (c) 2016 Microsoft Corporation All Rights Reserved. Licensed under the MIT License (MIT) which can be obtained at <https://github.com/AzureAD/azure-activedirectory-library-for-java/blob/dev/LICENSE>

- Active Directory Authentication Library (ADAL) for Java

azure-core is Copyright (c) 2015 Microsoft Corporation. Licensed under the MIT License (MIT) which can be obtained at <https://github.com/Azure/azure-sdk-for-java/blob/master/LICENSE.txt>

- Backend API for HTTP retries, logging, transport protocols, authentication protocols

azure-keyvault is Copyright (c) 2016 Microsoft Corporation All Rights Reserved. Licensed under the MIT License (MIT) which can be obtained at <https://github.com/Azure/azure-key-vault-secret-as-a-service/blob/master/LICENSE>

- A docker service for querying azure key vaults for secrets

mssql-jdbc is Copyright (c) 2016 Microsoft Corporation All Rights Reserved. Licensed under the MIT License (MIT) which can be obtained at URL: <https://github.com/Microsoft/mssql-jdbc>

- The Microsoft JDBC Driver for SQL Server to connect backend APIs

sqljdbc4 is Copyright (c) 2016 Microsoft Corporation All Rights Reserved. Licensed under the MIT License (MIT) which can be obtained at <https://opensource.org/licenses/MIT>

- The Microsoft JDBC Driver for SQL Server to connect backend APIs