

Channel Automation Open Source and Third-Party Documentation

Channel Automation & Knowledge Management Enterprise
Release 2023R4
November 2023



[Verint.com](https://www.verint.com)



[Twitter.com/verint](https://twitter.com/verint)



[Facebook.com/verint](https://facebook.com/verint)



[Blog.verint.com](https://blog.verint.com)

VERINT.

Table of Contents

Open Source Attribution	1
Product Description	1

Open Source Attribution

Certain components of this Software or software contained in this Product (collectively, “Software”) may be covered by so-called “free or open source” software licenses (“Open Source Components”), which includes any software licenses approved as open source licenses by the Open Source Initiative or any similar licenses, including without limitation any license that, as a condition of distribution of the Open Source Components licensed, requires that the distributor make the Open Source Components available in source code format. A license in each Open Source Component is provided to you in accordance with the specific license terms specified in their respective license terms.

EXCEPT WITH REGARD TO ANY WARRANTIES OR OTHER RIGHTS AND OBLIGATIONS EXPRESSLY PROVIDED DIRECTLY TO YOU FROM VERINT, ALL OPEN SOURCE COMPONENTS ARE PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

Any third party technology that may be appropriate or necessary for use with the Verint Product is licensed to you only for use with the Verint Product under the terms of the third party license agreement specified in the Documentation, the Software or as provided online at <https://www.verint.com/utilities/third-party-license/index.html>.

You may not take any action that would separate the third-party technology from the Verint Product. Unless otherwise permitted under the terms of the third-party license agreement, you agree to only use the third-party technology in conjunction with the Verint Product.

The following Open Source Components may be included with this Software, with ownership in those components as indicated in the [third-party license library](#):

- 1to2 is licensed under MIT 1to2
- abbrev is licensed under ISC abbrev
- accepts is licensed under MIT accepts
- activation is licensed under CDDL v 1.0
- activeio-core-3.1.4 is licensed under Apache License, Version 2.0
- activemq-client-5.9.0 is licensed under Apache License, Version 2.0
- azure-activedirectory-library-for-java is licensed under MIT adal4j
- agent-base is licensed under MIT agent-base
- agentkeepalive is licensed under MIT agentkeepalive
- aggregate-error is licensed under MIT sindresorhus
- ajv is licensed under MIT ajv
- Alchemy is licensed under Apache License, Version 2.0
- Alef is licensed under Alef SIL Open Font License Version 1.1
- align-text is licensed under MIT sindresorhus
- ambi is licensed under MIT Bevry (1)
- amdefine is licensed under BSD amdefine
- ampproject-remapping is licensed under Apache License, Version 2.0
- amqp-client is licensed under Apache License, Version 2.0
- ansi-align is licensed under ISC ansi-align
- ansicolors is licensed under MIT ansicolors
- ansi-regex is licensed under MIT sindresorhus
- ansistyles is licensed under MIT ansistyles
- ansi-styles is licensed under MIT sindresorhus
- ant is licensed under Apache License, Version 2.0
- ant-jmeter is licensed under Apache License, Version 2.0
- ant-launcher is licensed under Apache License, Version 2.0

- ANTLR 2 is licensed under Public Domain
- ANTLR 3 is licensed under BSD ANTLR 3
- ANTLR 4 is licensed under BSD ANTLR 4
- AOP Alliance is licensed under Public Domain
- Apache BSF is licensed under Apache License, Version 2.0
- Apache Commons Email 1.2 is licensed under Apache License, Version 2.0
- Apache Commons FileUpload 1.3.1 is licensed under Apache License, Version 2.0
- Apache Commons Lang 2.4 is licensed under Apache License, Version 2.0
- Apache Commons Lang 3.4 is licensed under Apache License, Version 2.0
- Apache HTTP Components Client is licensed under Apache License, Version 2.0
- Apache HTTP Components Client 4.5.1 is licensed under Apache License, Version 2.0
- Apache HTTP Components Core 4.4.4 is licensed under Apache License, Version 2.0
- Apache HTTP Components Core 4.4.14 is licensed under Apache License, Version 2.0
- Apache mime4j is licensed under Apache License, Version 2.0
- Apache Neethi is licensed under Apache License, Version 2.0
- Apache Oltu is licensed under Apache License, Version 2.0
- Apache Soap is licensed under Apache License, Version 2.0
- Apache Santuario is licensed under Apache License, Version 2.0
- Apache Standard Tag Library is licensed under Apache License, Version 2.0
- Apache XML Graphics Commons is licensed under Apache License, Version 2.0
- api-common is licensed under BSD api-common
- apiguardian-api is licensed under Apache License, Version 2.0
- append-transform is licensed under MIT James Talmage
- aproba is licensed under ISC aproba
- archy is licensed under MIT
- are-we-there-yet is licensed under ISC are-we-there-yet
- argparse is licensed under MIT argparse
- argparse4j is licensed under MIT argparse4j
- Arimo is licensed under Apache License, Version 2.0
- array-flatten is licensed under MIT array-flatten
- array-uniq is licensed under MIT sindresorhus
- array-unique is licensed under MIT Jon Schlinkert (2)
- arr-diff is licensed under MIT Jon Schlinkert (3)
- arr-flatten is licensed under MIT Jon Schlinkert (3)
- arrify is licensed under MIT sindresorhus
- arr-union is licensed under MIT Jon Schlinkert (2)
- asap is licensed under MIT asap
- ASM is licensed under ASM License
- ASM Commons is licensed under ASM License
- ASM Static Analysis is licensed under ASM License
- ASM Tree class visitor is licensed under ASM License
- ASM Utilities is licensed under ASM License
- ASM-4.1 is licensed under ASM License
- asn1 is licensed under MIT asn1
- AspectJ is licensed under Eclipse Public License, Version 1.0
- assert-plus is licensed under MIT assert-plus
- assign-symbols is licensed under MIT sindresorhus
- Asterisk-Java is licensed under Apache License, Version 2.0
- async is licensed under MIT async
- asynckit is licensed under MIT asynckit
- atob is licensed under Apache License, Version 2.0

- attoparser is licensed under Apache License, Version 2.0
- attributes-binder is licensed under Apache License, Version 2.0
- auto is licensed under Apache License, Version 2.0
- avatica-core is licensed under Apache License, Version 2.0
- aws is licensed under Apache License, Version 2.0
- aws-java-sdk is licensed under Apache License, Version 2.0
- aws4 is licensed under MIT aws4
- aws-sign2 is licensed under Apache License, Version 2.0
- axiom is licensed under Apache License, Version 2.0
- axios is licensed under MIT axios
- Axis is licensed under Apache License, Version 2.0
- Axis2 is licensed under Apache License, Version 2.0
- Axis-saaj is licensed under Apache License, Version 2.0
- azure-core is licensed under MIT microsoft-azure
- azure-core-http-netty is licensed under MIT microsoft-azure
- azure-identity is licensed under MIT microsoft-azure
- azure-json is licensed under MIT microsoft-azure
- azure-storage is licensed under MIT microsoft-azure
- b64u is licensed under MIT b64u
- babel-code-frame is licensed under MIT babel
- babel-compat-data is licensed under MIT babel
- babel-core is licensed under MIT babel
- babel-generator is licensed under MIT babel
- babel-helper-compilation-targets is licensed under MIT babel
- babel-helper-environment-visitor is licensed under MIT babel
- babel-helper-function-name is licensed under MIT babel
- babel-helper-get-function-arity is licensed under MIT babel
- babel-helper-hoist-variables is licensed under MIT babel
- babel-helper-member-expression-to-functions is licensed under MIT babel
- babel-helper-module-imports is licensed under MIT babel
- babel-helper-module-transforms is licensed under MIT babel
- babel-helper-optimise-call-expression is licensed under MIT babel
- babel-helper-plugin-utils is licensed under MIT babel
- babel-helper-replace-supers is licensed under MIT babel
- babel-helper-simple-access is licensed under MIT babel
- babel-helper-string-parser is licensed under MIT babel
- babel-helper-split-export-declaration is licensed under MIT babel
- babel-helper-validator-identifier is licensed under MIT babel
- babel-helper-validator-option is licensed under MIT babel
- babel-helpers is licensed under MIT babel
- babel-highlight is licensed under MIT babel
- babel-messages is licensed under MIT babel
- babel-parser is licensed under MIT babel
- babel-plugin-macros is licensed under MIT babel
- babel-plugin-syntax-jsx is licensed under MIT babel
- babel-runtime is licensed under MIT babel
- babel-template is licensed under MIT babel
- babel-traverse is licensed under MIT babel
- babel-types is licensed under MIT babel
- babylon is licensed under MIT babylon
- backport-util-concurrent is licensed under Public Domain

- balanced-match is licensed under MIT balanced-match
- base is licensed under MIT Jon Schlinkert (1)
- base64-js is licensed under MIT base64js
- base64url is licensed under MIT base64url
- Batik is licensed under Apache License, Version 2.0
- bcpkix-jdk15on is licensed under Bouncy Castle License
- bcprov-jdk15on-1.55 is licensed under Bouncy Castle License
- bcrypt-pbkdf is licensed under BSD bcrypt-pbkdf
- bind-obj-methods is licensed under ISC Isaac Z. Schlueter and Contributors
- bin-links is licensed under Artistic-2.0 npm
- bintrees is licensed under MIT bintrees
- block-stream is licensed under ISC Isaac Z. Schlueter and Contributors
- bluebird is licensed under MIT bluebird
- body-parser is licensed under MIT body-parser
- boilerpipe is licensed under Apache License, Version 2.0
- boom is licensed under BSD boom
- Bouncy Castle is licensed under Bouncy Castle License
- bowser is licensed under MIT bowser
- boxen is licensed under MIT boxen
- brace-expansion is licensed under MIT brace-expansion
- braces is licensed under MIT braces
- brave is licensed under Apache License, Version 2.0
- browserify-zlib is licensed under MIT browserifyzlib
- browserslist is licensed under MIT browserslist
- bsh is licensed under GNU Lesser General Public License, Version 3
- buffer is licensed under MIT buffer
- buffer-from is licensed under MIT buffer-from
- builtin-modules is licensed under MIT sindresorhus
- builtins is licensed under MIT builtins
- bunyan is licensed under MIT bunyan
- bunyan-rotating-file-stream is licensed under MIT bunyan-rotating-file-stream
- byline is licensed under MIT byline
- Byte Buddy is licensed under Apache License, Version 2.0
- byte-size is licensed under MIT Lloyd Brookes
- bytes is licensed under MIT bytes
- c3p0 is licensed under GNU Lesser General Public License, Version 2.1
- cacache is licensed under CCO
- cacheable-request is licensed under MIT cacheable-request
- cache-base is licensed under MIT Jon Schlinkert (3)
- caching-transform is licensed under MIT James Talmage
- Caffeine is licensed under Apache License, Version 2.0
- Caffeine 2.3.0 is licensed under Apache License, Version 2.0
- calcite is licensed under Apache License, Version 2.0
- callsites is licensed under MIT callsites
- call-bind is licensed under MIT
- call-limit is licensed under ISC call-limit
- camelcase is licensed under MIT sindresorhus
- camelize is licensed under MIT
- camunda-7.4.0 is licensed under Apache License, Version 2.0
- camunda-7.5.0 is licensed under Apache License, Version 2.0
- camunda-commons-1.2.0 is licensed under Apache License, Version 2.0

- camunda-commons-1.3.0 is licensed under Apache License, Version 2.0
- caniuise-lite is licensed under CC-BY-4.0 caniuise-lite
- canonicalize is licensed under Apache License, Version 2.0
- capture-stack-trace is licensed under MIT capture-stack-trace
- carrot2-mini is licensed under BSD carrot2-mini
- caseless is licensed under Apache License, Version 2.0
- Castor is licensed under Apache License, Version 2.0
- center-align is licensed under MIT Jon Schlinkert (5)
- CGLib is licensed under Apache License, Version 2.0
- CGLib2.2.2 is licensed under Apache License, Version 2.0
- chalk is licensed under MIT sindresorhus
- checker-qual is licensed under MIT Style License
- chownr is licensed under ISC Isaac Z. Schlueter and Contributors
- ci-info is licensed under MIT Thomas Watson Steen
- cidr-regex is licensed under MIT cidr-regex
- classmate is licensed under Apache License, Version 2.0
- classnames is licensed under MIT classnames
- class-utils is licensed under MIT class-utils
- clean-stack is licensed under MIT sindresorhus
- clean-yaml-object is licensed under MIT clean-yaml-object
- cli-boxes is licensed under MIT sindresorhus
- cli-columns is licensed under MIT Shannon Moeller
- cli-table2 is licensed under MIT James Talmage
- cli-table3 is licensed under MIT James Talmage
- cliui is licensed under ISC cliui
- clone is licensed under MIT clone
- clone-response is licensed under MIT clone-response
- closure-compiler is licensed under Apache License, Version 2.0
- clsx is licensed under MIT clsx
- cmd-shim is licensed under BSD cmd-shim
- co is licensed under MIT co
- code-point-at is licensed under MIT sindresorhus
- collection-visit is licensed under MIT collection-visit
- color-convert is licensed under MIT color-convert
- color-name is licensed under MIT color-name
- colors is licensed under MIT colors
- color-support is licensed under ISC Isaac Z. Schlueter and Contributors
- columnify is licensed under MIT columnify
- com.noelios.restlet is licensed under CDDL v 1.0
- com.noelios.restlet.ext.jetty is licensed under CDDL v 1.0
- combined-stream is licensed under MIT combined-stream
- cometd-4.0.4 is licensed under Apache License, Version 2.0
- commander is licensed under MIT TJ Holowaychuk
- comondir is licensed under MIT comondir
- commons-beanutils is licensed under Apache License, Version 2.0
- commons-cli is licensed under Apache License, Version 2.0
- commons-codec is licensed under Apache License, Version 2.0
- commons-codec-1.2 is licensed under Apache License, Version 1.1
- commons-collections is licensed under Apache License, Version 2.0
- commons-compiler is licensed under BSD commons-compiler
- commons-compress is licensed under Apache License, Version 2.0

- commons-configuration is licensed under Apache License, Version 2.0
- commons-csv is licensed under Apache License, Version 2.0
- commons-daemon is licensed under Apache License, Version 2.0
- commons-dbcp is licensed under Apache License, Version 2.0
- commons-dbcp2 is licensed under Apache License, Version 2.0
- commons-dbcp-20030825.184428 is licensed under Apache License, Version 1.1
- commons-dbutils is licensed under Apache License, Version 2.0
- commons-digester is licensed under Apache License, Version 2.0
- commons-digester-1.8 is licensed under Apache License, Version 2.0
- commons-discovery is licensed under Apache License, Version 2.0
- commons-discovery-0.2 is licensed under Apache License, Version 1.1
- commons-exec is licensed under Apache License, Version 2.0
- commons-fileupload is licensed under Apache License, Version 2.0
- commons-fileupload-1.0 is licensed under Apache License, Version 1.1
- commons-httpclient is licensed under Apache License, Version 2.0
- commons-io is licensed under Apache License, Version 2.0
- commons-lang is licensed under Apache License, Version 2.0
- commons-lang3-3.0 is licensed under Apache License, Version 2.0
- commons-lang3-3.3.2 is licensed under Apache License, Version 2.0
- commons-logging is licensed under Apache License, Version 2.0
- commons-logging-1.0 is licensed under Apache License, Version 1.1
- commons-logging-1.0.4 is licensed under Apache License, Version 2.0
- commons-logging-1.1.3 is licensed under Apache License, Version 2.0
- commons-logging-1.2 is licensed under Apache License, Version 2.0
- commons-math3 is licensed under Apache License, Version 2.0
- commons-modeler is licensed under Apache License, Version 2.0
- commons-net is licensed under Apache License, Version 2.0
- commons-pool is licensed under Apache License, Version 2.0
- commons-pool2 is licensed under Apache License, Version 2.0
- commons-text is licensed under Apache License, Version 2.0
- commons-validator-1.4.0 is licensed under Apache License, Version 2.0
- commons-validator is licensed under Apache License, Version 2.0
- component-emitter is licensed under MIT component-emitter
- concat-map is licensed under MIT
- concat-stream is licensed under MIT concat-stream
- Concurrent is licensed under Public Domain
- concurrent-1.3.3 is licensed under Public Domain
- concurrentlinkedhashmap is licensed under Apache License, Version 2.0
- config is licensed under Apache License, Version 2.0
- configstore is licensed under BSD configstore
- config-chain is licensed under MIT config-chain
- console-control-strings is licensed under ISC console-control-strings
- content-disposition is licensed under MIT content-disposition
- content-security-policy-builder is licensed under MIT content-security-policy-builder
- content-type is licensed under MIT content-type
- convert-source-map is licensed under MIT convert-source-map
- cookie is licensed under MIT cookie
- cookie-parser is licensed under MIT cookie-parser
- cookies is licensed under MIT cookies
- cookie-session is licensed under MIT cookie-session
- cookie-signature is licensed under MIT cookie-signature

- copy-concurrently is licensed under ISC copy-concurrently
- copy-descriptor is licensed under MIT Jon Schlinkert (4)
- core-js is licensed under MIT core-js
- core-util-is is licensed under MIT core-util-is
- cosmiconfig is licensed under MIT cosmiconfig
- coveralls is licensed under BSD coveralls
- create-error-class is licensed under MIT create-error-class
- cross-spawn is licensed under MIT cross-spawn
- cryptacular is licensed under Apache License, Version 2.0
- cryptiles is licensed under BSD cryptiles
- Cryptix is licensed under Cryptix General License
- crypto-random-string is licensed under MIT sindresorhus
- csextends is licensed under MIT csextends
- csstype is licensed under MIT csstype
- curator is licensed under Apache License, Version 2.0
- curvesapi is licensed under BSD curvesapi
- CyberNeko HTML Parser is licensed under Apache License, Version 2.0
- cyclist is licensed under MIT cyclist
- daisydiff is licensed under Apache License, Version 2.0
- dashdash is licensed under MIT dashdash
- dasherize is licensed under MIT
- date-fns is licensed under MIT date-fns
- date-io-core is licensed under MIT date-io-core
- date-io-date-fns is licensed under MIT date-io-date-fns
- date-io-dayjs is licensed under MIT date-io-dayjs
- date-io-luxon is licensed under MIT date-io-luxon
- date-io-moment is licensed under MIT date-io-moment
- dayjs is licensed under MIT dayjs
- debug is licensed under MIT debug
- debuglog is licensed under MIT Joyent (3)
- debug-log is licensed under MIT sindresorhus
- dec is licensed under MIT Style License
- decamelize is licensed under MIT sindresorhus
- decode-uri-component is licensed under MIT decode-uri-component
- decompress-response is licensed under MIT decompress-response
- deep-extend is licensed under MIT deep-extend
- deepmerge is licensed under MIT deepmerge
- default-require-extensions is licensed under MIT default-require-extensions
- defaults is licensed under MIT defaults
- define-properties is licensed under MIT define-properties
- define-property is licensed under MIT Jon Schlinkert (5)
- delayed-stream is licensed under MIT delayed-stream
- delegates is licensed under MIT delegates
- depd is licensed under MIT depd
- derby is licensed under Apache License, Version 2.0
- destroy is licensed under MIT destroy
- detect-indent is licensed under MIT sindresorhus
- detect-newline is licensed under MIT sindresorhus
- dezalgo is licensed under ISC Isaac Z. Schlueter and Contributors
- diff is licensed under BSD diff
- disruptor is licensed under Apache License, Version 2.0

- dnd-core is licensed under MIT dnd-core
- dnsjava is licensed under BSD dnsjava
- dns-prefetch-control is licensed under MIT dns-prefetch-control
- dom4j is licensed under BSD dom4j
- domelementtype is licensed under BSD domelementtype
- domhandler is licensed under BSD domhandler
- dom-helpers is licensed under MIT dom-helpers
- dom-serializer is licensed under MIT dom-serializer
- domutils is licensed under BSD domutils
- dont-sniff-mimetype is licensed under MIT helmet (2)
- dotenv is licensed under BSD dotenv
- dot-prop is licensed under MIT sindresorhus
- drange is licensed under MIT drange
- drools is licensed under Apache License, Version 2.0
- dtrace-provider is licensed under BSD dtrace-provider
- duplexer3 is licensed under BSD duplexer3
- duplexify is licensed under MIT duplexify
- eachr is licensed under MIT eachr
- ecc-jsbn is licensed under MIT ecc-jsbn
- Eclipse Compiler is licensed under Eclipse Public License, Version 1.0
- editions is licensed under MIT editions
- editor is licensed under MIT editor
- ee-first is licensed under MIT ee-first
- EHCACHE is licensed under Apache License, Version 2.0
- eigenbase-properties is licensed under Apache License, Version 2.0
- EJB API is licensed under CDDL v 1.0
- ejs is licensed under Apache License, Version 2.0
- electron-to-chromium is licensed under ISC electron-to-chromium
- emotion-babel-plugin is licensed under MIT emotion
- emotion-cache is licensed under MIT emotion
- emotion-hash is licensed under MIT emotion
- emotion-is-prop-valid is licensed under MIT emotion
- emotion-memoize is licensed under MIT emotion
- emotion-react is licensed under MIT emotion
- emotion-serialize is licensed under MIT emotion
- emotion-sheet is licensed under MIT emotion
- emotion-styled is licensed under MIT emotion
- emotion-unitless is licensed under MIT emotion
- emotion-use-insertion-effect-with-fallbacks is licensed under MIT emotion
- emotion-utils is licensed under MIT emotion
- emotion-weak-memoize is licensed under MIT emotion
- erlang is licensed under Apache License, Version 2.0
- encodeurl is licensed under MIT Douglas Christopher Wilson 2016
- encoding is licensed under MIT encoding
- end-of-stream is licensed under MIT end-of-stream
- entities is licensed under BSD entities
- err-code is licensed under MIT err-code
- errlop is licensed under MIT Bevy (2)
- errno is licensed under MIT errno
- error-ex is licensed under MIT error-ex
- error_prone_annotations is licensed under Apache License, Version 2.0

- es-abstract is licensed under MIT es-abstract
- es-to-primitive is licensed under MIT es-to-primitive
- es6-promise is licensed under MIT es6-promise
- es6-promisify is licensed under MIT es6-promisify
- ESAPI is licensed under BSD OWASP
- escape-html is licensed under MIT escape-html
- escape-string-regexp is licensed under MIT sindresorhus
- escalate is licensed under MIT escalate
- esprima is licensed under BSD esprima
- esri-geometry-api is licensed under Apache License, Version 2.0
- esutils is licensed under BSD
- etag is licensed under MIT etag
- events-to-array is licensed under ISC Isaac Z. Schlueter and Contributors
- EWS Java API is licensed under MIT EWS Java API
- execa is licensed under MIT sindresorhus
- expand-brackets is licensed under MIT Jon Schlinkert (4)
- expect-ct is licensed under MIT expect-ct
- express is licensed under MIT express
- express-handlebars is licensed under BSD express-handlebars
- extend is licensed under MIT extend
- extendr is licensed under MIT Bevry (1)
- extend-shallow is licensed under MIT extend-shallow
- extglob is licensed under MIT Jon Schlinkert (1)
- extract-opts is licensed under MIT Bevry (1)
- extsprintf is licensed under MIT Joyent (2)
- ezmorph-1.0.6 is licensed under Apache License, Version 2.0
- fast-deep-equal is licensed under MIT fast-deep-equal
- fast-json-stable-stringify is licensed under MIT
- fastutil is licensed under Apache License, Version 2.0
- faux-pas is licensed under MIT zalando
- fbjs is licensed under MIT fbjs
- feature-policy is licensed under MIT Evan Hahn
- FESI is licensed under GNU Lesser General Public License, Version 2.1
- figgy-pudding is licensed under ISC npm
- fill-range is licensed under MIT Jon Schlinkert (3)
- finalhandler is licensed under MIT finalhandler
- find-cache-dir is licensed under MIT James Talmage
- find-npm-prefix is licensed under ISC find-npm-prefix
- find-root is licensed under MIT find-root
- find-up is licensed under MIT sindresorhus
- flush-write-stream is licensed under MIT flush-write-stream
- follow-redirects is licensed under MIT follow-redirects
- fontbox is licensed under Apache License, Version 2.0
- foreach is licensed under MIT foreach
- foreground-child is licensed under ISC Isaac Z. Schlueter and Contributors
- forever-agent is licensed under Apache License, Version 2.0
- for-in is licensed under MIT Jon Schlinkert (3)
- form-data is licensed under MIT form-data
- form-serialize is licensed under MIT form-serialize
- forwarded is licensed under MIT forwarded
- fragment-cache is licensed under MIT fragment-cache

- frameguard is licensed under MIT frameguard
- FreeMarker Old is licensed under BSD FreeMarker
- FreeMarker is licensed under Apache License, Version 2.0
- fresh is licensed under MIT fresh
- from2 is licensed under MIT from2
- fs.realpath is licensed under ISC fs.realpath
- fs-exists-cached is licensed under ISC fs-exists-cached
- fs-minipass is licensed under ISC Isaac Z. Schlueter and Contributors
- fs-vacuum is licensed under ISC fs-vacuum
- fs-write-stream-atomic is licensed under ISC Isaac Z. Schlueter and Contributors
- fstream is licensed under ISC Isaac Z. Schlueter and Contributors
- full-icu is licensed under Unicode ICU
- function-bind is licensed under MIT function-bind
- function-loop is licensed under ISC
- function.prototype.name is licensed under MIT function.prototype.name
- functions-have-names is licensed under MIT functions-have-names
- gauge is licensed under ISC gauge
- gax is licensed under BSD gax
- genfun is licensed under CCO
- gensync is licensed under MIT gensync
- gentle-fs is licensed under Artistic-2.0 npm
- GeolP Legacy Java API is licensed under GNU Lesser General Public License, Version 2.1
- geronimo-j2ee-management is licensed under Apache License, Version 2.0
- geronimo-jms is licensed under Apache License, Version 2.0
- geronimo-stax is licensed under Apache License, Version 2.0
- get-caller-file is licensed under ISC get-caller-file
- get-intrinsic is licensed under MIT
- getpass is licensed under MIT Joyent (1)
- get-stream is licensed under MIT sindresorhus
- get-symbol-description is licensed under MIT get-symbol-description
- get-value is licensed under MIT Jon Schlinkert (2)
- gimap is licensed under CDDL v 1.0
- GLF is licensed under GLF
- glob is licensed under ISC Isaac Z. Schlueter and Contributors
- global-dirs is licensed under MIT sindresorhus
- globals is licensed under MIT sindresorhus
- gmetric4j is licensed under BSD Gmetric4j
- gnu-regexp is licensed under GNU Lesser General Public License, Version 2.1
- google-api is licensed under Apache License, Version 2.0
- google-auth-library is licensed under BSD google-auth-library
- google-cloud is licensed under Apache License, Version 2.0
- Google Connectors is licensed under Apache License, Version 2.0
- Google Data Client is licensed under Apache License, Version 2.0
- Google Enterprise Sharepoint Connector is licensed under Apache License, Version 2.0
- Google Gson is licensed under Apache License, Version 2.0
- google-http-client is licensed under Apache License, Version 2.0
- google-http-client-gson is licensed under Apache License, Version 2.0
- google-oauth-client is licensed under Apache License, Version 2.0
- got is licensed under MIT sindresorhus
- GPars is licensed under Apache License, Version 2.0
- graceful-fs is licensed under ISC graceful-fs

- graphics2d is licensed under Apache License, Version 2.0
- GraphQL Java is licensed under MIT GraphQL Java
- GraphQL Java Spring is licensed under MIT GraphQL Java Spring
- GraphQL Java DataLoader is licensed under Apache License, Version 2.0
- GraphQL Java Extended Scalars is licensed under MIT GraphQL Extended Scalars
- Groovy is licensed under Apache License, Version 2.0
- growl is licensed under MIT growl
- grpc-context is licensed under Apache License, Version 2.0
- guava is licensed under Apache License, Version 2.0
- H2 is licensed under Eclipse Public License, Version 1.0
- hadoop is licensed under Apache License, Version 2.0
- Hamcrest is licensed under BSD Hamcrest
- handlebars is licensed under MIT handlebars
- Handy URI Templates 2.1.4 is licensed under Apache License, Version 2.0
- Handy URI Templates 2.1.6 is licensed under Apache License, Version 2.0
- har-schema is licensed under ISC har-schema
- har-validator is licensed under ISC har-validator
- has is licensed under MIT has
- has-ansi is licensed under MIT sindresorhus
- has-bigints is licensed under MIT has-bigints
- has-flag is licensed under MIT sindresorhus
- has-property-descriptors is licensed under MIT has-property-descriptors
- has-symbols is licensed under MIT has-symbols
- has-symbol-support-x is licensed under MIT has-symbol-support-x
- has-to-string-tag-x is licensed under MIT has-to-string-tag-x
- has-unicode is licensed under ISC has-unicode
- has-value is licensed under MIT Jon Schlinkert (2)
- has-values is licensed under MIT Jon Schlinkert (2)
- hawk is licensed under BSD hawk
- HawtBuf is licensed under Apache License, Version 2.0
- hc-jmx is licensed under MIT hc-jmx
- HdrHistogram is licensed under BSD HdrHistogram
- helmet is licensed under MIT helmet
- helmet-crossdomain is licensed under MIT helmet
- helmet-csp is licensed under MIT helmet
- Heritrix is licensed under Apache License, Version 2.0
- Hibernate is licensed under Apache License, Version 2.0
- Hibernate Commons Annotations is licensed under GNU Lesser General Public License, Version 2.1
- Hibernate Core is licensed under GNU Lesser General Public License, Version 2.1
- Hibernate Validator 5.2.4 is licensed under Apache License, Version 2.0
- Hibernate Validator 5.3.6 is licensed under Apache License, Version 2.0
- Hibernate Validator 6.0.x is licensed under Apache License, Version 2.0
- Hibernate Validator 6.1.x is licensed under Apache License, Version 2.0
- Hibernate Validator 6.2.x is licensed under Apache License, Version 2.0
- Hibernate Validator 7.0.x is licensed under Apache License, Version 2.0
- Hibernate Validator 8.0.x is licensed under Apache License, Version 2.0
- hide-powered-by is licensed under MIT helmet (2)
- HikariCP is licensed under Apache License, Version 2.0
- history is licensed under MIT history
- hll is licensed under Apache License, Version 2.0

- hoek is licensed under BSD hoek
- hoist-non-react-statics is licensed under BSD hoist-non-react-statics
- hosted-git-info is licensed under ISC hosted-git-info
- hpkp is licensed under MIT hpkp
- hppc is licensed under Apache License, Version 2.0
- hsqldb is licensed under BSD hsqldb
- hsts is licensed under MIT helmet (2)
- htmlcleaner is licensed under BSD HTMLCleaner
- htmlparser is licensed under Common Public License
- htmlparser2 is licensed under MIT htmlparser2
- HtmlUnit - NekoHtml Parser is licensed under Apache License, Version 2.0
- htrace is licensed under Apache License, Version 2.0
- http-builder-0.7.2 is licensed under Apache License, Version 2.0
- http-cache-semantics is licensed under BSD http-cache-semantics
- httpclient is licensed under Apache License, Version 2.0
- httpcore is licensed under Apache License, Version 2.0
- http-errors is licensed under MIT http-errors
- httpmime is licensed under Apache License, Version 2.0
- http-proxy-agent is licensed under MIT http-proxy-agent
- http-signature is licensed under MIT Joyent (1)
- https-proxy-agent is licensed under MIT https-proxy-agent
- humanize-ms is licensed under MIT humanize-ms
- IBM MQ JMS Client is licensed under IBM Public License Version 1.0
- iconv-lite is licensed under MIT iconv-lite
- icu4c-data is licensed under Unicode ICU
- icu4j is licensed under Unicode ICU
- ienopen is licensed under MIT helmet (2)
- ieee754 is licensed under BSD ieee754
- iferr is licensed under MIT iferr
- ignorefs is licensed under MIT ignorefs
- ignorepatterns is licensed under MIT ignorepatterns
- ignore-walk is licensed under ISC Isaac Z. Schlueter and Contributors
- immer is licensed under MIT immer
- import-fresh is licensed under MIT import-fresh
- import-lazy is licensed under MIT sindresorhus
- imurmurhash is licensed under MIT imurmurhash
- indent-string is licensed under MIT sindresorhus
- inflight is licensed under ISC Isaac Z. Schlueter
- inherits is licensed under ISC Isaac Z. Schlueter
- ini is licensed under ISC Isaac Z. Schlueter and Contributors
- init-package-json is licensed under ISC Isaac Z. Schlueter
- inputmask is licensed under MIT inputmask
- intl is licensed under MIT intl
- internal-slot is licensed under MIT internal-slot
- into-stream is licensed under MIT sindresorhus
- invariant is licensed under MIT facebook
- invert-kv is licensed under MIT invert-kv
- ip is licensed under MIT ip
- ip-regex is licensed under MIT sindresorhus
- ipaddr.js is licensed under MIT ipaddr.js
- is is licensed under MIT sindresorhus

- is-accessor-descriptor is licensed under MIT Jon Schlinkert (1)
- isarray is licensed under MIT isarray
- is-arrayish is licensed under MIT is-arrayish
- is-bigint is licensed under MIT is-bigint
- is-boolean-object is licensed under MIT is-boolean-object
- is-buffer is licensed under MIT is-buffer
- is-builtin-module is licensed under MIT sindresorhus
- is-callable is licensed under MIT is-callable
- is-ci is licensed under MIT Thomas Watson Steen
- is-cidr is licensed under MIT is-cidr
- is-core-module is licensed under MIT is-core-module
- is-data-descriptor is licensed under MIT Jon Schlinkert (1)
- is-date-object is licensed under MIT is-date-object
- is-descriptor is licensed under MIT Jon Schlinkert (1)
- isexe is licensed under ISC Isaac Z. Schlueter and Contributors
- is-extendable is licensed under MIT Jon Schlinkert (1)
- is-finite is licensed under MIT sindresorhus
- is-fullwidth-code-point is licensed under MIT sindresorhus
- is-installed-globally is licensed under MIT is-installed-globally
- is-negative-zero is licensed under MIT is-negative-zero
- is-npm is licensed under MIT is-npm
- is-number is licensed under MIT Jon Schlinkert (3)
- is-obj is licensed under MIT sindresorhus
- isobject is licensed under MIT Jon Schlinkert (2)
- is-object is licensed under MIT is-object
- is-odd is licensed under MIT Jon Schlinkert (1)
- isomorphic-fetch is licensed under MIT isomorphic-fetch
- isoparser is licensed under Apache License, Version 2.0
- is-path-inside is licensed under MIT is-path-inside
- is-plain-obj is licensed under MIT sindresorhus
- is-plain-object is licensed under MIT Jon Schlinkert (3)
- is-redirect is licensed under MIT sindresorhus
- is-regexp is licensed under MIT is-regexp
- is-retry-allowed is licensed under MIT is-retry-allowed
- is-shared-array-buffer is licensed under MIT is-shared-array-buffer
- is-symbol is licensed under MIT is-symbol
- isstream is licensed under MIT isstream
- is-stream is licensed under MIT sindresorhus
- is-string is licensed under MIT is-string
- istanbul-lib-coverage is licensed under BSD istanbul
- istanbul-lib-hook is licensed under BSD istanbul
- istanbul-lib-instrument is licensed under BSD istanbul
- istanbul-lib-report is licensed under BSD istanbul
- istanbul-lib-source-maps is licensed under BSD istanbul
- istanbul-reports is licensed under BSD istanbul
- is-typedarray is licensed under MIT
- isurl is licensed under MIT isurl
- is-utf8 is licensed under MIT is-utf8
- is-weakref is licensed under MIT is-weakref
- is-windows is licensed under MIT is-windows
- itext is licensed under LGPL 2.0

- Ivy is licensed under Apache License, Version 2.0
- j2objc-annotations is licensed under Apache License, Version 2.0
- J2EE Connector Architecture is licensed under GNU Lesser General Public License, Version 2.1
- jackcess is licensed under Apache License, Version 2.0
- Jackson Annotations is licensed under Apache License, Version 2.0
- Jackson Annotations 2.6.5 is licensed under Apache License, Version 2.0
- Jackson Annotations 2.7.3 is licensed under Apache License, Version 2.0
- Jackson Core is licensed under Apache License, Version 2.0
- Jackson Core 2.6.5 is licensed under Apache License, Version 2.0
- Jackson Core 2.7.3 is licensed under Apache License, Version 2.0
- Jackson Core ASL is licensed under Apache License, Version 2.0
- Jackson Databind is licensed under Apache License, Version 2.0
- Jackson Databind 2.6.5 is licensed under Apache License, Version 2.0
- Jackson Databind 2.7.3 is licensed under Apache License, Version 2.0
- Jackson Dataformat CBOR is licensed under Apache License, Version 2.0
- Jackson Dataformat Smile is licensed under Apache License, Version 2.0
- Jackson Dataformat XML is licensed under Apache License, Version 2.0
- Jackson Datatype JDK8 2.7.3 is licensed under Apache License, Version 2.0
- Jackson Datatype JDK8 2.8.5 is licensed under Apache License, Version 2.0
- Jackson Datatype JSR-310 2.7.3 is licensed under Apache License, Version 2.0
- Jackson Mapper ASL is licensed under Apache License, Version 2.0
- Jackson Module Afterburner is licensed under Apache License, Version 2.0
- Jackson Module Afterburner 2.7.3 is licensed under Apache License, Version 2.0
- Jackson Module Afterburner 2.8.5 is licensed under Apache License, Version 2.0
- Jackson Module Afterburner 2.8.9 is licensed under Apache License, Version 2.0
- Jackson Module Java8 is licensed under Apache License, Version 2.0
- jackson-databind-nullable is licensed under Apache License, Version 2.0
- jaeger is licensed under Apache License, Version 2.0
- JAIN-SIP is licensed under Public Domain (JAIN-SIP)
- Jakarta ECS is licensed under Apache License, Version 1.0
- Jakarta Annotations is licensed under Eclipse Public License, Version 2.0
- Jakarta Activation is licensed under BSD JAF
- Jakarta Bean Validation is licensed under Apache License, Version 2.0
- Jakarta Expression Language is licensed under Eclipse Public License, Version 2.0
- Jakarta Inject API is licensed under Apache License, Version 2.0
- Jakarta Mail is licensed under Eclipse Public License, Version 2.0
- Jakarta Persistence API is licensed under Eclipse Distribution License - v 1.0
- Jakarta Servlet API is licensed under Eclipse Public License, Version 2.0
- Jakarta Transaction API is licensed under Eclipse Public License, Version 2.0
- Jakarta Websocket API is licensed under Eclipse Public License, Version 2.0
- Jakarta RESTful Web Services is licensed under Eclipse Public License, Version 2.0
- Jakarta XML Bind API is licensed under BSD Oracle
- Jakarta XML SOAP API is licensed under BSD Oracle
- Jakarta XML Web Service API is licensed under BSD Oracle
- Jama is licensed under Public Domain
- Jandex is licensed under Apache License, Version 2.0
- janino is licensed under BSD Janino
- Jansi is licensed under Apache License, Version 2.0
- Java SWF is licensed under BSD Java SWF
- Java UUID Generator (JUG) 3.1.4 is licensed under Apache License, Version 2.0

- java-annotations is licensed under Apache License, Version 2.0
- java-classmate 1.1.0 is licensed under Apache License, Version 2.0
- java-libpst is licensed under Apache License, Version 2.0
- java-jna is licensed under Apache License, Version 2.0
- java-jna-platform is licensed under Apache License, Version 2.0
- java-jwt is licensed under MIT auth0
- java-semver is licensed under MIT-java-semver
- javamail is licensed under CDDL v 1.0
- javax.servlet-api is licensed under CDDL v 1.0
- Javassist is licensed under Apache License, Version 2.0
- javax.annotation-api is licensed under CDDL v 1.1
- javax.el is licensed under CDDL v 1.1
- javax.websocket-api is licensed under CDDL v 1.1
- JAXB is licensed under CDDL v 1.0
- JAXB-XJC is licensed under JAXB-XJC
- Jaxen is licensed under BSD Jaxen
- JAXP is licensed under CDDL v 1.1
- JAX-RPC is licensed under CDDL v 1.0
- JaywayJsonPath is licensed under Apache License, Version 2.0
- Jazzy is licensed under GNU Lesser General Public License, Version 2.1
- JBoss Logging is licensed under Apache License, Version 2.0
- JBoss Logging Annotations is licensed under Apache License, Version 2.0
- JBoss Logging 3.3.0 is licensed under Apache License, Version 2.0
- JBoss Logging 3.3.1 is licensed under Apache License, Version 2.0
- JBoss Serialization is licensed under GNU Lesser General Public License, Version 2.1
- jcifs is licensed under GNU Lesser General Public License, Version 2.1
- jcommander is licensed under Apache License, Version 2.0
- JDOM is licensed under BSD JDOM
- jempbox is licensed under Apache License, Version 2.0
- jericho-html is licensed under GNU Lesser General Public License, Version 2.1
- jets3t is licensed under Apache License, Version 2.0
- jettison is licensed under Apache License, Version 2.0
- jetty is licensed under Apache License, Version 2.0
- JFreeChart is licensed under GNU Lesser General Public License, Version 2.1
- JGraph is licensed under GNU Lesser General Public License, Version 2.1
- jgroups is licensed under GNU Lesser General Public License, Version 2.1
- jhighlight is licensed under CDDL v 1.0
- JWT is licensed under Apache License, Version 2.0
- JLine is licensed under BSD JLine
- jmatio is licensed under BSD jmatio
- jna is licensed under GNU Lesser General Public License, Version 2.1
- jna-platform is licensed under GNU Lesser General Public License, Version 2.1
- joda-time is licensed under Apache License, Version 2.0
- joda-time-2.1 is licensed under Apache License, Version 2.0
- joda-time-2.8.2 is licensed under Apache License, Version 2.0
- jose4j is licensed under Apache License, Version 2.0
- JQuery is licensed under MIT js-foundation
- jridgewell-gen-mapping is licensed under MIT jridgewell-gen-mapping
- jridgewell-resolve-uri is licensed under MIT jridgewell-resolve-uri
- jridgewell-set-array is licensed under MIT jridgewell-set-array
- jridgewell-sourcemap-codec is licensed under MIT jridgewell-sourcemap-codec

- jridgewell-trace-mapping is licensed under MIT jridgewell-trace-mapping
- JS17R2 is licensed under Mozilla Public License Version 1.1
- jsbn is licensed under MIT jsbn
- JSch is licensed under BSD JSch
- jsesc is licensed under MIT jsesc
- json is licensed under Public Domain
- json5 is licensed under MIT json5
- JSON Tools is licensed under GNU Lesser General Public License, Version 2.1
- JSONAssert is licensed under Apache License, Version 2.0
- json-buffer is licensed under MIT json-buffer
- json-pre-2022-06 is licensed under JSON License
- jsonic is licensed under Apache License, Version 2.0
- jsonify is licensed under Public Domain
- jsonld is licensed under BSD jsonld
- JSON-LD Java is licensed under BSD JSON-LD Java
- json-lib-2.3 is licensed under Apache License, Version 2.0
- jsonparse is licensed under MIT jsonparse
- json-parse-better-errors is licensed under MIT json-parse-better-errors
- json-parse-even-better-errors is licensed under MIT json-parse-even-better-errors
- json-schema is licensed under BSD
- json-schema-traverse is licensed under MIT json-schema-traverse
- json-simple is licensed under Apache License, Version 2.0
- json-smart is licensed under Apache License, Version 2.0
- json-stable-stringify is licensed under MIT json-stable-stringify
- JSONStream is licensed under Apache License, Version 2.0
- json-stringify-safe is licensed under ISC Isaac Z. Schlueter and Contributors
- jsoup is licensed under MIT Style License
- JSP-API is licensed under CDDL v 1.1
- jsprim is licensed under MIT Joyent (2)
- JSR166y is licensed under Public Domain
- JSR250 is licensed under CDDL v 1.0
- JSR305 is licensed under BSD
- JSR94 is licensed under CDDL v 1.0
- jsrsasign is licensed under BSD jsrsasign
- jstl is licensed under CDDL v 1.0
- js-tokens is licensed under MIT js-tokens
- js-yaml is licensed under MIT js-yaml
- JTidy is licensed under JTidy
- junit is licensed under Common Public License
- junit5 is licensed under Eclipse Public License, Version 2.0
- juniversalchardet is licensed under Mozilla Public License Version 1.1
- jxl is licensed under GNU Lesser General Public License, Version 2.1
- kerb is licensed under Apache License, Version 2.0
- keygrip is licensed under MIT keygrip
- keyv is licensed under MIT keyv
- kie is licensed under Apache License, Version 2.0
- kind-of is licensed under MIT Jon Schlinkert (3)
- kite-morphlines is licensed under Apache License, Version 2.0
- kotlin-stdlib is licensed under Apache License, Version 2.0
- kryo is licensed under BSD Esoteric Software
- langdetect is licensed under Apache License, Version 2.0

- lingua is licensed under Apache License, Version 2.0
- LatencyUtils is licensed under BSD LatencyUtils
- latest-version is licensed under MIT sindresorhus
- lazy-cache is licensed under MIT Jon Schlinkert (4)
- lazy-property is licensed under MIT lazy-property
- lcid is licensed under MIT sindresorhus
- lcov-parse is licensed under BSD lcov-parse
- ld-query is licensed under MIT ld-query
- libidn is licensed under GNU Lesser General Public License, Version 2.1
- libcipm is licensed under MIT Kat Marchán and Contributors
- libnpmhook is licensed under ISC npm
- libnpm is licensed under ISC npm
- libthrift is licensed under Apache License, Version 2.0
- lines-and-columns is licensed under MIT lines-and-columns
- liquibase is licensed under Apache License, Version 2.0
- load-json-file is licensed under MIT sindresorhus
- locate-path is licensed under MIT sindresorhus
- lock-verify is licensed under ISC Rebecca Turner
- lockfile is licensed under ISC Isaac Z. Schlueter and Contributors
- lodash is licensed under MIT lodash
- lodash._baseindexof is licensed under MIT dojo-underscore (2)
- lodash._baseuniq is licensed under MIT lodash
- lodash._bindcallback is licensed under MIT dojo-underscore (1)
- lodash._cacheindexof is licensed under MIT dojo-underscore (1)
- lodash._createcache is licensed under MIT dojo-underscore (1)
- lodash._createset is licensed under MIT lodash
- lodash._getnative is licensed under MIT dojo-underscore (1)
- lodash._root is licensed under MIT dojo-underscore (2)
- lodash.assign is licensed under MIT lodash
- lodash.clone is licensed under MIT lodash
- lodash.clonedeep is licensed under MIT lodash
- lodash.debounce is licensed under MIT lodash
- lodash.escaperegexp is licensed under MIT lodash
- lodash.fill is licensed under MIT lodash
- lodash.flatten is licensed under MIT lodash
- lodash.intersection is licensed under MIT lodash
- lodash.isplainobject is licensed under MIT lodash
- lodash.isstring is licensed under MIT lodash
- lodash.merge is licensed under MIT lodash
- lodash.mergewith is licensed under MIT lodash
- lodash.omit is licensed under MIT lodash
- lodash.partialright is licensed under MIT lodash
- lodash.pick is licensed under MIT lodash
- lodash.reduce is licensed under MIT lodash
- lodash.restparam is licensed under MIT dojo-underscore (1)
- lodash.union is licensed under MIT lodash
- lodash.uniq is licensed under MIT lodash
- lodash.without is licensed under MIT lodash
- lodash-es is licensed under MIT lodash
- Log4j is licensed under Apache License, Version 2.0
- Log4j 2 is licensed under Apache License, Version 2.0

- Log4jLegacy is licensed under Apache License, Version 1.1
- Logback is licensed under GNU Lesser General Public License, Version 2.1
- log-driver is licensed under ISC log-driver
- logstash-logback-encoder is licensed under Apache License, Version 2.0
- long is licensed under Apache License, Version 2.0
- longest is licensed under MIT longest
- loose-envify is licensed under MIT loose-envify
- lowercase-keys is licensed under MIT sindresorhus
- lru-cache is licensed under ISC Isaac Z. Schlueter and Contributors
- Lucene is licensed under Apache License, Version 2.0
- luxon is licensed under MIT luxon
- mahout is licensed under Apache License, Version 2.0
- make-dir is licensed under MIT sindresorhus
- make-fetch-happen is licensed under ISC npm
- make-plural is licensed under ISC make-plural
- map-cache is licensed under MIT Jon Schlinkert (4)
- map-visit is licensed under MIT Jon Schlinkert (1)
- matcher is licensed under Apache License, Version 2.0
- Maven Ant Task is licensed under Apache License, Version 2.0
- mchange commons is licensed under GNU Lesser General Public License, Version 2.1
- md5-hex is licensed under MIT sindresorhus
- md5-o-matic is licensed under MIT md5-o-matic
- meant is licensed under MIT meant
- media-typer is licensed under MIT media-typer
- mem is licensed under MIT sindresorhus
- merge-descriptors is licensed under MIT merge-descriptors
- merge-source-map is licensed under MIT merge-source-map
- messageformat is licensed under MIT messageformat
- messageformat-parser is licensed under MIT messageformat
- MessagePack is licensed under Apache License, Version 2.0
- metadata-extractor is licensed under Apache License, Version 2.0
- methods is licensed under MIT methods
- metrics is licensed under Apache License, Version 2.0
- mg4j is licensed under GNU Lesser General Public License, Version 2.1
- micromatch is licensed under MIT micromatch
- Micrometer is licensed under Apache License, Version 2.0
- microsoft-graph is licensed under MIT microsoft-graph
- microsoft-graph-core is licensed under MIT microsoft-graph
- mime is licensed under MIT mime
- mime-db is licensed under MIT mime-db
- mimepull is licensed under CDDL v 1.1
- mime-types is licensed under MIT mime-types
- mime-util is licensed under Apache License, Version 2.0
- mimic-fn is licensed under MIT sindresorhus
- mimic-response is licensed under MIT sindresorhus
- minimatch is licensed under ISC Isaac Z. Schlueter and Contributors
- minimalist is licensed under MIT
- minipass is licensed under ISC minipass
- minizlib is licensed under MIT minizlib
- minlog is licensed under BSD minlog
- mississippi is licensed under BSD mississippi

- mixin-deep is licensed under MIT mixin-deep
- mkdirp is licensed under MIT mkdirp
- moment is licensed under MIT moment
- moment-timezone is licensed under MIT moment-timezone
- morfologik-fsa is licensed under BSD morfologik-fsa
- morfologik-polish is licensed under BSD morfologik-polish
- morfologik-stemming is licensed under BSD morfologik-stemming
- morfologik-ukrainian-search is licensed under Apache License, Version 2.0
- moshi is licensed under Apache License, Version 2.0
- move-concurrently is licensed under ISC move-concurrently
- ms is licensed under MIT ms
- msal4j is licensed under MIT microsoft-msal4j
- msal4j-persistence-extension is licensed under MIT microsoft-msal4j
- mssql-jdbc is licensed under MIT mssql-jdbc
- mssql-jdbc-10.2 is licensed under MICROSOFT JDBC DRIVER 10.2 FOR SQL SERVER
- mssql-jdbc-11.2 is licensed under MIT mssql-jdbc
- mui-base is licensed under MIT mui
- mui-core-downloads-tracker is licensed under MIT mui
- mui-icons-material is licensed under MIT mui
- mui-material is licensed under MIT mui
- mui-private-theming is licensed under MIT mui
- mui-styled-engine is licensed under MIT mui
- mui-system is licensed under MIT mui
- mui-types is licensed under MIT mui
- mui-utils is licensed under MIT mui
- mui-x-date-pickers is licensed under MIT mui-x-date-pickers
- mui-lab is licensed under MIT mui
- multiverse-core is licensed under Apache License, Version 2.0
- mustache is licensed under MIT mustache
- mute-stream is licensed under ISC Isaac Z. Schlueter and Contributors
- mv is licensed under MIT mv
- mvel2 is licensed under Apache License, Version 2.0
- mybatis is licensed under Apache License, Version 2.0
- mybatis-spring is licensed under Apache License, Version 2.0
- mybatis-spring-boot is licensed under Apache License, Version 2.0
- nan is licensed under MIT nan
- nanocolors is licensed under MIT nanocolors
- nanoid is licensed under MIT nanoid
- nanomatch is licensed under MIT nanomatch
- ncp is licensed under MIT ncp
- negotiator is licensed under MIT negotiator
- nekohtml is licensed under Apache License, Version 2.0
- neo-async is licensed under MIT Suguru Motegi
- netcdf is licensed under MIT netcdf
- Netty is licensed under Apache License, Version 2.0
- netty-tcnative is licensed under Apache License, Version 2.0
- netty-tcnative-boringssl-static is licensed under Apache License, Version 2.0
- netty-tcnative-classes is licensed under Apache License, Version 2.0
- netty-transport-classes-kqueue is licensed under Apache License, Version 2.0
- netty-transport-native-kqueue is licensed under Apache License, Version 2.0
- New Relic is licensed under New Relic Agent License

- nimbus-content-type is licensed under Apache License, Version 2.0
- nimbus-jose-jwt is licensed under Apache License, Version 2.0
- nimbus-lang-tag is licensed under Apache License, Version 2.0
- NIST-SIP is licensed under Public Domain (JAIN-SIP)
- nio-multipart-parser is licensed under Apache License, Version 2.0
- nio-stream-storage is licensed under Apache License, Version 2.0
- nocache is licensed under MIT helmet (2)
- node-fetch is licensed under MIT node-fetch
- node-fetch-npm is licensed under MIT node-fetch-npm
- node-forge is licensed under BSD node-forge
- node-forge-flash is licensed under BSD node-forge
- node-gyp is licensed under MIT node-gyp
- node-int64 is licensed under MIT node-int64
- node-jose is licensed under Apache License, Version 2.0
- node-releases is licensed under MIT node-releases
- nodeunit is licensed under MIT nodeunit
- noggit is licensed under Apache License, Version 2.0
- nopt is licensed under ISC Isaac Z. Schlueter and Contributors
- normalize-package-data is licensed under BSD normalize-package-data
- normalize-url is licensed under MIT sindresorhus
- npm is licensed under Artistic-2.0 npm
- npm-audit-report is licensed under ISC npm
- npm-bundled is licensed under ISC npm-bundled
- npm-cache-filename is licensed under ISC npm-cache-filename
- npm-init is licensed under BSD npm-init
- npm-install-checks is licensed under BSD npm-install-checks
- npm-lifecycle is licensed under Artistic-2.0 npm
- npm-logical-tree is licensed under ISC npm
- npmlog is licensed under ISC Isaac Z. Schlueter and Contributors
- npm-package-arg is licensed under ISC Isaac Z. Schlueter
- npm-packlist is licensed under ISC Isaac Z. Schlueter and Contributors
- npm-pick-manifest is licensed under ISC npm-pick-manifest
- npm-profile is licensed under ISC npm-profile
- npm-registry-client is licensed under ISC Isaac Z. Schlueter and Contributors
- npm-registry-fetch is licensed under ISC npm
- npm-run-path is licensed under MIT sindresorhus
- npm-user-validate is licensed under BSD npm-user-validate
- number-is-nan is licensed under MIT sindresorhus
- nyc is licensed under ISC nyc
- oauth-sign is licensed under Apache License, Version 2.0
- oauth2-oidc-sdk is licensed under Apache License, Version 2.0
- object.assign is licensed under MIT sindresorhus
- object.pick is licensed under MIT Jon Schlinkert (2)
- object-assign is licensed under MIT sindresorhus
- object-copy is licensed under MIT object-copy
- object-hash is licensed under MIT object-hash
- object-keys is licensed under MIT object-keys
- object-inspect is licensed under MIT object-inspect
- object-visit is licensed under MIT object-visit
- Objenesis is licensed under Apache License, Version 2.0
- ognl is licensed under Apache License, Version 2.0

- oidc-token-hash is licensed under MIT oidc-token-hash
- ojdbc is licensed under Oracle Technology Network License
- ojdbc8 is licensed under Oracle Free Use Terms and Conditions
- ojdbc11 is licensed under Oracle Free Use Terms and Conditions
- okhttp is licensed under Apache License, Version 2.0
- okio-jvm is licensed under Apache License, Version 2.0
- once is licensed under ISC Isaac Z. Schlueter and Contributors
- on-finished is licensed under MIT on-finished
- on-headers is licensed under MIT on-headers
- OpenCalaisAnnotator is licensed under Apache License, Version 2.0
- opencensus is licensed under Apache License, Version 2.0
- opencsv is licensed under Apache License, Version 2.0
- opener is licensed under WTFPL
- openhtmltopdf is licensed under GNU Lesser General Public License, Version 3
- openid-client is licensed under MIT openid-client
- OpenNLP Maxent is licensed under Apache License, Version 2.0
- opennlp-tools is licensed under Apache License, Version 2.0
- OpenSAML 3 is licensed under Apache License, Version 2.0
- opentest4j is licensed under Apache License, Version 2.0
- opentracing-api is licensed under Apache License, Version 2.0
- opentracing-mock is licensed under Apache License, Version 2.0
- opentracing-noop is licensed under Apache License, Version 2.0
- opentracing-util is licensed under Apache License, Version 2.0
- optimist is licensed under MIT optimist
- oseven is licensed under ISC Isaac Z. Schlueter and Contributors
- os-homedir is licensed under MIT sindresorhus
- os-locale is licensed under MIT sindresorhus
- os-tmpdir is licensed under MIT sindresorhus
- OWASP AntiSamy is licensed under BSD Antisamy
- own-or is licensed under ISC Isaac Z. Schlueter and Contributors
- own-or-env is licensed under ISC Isaac Z. Schlueter and Contributors
- package-json is licensed under MIT sindresorhus
- pacote is licensed under MIT pacote
- p-any is licensed under MIT sindresorhus
- pako is licensed under MIT pako
- parallel-transform is licensed under MIT parallel-transform
- parent-module is licensed under MIT parent-module
- parse-json is licensed under MIT sindresorhus
- parse-srcset is licensed under MIT parse-srcset
- parseurl is licensed under MIT parseurl
- parso is licensed under Apache License, Version 2.0
- pascalcase is licensed under MIT Jon Schlinkert (5)
- path-exists is licensed under MIT sindresorhus
- path-is-absolute is licensed under MIT sindresorhus
- path-is-inside is licensed under WTFPL
- path-key is licensed under MIT sindresorhus
- path-parse is licensed under MIT path-parse
- path-to-regexp is licensed under MIT path-to-regexp
- path-type is licensed under MIT sindresorhus
- p-cancelable is licensed under MIT sindresorhus
- pdfbox is licensed under Apache License, Version 2.0

- performance-now is licensed under MIT performance-now
- perlTool is licensed under PerlTools License
- p-finally is licensed under MIT sindresorhus
- picocli is licensed under Apache License, Version 2.0
- picocolors is licensed under ISC picocolors
- pify is licensed under MIT sindresorhus
- pinkie is licensed under MIT pinkie
- pinkie-promise is licensed under MIT pinkie-promise
- p-is-promise is licensed under MIT sindresorhus
- pkg-dir is licensed under MIT sindresorhus
- pkginfo is licensed under MIT pkginfo
- platform is licensed under MIT platform
- p-limit is licensed under MIT sindresorhus
- p-locate is licensed under MIT sindresorhus
- poi is licensed under Apache License, Version 2.0
- poi-ooxml is licensed under Apache License, Version 2.0
- poi-ooxml-schemas is licensed under Apache License, Version 2.0
- poi-scratchpad is licensed under Apache License, Version 2.0
- posix-character-classes is licensed under MIT posix-character-classes
- post is licensed under Apache License, Version 2.0
- postcss is licensed under MIT postcss
- postgresql-jdbc-driver is licensed under BSD PostgreSQL
- prepend-http is licensed under MIT sindresorhus
- problem is licensed under MIT zalando
- problem-spring-web is licensed under MIT zalando
- process is licensed under MIT process
- process-nextick-args is licensed under MIT process-nextick-args
- prom-client is licensed under Apache License, Version 2.0
- promise is licensed under MIT promise
- promise-inflight is licensed under ISC promise-inflight
- promise-retry is licensed under MIT promise-retry
- promzard is licensed under ISC Isaac Z. Schlueter
- prop-types is licensed under MIT facebook
- popperjs-core is licensed under MIT popperjs-core
- protobuf-java is licensed under BSD protobuf-java
- protoduck is licensed under CC0
- proto-list is licensed under ISC Isaac Z. Schlueter and Contributors
- proxy-addr is licensed under MIT proxy-addr
- prr is licensed under MIT prr
- pseudomap is licensed under ISC Isaac Z. Schlueter and Contributors
- p-some is licensed under MIT sindresorhus
- psl is licensed under MIT Lupo Montero
- p-timeout is licensed under MIT sindresorhus
- p-try is licensed under MIT sindresorhus
- pump is licensed under MIT pump
- pumpify is licensed under MIT pumpify
- punycode is licensed under MIT punycode
- q is licensed under MIT q
- qdox is licensed under Apache License, Version 2.0
- qrcode-terminal is licensed under Apache License, Version 2.0
- qs is licensed under BSD qs

- quartz is licensed under Apache License, Version 2.0
- quartz-2.2.3 is licensed under Apache License, Version 2.0
- query-string is licensed under MIT sindresorhus
- qw is licensed under ISC qw
- rabbitmq-jms is licensed under Apache License, Version 2.0
- randexp is licensed under MIT fent
- randomizedtesting-runner is licensed under Apache License, Version 2.0
- range-parser is licensed under MIT range-parser
- Raphael.JSON is licensed under MIT Style License
- raw-body is licensed under MIT raw-body
- rc is licensed under Apache License, Version 2.0
- rdf-canonize is licensed under BSD Digital Bazaar
- re2j is licensed under BSD-re2j
- react is licensed under MIT facebook
- react-dnd is licensed under MIT react-dnd
- react-dnd-asap is licensed under MIT react-dnd-asap
- react-dnd-html5-backend is licensed under MIT react-dnd-html5-backend
- react-dnd-invariant is licensed under MIT react-dnd-invariant
- react-dnd-shallowequal is licensed under MIT react-dnd-shallowequal
- react-dom is licensed under MIT facebook
- react-input-autosize is licensed under MIT react-input-autosize
- react-is is licensed under MIT facebook
- react-redux is licensed under MIT react-redux
- react-router is licensed under MIT react-router
- react-router-dom is licensed under MIT react-router
- react-router-redux is licensed under MIT react-router-redux
- react-select is licensed under MIT react-select
- react-transition-group is licensed under BSD-3-Clause react-transition-group
- react-zlib-js is licensed under MIT react-zlib-js
- Reactive Streams is licensed under CCO
- reactor-core is licensed under Apache License, Version 2.0
- reactor-netty is licensed under Apache License, Version 2.0
- reactor-pool is licensed under Apache License, Version 2.0
- read is licensed under ISC Isaac Z. Schlueter and Contributors
- readable-stream is licensed under MIT readable-stream
- read-cmd-shim is licensed under ISC read-cmd-shim
- readdir-scoped-modules is licensed under ISC Isaac Z. Schlueter and Contributors
- read-installed is licensed under ISC Isaac Z. Schlueter
- read-package-json is licensed under ISC Isaac Z. Schlueter
- read-package-tree is licensed under ISC Isaac Z. Schlueter and Contributors
- read-pkg is licensed under MIT sindresorhus
- read-pkg-up is licensed under MIT sindresorhus
- redux is licensed under MIT redux
- reduxjs-toolkit is licensed under MIT reduxjs-toolkit
- redux-thunk is licensed under MIT redux-thunk
- referrer-policy is licensed under MIT referrer-policy
- reflectasm is licensed under BSD reflectasm
- regenerator-runtime is licensed under MIT regenerator-runtime
- regex-not is licensed under MIT regex-not
- regexp.prototype.flags is licensed under MIT regexp.prototype.flags
- registry-auth-token is licensed under MIT registry-auth-token

- registry-url is licensed under MIT sindresorhus
- repeat-element is licensed under MIT repeat-element
- repeating is licensed under MIT sindresorhus
- repeat-string is licensed under MIT Jon Schlinkert (2)
- request is licensed under Apache License, Version 2.0
- require-directory is licensed under MIT require-directory
- require-main-filename is licensed under ISC require-main-filename
- reselect is licensed under MIT reselect
- reserved-words is licensed under MIT reserved-words
- resilience4j is licensed under Apache License, Version 2.0
- resolve is licensed under MIT resolve
- resolve-from is licensed under MIT sindresorhus
- resolve-pathname is licensed under MIT resolve-pathname
- resolve-url is licensed under MIT resolve-url
- responselike is licensed under MIT responselike
- Restlet is licensed under CDDL v 1.0
- ret is licensed under MIT fent
- retry is licensed under MIT retry
- rifm is licensed under MIT rifm
- right-align is licensed under MIT Jon Schlinkert (5)
- rimraf is licensed under ISC Isaac Z. Schlueter and Contributors
- rome is licensed under Apache License, Version 2.0
- rrd4j is licensed under Apache License, Version 2.0
- run-queue is licensed under ISC run-queue
- s2-geometry-library-java is licensed under Apache License, Version 2.0
- SAAJ is licensed under CDDL v 1.1
- safe-buffer is licensed under MIT safe-buffer
- safefs is licensed under MIT safefs
- safe-json-stringify is licensed under MIT safe-json-stringify
- safe-regex is licensed under MIT
- safer-buffer is licensed under MIT safer-buffer
- sanitize-html is licensed under MIT sanitize-html
- Saxon-HE is licensed under Mozilla Public License Version 1.0
- Scala is licensed under BSD Scala
- scandirectory is licensed under MIT scandirectory
- scheduler is licensed under MIT facebook
- scribejava is licensed under MIT scribejava
- semver is licensed under ISC Isaac Z. Schlueter and Contributors
- semver-diff is licensed under MIT sindresorhus
- send is licensed under MIT send
- Sequence Library is licensed under Sequence Library License
- serve-static is licensed under MIT serve-static
- Servlet API is licensed under CDDL v 1.0
- set-blocking is licensed under ISC set-blocking
- setimmediate is licensed under MIT setimmediate
- setprototypeof is licensed under ISC setprototypeof
- set-value is licensed under MIT Jon Schlinkert (3)
- sha is licensed under MIT sha
- shebang-command is licensed under MIT shebang-command
- shebang-regex is licensed under MIT sindresorhus
- Shibboleth Java Support is licensed under Apache License, Version 2.0

- side-channel is licensed under MIT side-channel
- signal-exit is licensed under ISC signal-exit
- simpleclient is licensed under Apache License, Version 2.0
- simple-xml is licensed under Apache License, Version 2.0
- slash is licensed under MIT slash
- SLF4J is licensed under MIT SLF4J
- SLF4J 1.7.16 is licensed under MIT SLF4J
- SLF4J 1.7.24 is licensed under MIT SLF4J
- slide is licensed under ISC Isaac Z. Schlueter
- Smack is licensed under Apache License, Version 2.0
- smart-buffer is licensed under MIT smart-buffer
- snakeyaml is licensed under Apache License, Version 2.0
- snapdragon is licensed under MIT Jon Schlinkert (4)
- snapdragon-node is licensed under MIT Jon Schlinkert (6)
- snapdragon-util is licensed under MIT Jon Schlinkert (6)
- snappy-java is licensed under Apache License, Version 2.0
- sntp is licensed under BSD sntp
- sockjs-client is licensed under MIT sockjs-client
- socks is licensed under MIT socks
- socks-proxy-agent is licensed under MIT socks-proxy-agent
- Solr is licensed under Apache License, Version 2.0
- sorted-object is licensed under WTFPL
- sorted-union-stream is licensed under MIT sorted-union-stream
- sort-keys is licensed under MIT sindresorhus
- source-map is licensed under BSD source-map
- source-map-js is licensed under BSD source-map-js
- source-map-resolve is licensed under MIT source-map-resolve
- source-map-support is licensed under MIT source-map-support
- source-map-url is licensed under MIT source-map-url
- SparseBitSet is licensed under Apache License, Version 2.0
- spatial4j is licensed under Apache License, Version 2.0
- spawn-wrap is licensed under ISC Isaac Z. Schlueter and Contributors
- spdx-correct is licensed under Apache License, Version 2.0
- spdx-exceptions is licensed under CC-BY-3.0
- spdx-expression-parse is licensed under MIT spdx-expression-parse
- spdx-license-ids is licensed under CC0
- split-string is licensed under MIT Jon Schlinkert (1)
- Spring Framework is licensed under Apache License, Version 2.0
- Spring Framework 4.2.5 is licensed under Apache License, Version 2.0
- Spring HATEOAS 0.19.0 is licensed under Apache License, Version 2.0
- spring-boot is licensed under Apache License, Version 2.0
- spring-boot-1.3.3 is licensed under Apache License, Version 2.0
- spring-cloud is licensed under Apache License, Version 2.0
- spring-cloud-1.3.3 is licensed under Apache License, Version 2.0
- spring-cloud-vault is licensed under Apache License, Version 2.0
- Spring Integration is licensed under Apache License, Version 2.0
- spring-security-crypto-4.0.3 is licensed under Apache License, Version 2.0
- spring-security-rsa-1.0.3 is licensed under Apache License, Version 2.0
- Spring Vault is licensed under Apache License, Version 2.0
- sprintf-js is licensed under BSD sprintf-js

- sqljdbc is licensed under Microsoft Software License Terms Microsoft JDBC Driver 6.0 For SQL Server
- srcset is licensed under MIT sindresorhus
- sshpk is licensed under MIT Joyent (1)
- ssri is licensed under ISC ssri
- stack-utils is licensed under MIT stack-utils
- start is licensed under Apache License, Version 2.0
- static-extend is licensed under MIT static-extend
- statuses is licensed under MIT statuses
- StAX is licensed under Apache License, Version 2.0
- stax2-api is licensed under BSD stax2-api
- stomp-websocket is licensed under Apache License, Version 2.0
- stream-each is licensed under MIT stream-each
- stream-iterate is licensed under MIT stream-iterate
- stream-shift is licensed under MIT stream-shift
- strftime is licensed under MIT strftime
- strict-uri-encode is licensed under MIT strict-uri-encode
- string_decoder is licensed under MIT string_decoder
- string.prototype.replaceall is licensed under MIT string.prototype.replaceall
- string.prototype.trimend is licensed under MIT string.prototype.trimend
- string.prototype.trimstart is licensed under MIT string.prototype.trimstart
- stringstream is licensed under MIT stringstream
- string-width is licensed under MIT sindresorhus
- stringify-package is licensed under ISC npm
- strip-ansi is licensed under MIT sindresorhus
- strip-bom is licensed under MIT sindresorhus
- strip-eof is licensed under MIT sindresorhus
- strip-json-comments is licensed under MIT sindresorhus
- stylis is licensed under MIT stylis
- supports-color is licensed under MIT sindresorhus
- symbol-observable is licensed under MIT symbol-observable
- supports-preserve-symlinks-flag is licensed under MIT supports-preserve-symlinks-flag
- Tagger is licensed under Apache License, Version 2.0
- tagsoup is licensed under Apache License, Version 2.0
- tap is licensed under ISC Isaac Z. Schlueter and Contributors
- tap-mocha-reporter is licensed under ISC tap-mocha-reporter
- tap-parser is licensed under MIT
- tar is licensed under ISC Isaac Z. Schlueter and Contributors
- taskgroup is licensed under MIT Bevy (1)
- tdigest is licensed under MIT tdigest
- t-digest is licensed under Apache License, Version 2.0
- term-size is licensed under MIT sindresorhus
- test is licensed under MIT test
- testng is licensed under Apache License, Version 2.0
- test-exclude is licensed under ISC istanbul
- text-table is licensed under MIT text-table
- threetenbp is licensed under BSD threetenbp
- thrift is licensed under Apache License, Version 2.0
- through is licensed under Apache License, Version 2.0
- through2 is licensed under MIT through2
- Thymeleaf is licensed under Apache License, Version 2.0

- Tika is licensed under Apache License, Version 2.0
- timed-out is licensed under MIT timed-out
- tiny-relative-date is licensed under MIT Joseph Wynn
- tmatch is licensed under ISC Isaac Z. Schlueter and Contributors
- to-fast-properties is licensed under MIT to-fast-properties
- toidentifier is licensed under MIT Douglas Christopher Wilson 2016
- Tomcat is licensed under Apache License, Version 2.0
- Tomcat Embedded is licensed under Apache License, Version 2.0
- Tomcat JDBC is licensed under Apache License, Version 2.0
- Tomcat Juli is licensed under Apache License, Version 2.0
- tomcat-jkstatus-ant.jar is licensed under Apache License, Version 2.0
- tomcat-util.jar is licensed under Apache License, Version 2.0
- to-object-path is licensed under MIT Jon Schlinkert (4)
- toobusy-js is licensed under WTFPL
- to-regexp is licensed under MIT to-regexp
- to-regexp-range is licensed under MIT Jon Schlinkert (1)
- tough-cookie is licensed under BSD tough-cookie
- tr46 is licensed under MIT tr46
- trim-right is licensed under MIT sindresorhus
- trivial-deferred is licensed under ISC Isaac Z. Schlueter and Contributors
- Trove4j is licensed under GNU Lesser General Public License, Version 2.1
- tsame is licensed under ISC tsame
- tsscmp is licensed under MIT tsscmp
- tunnel-agent is licensed under Apache License, Version 2.0
- tweetnacl is licensed under Unlicense
- twilio is licensed under MIT Style License
- typechecker is licensed under MIT Bevry (1)
- typedarray is licensed under MIT typedarray
- type-is is licensed under MIT type-is
- types-hoist-non-react-statics is licensed under MIT definitely-typed
- types-node is licensed under MIT types-node
- types-parse-json is licensed under MIT definitely-typed
- types-prop-types is licensed under MIT definitely-typed
- types-react is licensed under MIT definitely-typed
- types-react-dom is licensed under MIT definitely-typed
- types-react-is is licensed under MIT definitely-typed
- types-react-redux is licensed under MIT definitely-typed
- types-react-transition-group is licensed under MIT definitely-typed
- types-scheduler is licensed under MIT definitely-typed
- types-use-sync-external-store is licensed under MIT definitely-typed
- ua-parser-js is licensed under MIT ua-parser-js
- UDDI is licensed under Novell Developer License
- uglify-js is licensed under BSD uglify-js
- uglify-to-browserify is licensed under MIT uglify-to-browserify
- uid-number is licensed under ISC Isaac Z. Schlueter
- uimaj-core is licensed under Apache License, Version 2.0
- umask is licensed under MIT umask
- unescape is licensed under Apache License, Version 2.0
- unbox-primitive is licensed under MIT unbox-primitive
- unicode-icu4j is licensed under Unicode ICU
- unicode-length is licensed under MIT unicode-length

- union-value is licensed under MIT Jon Schlinkert (1)
- unique-filename is licensed under ISC unique-filename
- unique-slug is licensed under ISC unique-slug
- unique-string is licensed under MIT sindresorhus
- unpipe is licensed under MIT unpipe
- unset-value is licensed under MIT unset-value
- unzip-response is licensed under MIT unzip-response
- update-browserslist-db is licensed under MIT update-browserslist-db
- update-notifier is licensed under BSD update-notifier
- uri-js is licensed under BSD Gary Court
- uri-templates is licensed under Public Domain
- urix is licensed under MIT urix
- url-parse-lax is licensed under MIT sindresorhus
- url-to-options is licensed under MIT url-to-options
- use is licensed under MIT Jon Schlinkert (1)
- use-sync-external-store is licensed under MIT use-sync-external-store
- util-deprecate is licensed under MIT util-deprecate
- util-extend is licensed under MIT Joyent (3)
- utils-merge is licensed under MIT utils-merge
- uuid is licensed under MIT uuid
- UUID.js is licensed under Apache License, Version 2.0
- validate-npm-package-license is licensed under Apache License, Version 2.0
- validate-npm-package-name is licensed under ISC validate-npm-package-name
- validation-api is licensed under Apache License, Version 2.0
- validation-api 1.1.0 is licensed under Apache License, Version 2.0
- validation-api 2.0.x is licensed under Apache License, Version 2.0
- value-equal is licensed under MIT value-equal
- vary is licensed under MIT vary
- vavr-0.10.4 is licensed under Apache License, Version 2.0
- vavr-match is licensed under Apache License, Version 2.0
- velocity is licensed under Apache License, Version 2.0
- velocity-tools is licensed under Apache License, Version 2.0
- verror is licensed under MIT verror
- vorbis-java-core is licensed under Apache License, Version 2.0
- vorbis-java-tika is licensed under Apache License, Version 2.0
- warning is licensed under BSD warning
- watchr is licensed under MIT watchr
- wcwidth is licensed under MIT wcwidth
- webarchive-commons is licensed under Apache License, Version 2.0
- webidl-conversions is licensed under BSD-webidl-conversions
- webnfs is licensed under BSD WebNFS
- whatwg-fetch is licensed under MIT whatwg-fetch
- whatwg-url is licensed under MIT-whatwg-url
- which-boxed-primitive is licensed under MIT which-boxed-primitive
- which is licensed under ISC Isaac Z. Schlueter and Contributors
- which-module is licensed under ISC which-module
- WhitespaceTokenizer is licensed under Apache License, Version 2.0
- wide-align is licensed under ISC wide-align
- widest-line is licensed under MIT sindresorhus
- window-size is licensed under MIT Jon Schlinkert (1)
- Woden is licensed under Apache License, Version 2.0

- WoodSToX XML-processor is licensed under Apache License, Version 2.0
- woodstox-core is licensed under Apache License, Version 2.0
- woodstox-core-asl is licensed under Apache License, Version 2.0
- wordwrap is licensed under MIT wordwrap
- worker-farm is licensed under MIT worker-farm
- wrap-ansi is licensed under MIT sindresorhus
- wrappy is licensed under ISC Isaac Z. Schlueter and Contributors
- write-file-atomic is licensed under ISC write-file-atomic
- wsdl4j is licensed under Common Public License
- WSRP.jar is licensed under Apache License, Version 2.0
- xalan is licensed under Apache License, Version 2.0
- xalan-2.7.1 is licensed under Apache License, Version 2.0
- xdg-basedir is licensed under MIT sindresorhus
- xerces is licensed under Apache License, Version 2.0
- xml-apis is licensed under Apache License, Version 2.0
- xmlbeans is licensed under Apache License, Version 2.0
- xmldom is licensed under MIT
- xmlpull is licensed under XML Pull
- xml-resolver is licensed under Apache License, Version 2.0
- xmlrpc is licensed under Apache License, Version 2.0
- XmlSchema is licensed under Apache License, Version 2.0
- XMLTask is licensed under Apache License, Version 2.0
- xmpcore is licensed under BSD xmpcore
- xom is licensed under GNU Lesser General Public License, Version 2.1
- xpp3_min is licensed under Indiana University Extreme! Lab Software License, version 1.1.1
- xregexp is licensed under MIT xregexp
- xsdtc is licensed under Apache License, Version 2.0
- xstream is licensed under BSD XStream
- xtend is licensed under MIT xtend
- x-xss-protection is licensed under MIT helmet (2)
- XZ data compression is licensed under Public Domain
- y18n is licensed under ISC y18n
- yallist is licensed under ISC Isaac Z. Schlueter and Contributors
- yaml is licensed under ISC yaml
- yapool is licensed under ISC Isaac Z. Schlueter and Contributors
- yargs is licensed under MIT yargs
- yargs-parser is licensed under ISC yargs-parser
- yuicompressor is licensed under BSD YUI Compressor
- zipkin is licensed under Apache License, Version 2.0
- zjsonpatch is licensed under Apache License, Version 2.0
- zookeeper is licensed under Apache License, Version 2.0

Product Description

Verint® Engagement Orchestration and Knowledge Management Enterprise™ provide a unified platform for knowledge management, process management, case management, mail management, live chat, co-browse, social listening and analytics, and social community. It provides a holistic approach to customer service by combining knowledge, process, data, and channels into a unified application.

